CDA-CH-EMED - eMedikation

Zusammenstellung der DECOR-Informationen

Implementierungsleitfaden

Version vom 2016-06-30 11:20:04

PDF-Auszug vom 2016-09-16 00:00:05

Lizenzen

Dieses Programm ist freie Software: Sie können es unter den Bedingungen der GNU General Public License, wie von der Free Software Foundation, Version 3 der Lizenz oder (nach Ihrer Option) jeder späteren veröffentlichten Version, weiterverbreiten und/oder modifizieren.

Dieses Programm wird in der Hoffnung, dass es nützlich sein wird, aber OHNE JEDE GEWÄHRLEISTUNG, bereitgestellt; sogar ohne die implizite Gewährleistung der MARKTFÄHIGKEIT oder EIGNUNG FÜR EINEN BESTIMMTEN ZWECK.

Siehe http://www.gnu.org/licenses/gpl.html

Der Inhalt dieser Spezifikation unterliegt möglicherweise anderen Urheber- und Markenrechten sowie Lizenzbestimmungen die hier nicht näher spezifiziert sind.

Disclaimer

Der Inhalt dieser Publikation wurde sorgfältig bearbeitet und überprüft. Allerdings garantiert eHealth Suisse weder die Richtigkeit, Vollständigkeit oder Qualität der bereitgestellten Informationen, noch dass sie auf dem neuesten Stand sind. Haftungsansprüche gegen eHealth Suisse in Bezug auf Schäden materieller oder ideeller Art, die durch die Nutzung oder Nichtnutzung der dargebotenen Informationen oder durch fehlerhafte und unvollständige Informationen verursacht wurden, sind grundsätzlich ausgeschlossen, sofern kein nachweislich vorsätzliches oder grob fahrlässiges Verschulden von eHealth Suisse vorliegt.

Table of Contents

1 Projektinformation ... 8

1.1 Projekt ... 8

1.1.1 Weitere Projekt-Informationen ... 8

1.1.2 Versionsinformationen ... 8

2 Identifikatoren ... 10

2.1 Identifikatoren ... 10

2.1.1 IHEActCode Vocabulary 1.3.6.1.4.1.19376.1.5.3.2 ... 10

2.1.2 cdachemed-valueset-1 2.16.756.5.30.1.127.77.4.11.1 ... 10

2.1.3 cdachemed-valueset-3 2.16.756.5.30.1.127.77.4.11.3 ... 10

2.1.4 cdachemed-valueset-5 2.16.756.5.30.1.127.77.4.11.5 ... 10

2.1.5 cdachemed-valueset-6 2.16.756.5.30.1.127.77.4.11.6 ... 10

2.1.6 Act Code 2.16.840.1.113883.5.4 ... 10

2.1.7 TimingEvent 2.16.840.1.113883.5.139 ... 10

2.1.8 Logical Observation Identifier Names and Codes 2.16.840.1.113883.6.1 ... 11

2.1.9 SNOMED Clinical Terms 2.16.840.1.113883.6.96 ... 11

2.2 Liste der Template Identifier in diesem Projekt ... 11

2.3 Liste von Value Set Identifiern in diesem Projekt ... 14

3 Terminologien ... 16

3.1 Value sets ... 16

3.1.1 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) ... 16

3.1.2 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-) ... 17

3.1.3 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) ... 18

3.1.4 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-) ... 19

3.1.5 TimingEvent 2.16.756.5.30.1.127.77.4.11.2 - 2016-06-30 14:58:13 ... 19

3.1.6 eMedicationCommentType 2.16.756.5.30.1.127.77.4.11.3 - 2016-07-12 21:26:21 ... 21

3.1.7 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) ... 21

3.1.8 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-) ... 22

3.1.9 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) ... 23

3.1.10 LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 24
3.1.11 MaritalStatus 2.16.840.1.113883.1.11.12212 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 25
3.1.12 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 26
3.1.13 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-) 34
3.1.14 ProblemType 2.16.756.5.30.1.127.77.4.11.4 - 2016-07-12 21:49:34 41
3.1.15 ParticipationFunction 2.16.840.1.113883.1.11.10267 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 42
3.1.16 ParticipationSignature 2.16.840.1.113883.1.11.10282 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 46
3.1.17 ReligiousAffiliation 2.16.840.1.113883.1.11.19185 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 47
3.1.18 RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 53
3.1.19 RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-) 87
3.1.20 SeverityObservation 2.16.840.1.113883.1.11.16643 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-) 119
3.1.21 SeverityObservation 2.16.840.1.113883.1.11.16643 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-) 120
3.1.22 Swiss Role Author EPD 2.16.756.5.30.1.1.11.3 - 2016-06-09 ref (aus Repository: hl7chcda-) 121
3.1.23 Swiss Author Speciality EPD 2.16.756.5.30.1.1.11.4 - 2016-06-09 ref (aus Repository: hl7chcda-) 122
3.1.24 Swiss Confidentiality Codes 2.16.756.5.30.1.1.11.1 - 2016-05-27 ref (aus Repository: hl7chcda-) 123
3.1.25 epSOSHealthcareProfessionalRoles 1.3.6.1.4.1.12559.11.10.1.3.1.42.1 - 2013-06-03 (2008) ref (aus Repository: epsos-) 124
3.1.26 epSOSSeverity 1.3.6.1.4.1.12559.11.10.1.3.1.42.13 - 2013-06-03 (July 2009) ref (aus Repository: epsos-) 126

4 Templates 127

4.1 Transaktionsrepräsentierende Templates 127
4.1.1 eMedicationComment V1 2.16.756.5.30.1.1.1.1.3.10.4 - 2016-05-21 127
4.1.2 eAbgabeAnwendung V1 2.16.756.5.30.1.1.1.1.3.10.3 - 2016-05-21 139
4.1.3 eRezept V1 2.16.756.5.30.1.1.1.1.3.10.2 - 2016-05-21 151
4.1.4 eCurrentMedication V1 2.16.756.5.30.1.1.1.1.3.10.1 - 2016-05-13 166
4.2 Templates 179

4.2.1 CDA-CH Remarks Section 2.16.756.5.30.1.1.10.3.2 - 2016-03-17 ref (aus Repository: hl7chcda-) ... 179
4.2.2 <CDA-CH-TPLT> 2.16.756.5.30.1.1.10.2.18 - 2016-06-06 ref (aus Repository: hl7chcda-) ... 182
4.2.3 CDA AssignedEntity 2.16.756.5.30.1.1.10.9.12 - 2015-12-18 ref (aus Repository: hl7chcda-) ... 183
4.2.4 CDA-CH Remarks Entry 2.16.756.5.30.1.1.10.4.2 - 2016-03-17 ref (aus Repository: hl7chcda-) ... 185
4.2.5 CDA Organization 2.16.756.5.30.1.1.10.9.11 - 2015-12-18 ref (aus Repository: hl7chcda-) ... 188
4.2.6 CDA Person 2.16.756.5.30.1.1.10.9.10 - 2015-12-18 ref (aus Repository: hl7chcda-) ... 189
4.2.7 CDA Person 2.16.840.1.113883.10.12.152 - 2005-09-07 ref (aus Repository: ad1bbr-) 190
4.2.8 CDA recordTarget Person 2.16.756.5.30.1.1.10.2.1 - 2015-12-14 ref (aus Repository: hl7chcda-) ... 191
4.2.9 <CDA-CH-CONF> 2.16.756.5.30.1.1.10.2.19 - 2016-06-06 (2016) ref (aus Repository: hl7chcda-) ... 197
4.2.10 <CDA-CH-DOCL> 2.16.756.5.30.1.1.10.2.22 - 2015-12-18 (2016) ref (aus Repository: hl7chcda-) ... 198
4.2.11 <CDA-CH-RELM> 2.16.756.5.30.1.1.10.2.25 - 2015-12-18 (2016) ref (aus Repository: hl7chcda-) ... 199
4.2.12 <CDA-CH-REPL> 2.16.756.5.30.1.1.10.2.13 - 2016-05-18 (2016) ref (aus Repository: hl7chcda-) ... 200
4.2.13 CDA author 2.16.756.5.30.1.1.10.2.2 - 2009-01-27 ref (aus Repository: hl7chcda-) ... 201
4.2.14 CDA Document Id 2.16.756.5.30.1.1.10.9.3 - 2015-12-18 ref (aus Repository: hl7chcda-) ... 206
4.2.15 CDA Document Language Code 2.16.756.5.30.1.1.10.9.5 - 2015-12-18 ref (aus Repository: hl7chcda-) ... 207
4.2.16 CDA legalAuthenticator 2.16.756.5.30.1.1.10.2.5 - 2009-01-27 ref (aus Repository: hl7chcda-) ... 207
4.2.17 CDA RealmCode 2.16.756.5.30.1.1.10.9.1 - 2015-12-18 ref (aus Repository: hl7chcda-) ... 210
4.2.18 CDA relatedDocument 2.16.756.5.30.1.127.77.4.10.6 - 2016-06-06 ... 211
4.2.19 CDA SetId VersionNumber 2.16.756.5.30.1.1.10.9.7 - 2015-12-18 ref (aus Repository: hl7chcda-) ... 211
4.2.20 CDA TypeId 2.16.756.5.30.1.1.10.2.24 - 2015-12-18 ref (aus Repository: hl7chcda-) .. 212
4.2.21 <CH-EMED-AUTO> 2.16.756.5.30.1.1.1.1.3.10.10.2.1 - 2016-06-09 ... 213
4.2.22 <CH-EMED-CONT> 2.16.756.5.30.1.1.1.1.3.10.10.2.4 - 2016-06-09 ... 217
4.2.23 Dispense Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 - 2016-06-17 ... 219
4.2.24 Dispense Section Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1 - 2016-06-06 ... 231

4.2.25 Dosage Instructions Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 - 2016-06-13 235
4.2.26 Dosage Instructions Non Structured Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10 - 2016-09-13 15:33:18 242
4.2.27 Dosage Intake Mode Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11 - 2016-09-13 16:06:07 244
4.2.28 MTP Reference Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 - 2016-07-07 246
4.2.29 Manufactured Material Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2 - 2016-06-13 249
4.2.30 Medication Treatment Plan Item Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 - 2016-06-13 255
4.2.31 eCurrentMedication Section Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1 - 2016-05-21 267
4.2.32 <CH-EMED-NAME> 2.16.756.5.30.1.1.1.1.3.10.10.2.2 - 2016-06-09 271
4.2.33 <CH-EMED-PAT> 2.16.756.5.30.1.1.1.1.3.10.10.2.5 - 2016-06-08 273
4.2.34 Pharmaceutical Advice Concern Item Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2 - 2016-07-12 277
4.2.35 Pharmaceutical Advice Item Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1 - 2016-06-25 287
4.2.36 Pharmaceutical Advice Section Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1 - 2016-06-06 303
4.2.37 Prescribed Quantity Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3 - 2016-06-13 306
4.2.38 Prescription Item Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1 - 2016-06-25 308
4.2.39 Prescription Section Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1 - 2016-06-06 320
4.2.40 <CH-EMED-REC3> 2.16.756.5.30.1.1.1.1.3.10.10.2.6 - 2016-09-15 12:43:44 324
4.2.41 <CH-EMED-RORG> 2.16.756.5.30.1.1.1.1.3.10.10.2.3 - 2016-06-09 325
4.2.42 Substitution Permission Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2 - 2016-09-13 17:06:35 327
4.2.43 Treatment Reason Entry Content
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4 - 2016-06-13 329
4.2.44 todelte 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10.1 - 2016-09-13 332
4.2.45 Dispense Item 1.3.6.1.4.1.12559.11.22.1.52 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-) 332
4.2.46 Dosage Instruction Content 1.3.6.1.4.1.19376.1.9.1.1.1.1 - 2016-01-08 13:04:49 (PRE2016) ref (aus Repository: iheptv-) 333
4.2.47 Entry Medication FulFillment Instructions 1.3.6.1.4.1.19376.1.5.3.1.4.3.1 - 2013-12-20 ref (aus Repository: epsos-) 335

4.2.48 Severity 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2013-12-20 ref (aus Repository: epsos-) 338
4.2.49 Medication Treatment Plan Item 1.3.6.1.4.1.12559.11.22.1.50 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-) 340
4.2.50 Medicine Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.1 - 2016-01-08 13:04:49 (PRE2016) ref (aus Repository: iheptv-) 341
4.2.51 Pharmaceutical Advice Concern Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.5 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-) 346
4.2.52 Pharmaceutical Advice Item Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.3 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-) 353
4.2.53 Prescription Item 1.3.6.1.4.1.12559.11.22.1.51 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-) 361
4.2.54 Prescription Item Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.2 - 2016-01-08 13:04:49 (PRE2016) ref (aus Repository: iheptv-) 362
4.2.55 Severity 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2009-12-04 ref (aus Repository: iheptv-) 370
4.2.56 epSOS Patient Medication Instructions 1.3.6.1.4.1.19376.1.5.3.1.4.3 - 2013-12-20 ref (aus Repository: epsos-) 372

1 Projektinformation

1.1 Projekt

IPAG has defined 4 documents for the exchange of medication information between health professionals.

The **eCurrentMedication** aims to fully comprise the current medication of a patient.

The **eRezept** represents the electronic form of a prescription of a drug by a qualified healthcare professional.

The **eAbgabe/Anwendung** documents the direct dispensation of a drug to a patient or legitimized third party with regard to a later application of the product by a qualified health professional.

The **eMedicationComment** is a document in which health professionals track important observations (with the explicit consent of the patient), in regards to medication use.

Source: IPAG eMedikation, 10.8.2016

eHealth Suisse has modelled together with IPAG the four documents in ART-DECOR in this project according to the IHE Pharmacy Supplements, except the eCurrentMedication where only the structured entries are based on IHE Pharmacy.

1.1.1 Weitere Projekt-Informationen

Artifact-Prefix	Referenz-URI
cdachemed-	http://ehealthsuisse.art-decor.org/
Standardsprache	**Template Element Namespace**
de-CH	hl7:

Disclaimer

Der Inhalt dieser Publikation wurde sorgfältig bearbeitet und überprüft. Allerdings garantiert eHealth Suisse weder die Richtigkeit, Vollständigkeit oder Qualität der bereitgestellten Informationen, noch dass sie auf dem neuesten Stand sind. Haftungsansprüche gegen eHealth Suisse in Bezug auf Schäden materieller oder ideeller Art, die durch die Nutzung oder Nichtnutzung der dargebotenen Informationen oder durch fehlerhafte und unvollständige Informationen verursacht wurden, sind grundsätzlich ausgeschlossen, sofern kein nachweislich vorsätzliches oder grob fahrlässiges Verschulden von eHealth Suisse vorliegt.

Liste der Autoren

- Oliver Egger
- Tony Schaller
- dr Kai Heitmann

1.1.2 Versionsinformationen

Datum	Von	Beschreibung
2016-09-15 23:50:43	Oliver Egger	**Official Release: V092** Release: v0.92

		Report IPAG eMedikation 8.10.2016
2016-07-15 17:22:34	**Oliver Egger**	**Official Release: v0.91** Beschlüsse IPAG Begleitgruppe 15.7.2016
2016-07-13 22:17:25	**Oliver Egger**	**Official Release: v0.9** Version for internal review
2016-07-13 20:27:34	Oliver Egger	first version for internal review
2016-07-02 13:31:08	Oliver Egger	yaiv
2016-06-30 11:26:59	Oliver Egger	first intermediate version
2016-06-30 11:20:04	Oliver Egger	First intermediate version

2 Identifikatoren

2.1 Identifikatoren

Wird zurzeit nur zu Anzeigezwecken genutzt.

2.1.1 *IHEActCode Vocabulary* 1.3.6.1.4.1.19376.1.5.3.2

Sprache	Anzeigename	Beschreibung
de-CH	IHEActCode Vocabulary	IHEActCode Vocabulary

2.1.2 *cdachemed-valueset-1* 2.16.756.5.30.1.127.77.4.11.1

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-1	cdachemed-valueset-1

2.1.3 *cdachemed-valueset-3* 2.16.756.5.30.1.127.77.4.11.3

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-3	cdachemed-valueset-3

2.1.4 *cdachemed-valueset-5* 2.16.756.5.30.1.127.77.4.11.5

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-5	cdachemed-valueset-5

2.1.5 *cdachemed-valueset-6* 2.16.756.5.30.1.127.77.4.11.6

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-6	cdachemed-valueset-6

2.1.6 *Act Code* 2.16.840.1.113883.5.4

Sprache	Anzeigename	Beschreibung
de-CH	Act Code	Act Code

2.1.7 *TimingEvent* 2.16.840.1.113883.5.139

Sprache	Anzeigename	Beschreibung
de-CH	TimingEvent	TimingEvent

2.1.8 *Logical Observation Identifier Names and Codes* 2.16.840.1.113883.6.1

Sprache	Anzeigename	Beschreibung
de-CH	Logical Observation Identifier Names and Codes	Logical Observation Identifier Names and Codes

2.1.9 *SNOMED Clinical Terms* 2.16.840.1.113883.6.96

Sprache	Anzeigename	Beschreibung
de-CH	SNOMED Clinical Terms	SNOMED Clinical Terms

2.2 Liste der Template Identifier in diesem Projekt

Id	Anzeigename	Name	Eingangsdatu
	CDA SetId VersionNumber	CDAsetIdversionNumber	
	CDA Document Language Code	CDAlanguageCode	
	CDA-CH Remarks Entry	CDACH-RemarksEntry	
	Dispense Item	DispenseItem	
	CDA Document Id	CDAid	
	Prescription Item	PrescriptionItem	
	Medication Treatment Plan Item	MedicationTreatmentPlanItem	
	CDA RealmCode	CDArealmCode	
	Pharmaceutical Advice Concern Entry Content Module	PharmaceuticalAdviceConcernEntryContentModule	
	Pharmaceutical Advice Item Entry Content Module	PharmaceuticalAdviceItemEntryContentModule	
	Entry Medication FulFillment Instructions	EntryMedicationFulFillmentInstructions	
	CDA-CH Remarks Section	CDA-CH-RemarksSection	
	Prescription Item Entry Content Module	PrescriptionItemEntry	
	Medicine Entry Content Module	MedicineEntryContentModule	
	CDA legalAuthenticator	CDAlegalAuthenticator	
	<CDA-CH-CONF>	CDA-CH-CONF	
	CDA author	CDAauthor	
	<CDA-CH-TPLT>	CDA-CH-TPLT	
	CDA recordTarget Person	CDARecordTargetPerson	

	<CDA-CH-RELM>	CDA_CH_RELM	
	CDA TypeId	CDAtypeId	
	<CDA-CH-REPL>	CDA_CH_REPL	
	<CDA-CH-DOCL>	CDA_CH_DOCL	
	epSOS Patient Medication Instructions	epsosPatientMedicationInstructions	
	CDA AssignedEntity	CDAAssignedEntity	
	Severity	Severity	
1.3.6.1.4.1.12559.11.22.1.50	Medication Treatment Plan Item	MedicationTreatmentPlanItem	2016-01-08 11:13:04
1.3.6.1.4.1.12559.11.22.1.51	Prescription Item	PrescriptionItem	2016-01-08 11:13:04
1.3.6.1.4.1.12559.11.22.1.52	Dispense Item	DispenseItem	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.5.3.1.4.1	Severity	Severity	2009-12-04
1.3.6.1.4.1.19376.1.5.3.1.4.1	Severity	EntrySeverity	2013-12-20
1.3.6.1.4.1.19376.1.5.3.1.4.3	epSOS Patient Medication Instructions	epsosPatientMedicationInstructions	2013-12-20
1.3.6.1.4.1.19376.1.5.3.1.4.3.1	Entry Medication FulFillment Instructions	EntryMedicationFulFillmentInstructions	2013-12-20
1.3.6.1.4.1.19376.1.9.1.1.1	Dosage Instruction Content	DosageInstructionContent	2016-01-08 13:04:49
1.3.6.1.4.1.19376.1.9.1.3.1	Medicine Entry Content Module	MedicineEntryContentModule	2016-01-08 13:04:49
1.3.6.1.4.1.19376.1.9.1.3.2	Prescription Item Entry Content Module	PrescriptionItemEntry	2016-01-08 13:04:49
1.3.6.1.4.1.19376.1.9.1.3.3	Pharmaceutical Advice Item Entry Content Module	PharmaceuticalAdviceItemEntryContentModule	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.9.1.3.5	Pharmaceutical Advice Concern Entry Content Module	PharmaceuticalAdviceConcernEntryContentModule	2016-01-08 11:13:04
2.16.756.5.30.1.1.1.1.3.10.1	eCurrentMedication V1	CDA-CH-EMED-eCurrentMedication-V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2	eRezept V1	CDA-CH-EMED-eRezept-V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	eCurrentMedication Section Content Module	CH-EMED-MedicationTreatmentPlanSectionContentModule	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Medication Treatment Plan Item Entry Content Module	CH-EMED-MedicationTreatmentPlanEntryContentModule	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Prescription Section Content Module	CH-EMED-PrescriptionSectionContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Prescription Item Entry Content Module	CH-EMED-PrescriptionItemEntryContentModule	2016-06-25

2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2	Substitution Permission Entry Content Module	CH-EMED-SubstitutionPermissionEntryContentModule	2016-09-13 17:06:35
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Dispense Section Content Module	CH-EMED-DispenseSectionContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Dispense Item Entry Content Module	CH-EMED-DispenseItemEntryContentModule	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	CH-EMED-PharmaceuticalAdviceSectionContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Pharmaceutical Advice Item Entry Content Module	CH-EMED-PharmaceuticalAdviceItemEntryContentModule	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2	Pharmaceutical Advice Concern Item Entry Content Module	CH-EMED-PharmaceuticalAdviceConcernItemEntryContentModule	2016-07-12
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Dosage Instructions Entry Content Module	CH-EMED-DosageInstructionsEntryContentModule	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Manufactured Material Entry Content Module	CH-EMED-ManufacturedMaterialEntryContentModule	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3	Prescribed Quantity Entry Content Module	CH-EMED-PrescribedQuantityEntryContentModule	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	Treatment Reason Entry Content Module	CH-EMED-TreatmentReasonEntryContentModule	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.5	Treatment State Entry Content Module	CH-EMED-TreatmentStateEntryContentModule	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	MTP Reference Entry Content Module	CH-EMED-MTPReferenceEntryContentModule	2016-07-07
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.7	Extemporaneous Formulation Entry Content Module	CH-EMED-ExtemporaneousFormulationEntryContentModule	2016-07-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.8	Prescription Type Entry Content Module	CH-EMED-PrescriptionTypeEntryContentModule	2016-07-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.9	Medication Type Entry Content Module	CH-EMED-MedicationTypeEntryContentModule	2016-07-07
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	Dosage Instructions Non Structured Entry Content Module	CH-EMED-DosageInstructionsNonStructuredEntryContentModule	2016-09-13 15:33:18
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10.1	todelte	CH-EMED-todelete	2016-09-13
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11	Dosage Intake Mode Entry Content Module	CH-EMED-DosageIntakeModeEntryContentModule	2016-09-13 16:06:07
2.16.756.5.30.1.1.1.1.3.10.3	eAbgabeAnwendung V1	CDA-CH-EMED-AbgabeAnwendung-V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	CDA-CH-EMED-eMedicationComment-V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.10.2.1	<CH-EMED-AUTO>	CH-EMED-AUTO	2016-06-09

CDA-CH-EMED - eMedikation *Identifikatoren*

2.16.756.5.30.1.1.1.1.3.10.10.2.2	<CH-EMED-NAME>	CH-EMED-NAME	2016-06-09
2.16.756.5.30.1.1.1.1.3.10.10.2.3	<CH-EMED-RORG>	CH-EMED-RORG	2016-06-09
2.16.756.5.30.1.1.1.1.3.10.10.2.4	<CH-EMED-CONT>	CH-EMED-CONT	2016-06-09
2.16.756.5.30.1.1.1.1.3.10.10.2.5	<CH-EMED-PAT>	CH-EMED-PAT	2016-06-08
2.16.756.5.30.1.1.1.1.3.10.10.2.6	<CH-EMED-REC3>	CH-EMED-REC3	2016-09-15 12:43:44
2.16.756.5.30.1.1.10.2.1	CDA recordTarget Person	CDARecordTargetPerson	2015-12-14
2.16.756.5.30.1.1.10.2.2	CDA author	CDAauthor	2009-01-27
2.16.756.5.30.1.1.10.2.5	CDA legalAuthenticator	CDAlegalAuthenticator	2009-01-27
2.16.756.5.30.1.1.10.2.13	<CDA-CH-REPL>	CDA_CH_REPL	2016-05-18
2.16.756.5.30.1.1.10.2.18	<CDA-CH-TPLT>	CDA-CH-TPLT	2016-06-06
2.16.756.5.30.1.1.10.2.19	<CDA-CH-CONF>	CDA_CH_CONF	2016-06-06
2.16.756.5.30.1.1.10.2.22	<CDA-CH-DOCL>	CDA_CH_DOCL	2015-12-18
2.16.756.5.30.1.1.10.2.24	CDA TypeId	CDAtypeId	2015-12-18
2.16.756.5.30.1.1.10.2.25	<CDA-CH-RELM>	CDA_CH_RELM	2015-12-18
2.16.756.5.30.1.1.10.3.2	CDA-CH Remarks Section	CDA-CH-RemarksSection	2016-03-17
2.16.756.5.30.1.1.10.4.2	CDA-CH Remarks Entry	CDACH-RemarksEntry	2016-03-17
2.16.756.5.30.1.1.10.9.1	CDA RealmCode	CDArealmCode	2015-12-18
2.16.756.5.30.1.1.10.9.3	CDA Document Id	CDAid	2015-12-18
2.16.756.5.30.1.1.10.9.5	CDA Document Language Code	CDAlanguageCode	2015-12-18
2.16.756.5.30.1.1.10.9.7	CDA SetId VersionNumber	CDAsetIdversionNumber	2015-12-18
2.16.756.5.30.1.1.10.9.10	CDA Person	CDAPerson	2015-12-18
2.16.756.5.30.1.1.10.9.11	CDA Organization	CDAOrganization	2015-12-18
2.16.756.5.30.1.1.10.9.12	CDA AssignedEntity	CDAAssignedEntity	2015-12-18
2.16.756.5.30.1.127.77.4.10.6	CDA relatedDocument	CDArelatedDocument	2016-06-06
2.16.840.1.113883.10.12.152	CDA Person	CDAPerson	2005-09-07

2.3 Liste von Value Set Identifiern in diesem Projekt

Id	Anzeigename	Name	Eingangsdatum
1.3.6.1.4.1.12559.11.10.1.3.1.42.1	epSOSHealthcareProfessionalRoles	epSOSHealthcareProfessionalRoles	2013-06-03
1.3.6.1.4.1.12559.11.10.1.3.1.42.13	epSOSSeverity	epSOSSeverity	2013-06-03
2.16.756.5.30.1.1.11.1	Swiss Confidentiality Codes	SwissConfidentialityCodes	2016-05-27
2.16.756.5.30.1.1.11.3	Swiss Role Author EPD	SwisRoleAuthor	2016-06-09
2.16.756.5.30.1.1.11.4	Swiss Author Speciality EPD	SwissAuthorSpeciality	2016-06-09
2.16.756.5.30.1.127.77.4.11.1	PrescriptionType	CH-EMED-PrescriptionType	2016-06-25 10:57:01
2.16.756.5.30.1.127.77.4.11.2	TimingEvent	CH-EMED-TimingEvent	2016-06-30 14:58:13

2.16.756.5.30.1.127.77.4.11.3	eMedicationCommentType	CH-EMED-eMedicationCommentTyp	2016-07-12 21:26:21
2.16.756.5.30.1.127.77.4.11.4	ProblemType	PCCTFVol2ProblemType	2016-07-12 21:49:34
2.16.756.5.30.1.127.77.4.11.5	eRezeptType	CH-EMED-eRezeptType	2016-07-12 23:28:18
2.16.756.5.30.1.127.77.4.11.6	MedicationType	CH-EMED-MedicationType	2016-07-13 13:25:53
2.16.840.1.113883.1.11.1	AdministrativeGender	AdministrativeGender	2011-07-26
2.16.840.1.113883.1.11.1	AdministrativeGender	AdministrativeGender	2014-03-26
2.16.840.1.113883.1.11.10267	ParticipationFunction	ParticipationFunction	2014-03-26
2.16.840.1.113883.1.11.10282	ParticipationSignature	ParticipationSignature	2014-03-26
2.16.840.1.113883.1.11.11526	HumanLanguage	HumanLanguage	2011-07-26
2.16.840.1.113883.1.11.11526	HumanLanguage	HumanLanguage	2014-03-26
2.16.840.1.113883.1.11.12199	LanguageAbilityProficiency	LanguageAbilityProficiency	2014-03-26
2.16.840.1.113883.1.11.12212	MaritalStatus	MaritalStatus	2014-03-26
2.16.840.1.113883.1.11.12249	LanguageAbilityMode	LanguageAbilityMode	2014-03-26
2.16.840.1.113883.1.11.14411	OrderableDrugForm	OrderableDrugForm	2011-07-26
2.16.840.1.113883.1.11.14411	OrderableDrugForm	OrderableDrugForm	2014-03-26
2.16.840.1.113883.1.11.14581	RouteOfAdministration	RouteOfAdministration	2011-07-26
2.16.840.1.113883.1.11.14581	RouteOfAdministration	RouteOfAdministration	2014-03-26
2.16.840.1.113883.1.11.16621	ActSubstanceAdminSubstitutionCode	ActSubstanceAdminSubstitutionCode	2011-07-26
2.16.840.1.113883.1.11.16621	ActSubstanceAdminSubstitutionCode	ActSubstanceAdminSubstitutionCode	2014-03-26
2.16.840.1.113883.1.11.16643	SeverityObservation	SeverityObservation	2011-07-26
2.16.840.1.113883.1.11.16643	SeverityObservation	SeverityObservation	2014-03-26
2.16.840.1.113883.1.11.19185	ReligiousAffiliation	ReligiousAffiliation	2014-03-26

3 Terminologien

3.1 Value sets

3.1.1 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ActSubstanceAdminSubstitutionCode	2.16.840.1.113883.1.11.16621 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.1070

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-S	**E**	equivalent	2.16.840.1.113883.5.1070	
2-S	**EC**	equivalent composition	2.16.840.1.113883.5.1070	
3-L	**BC**	brand composition	2.16.840.1.113883.5.1070	
3-L	**G**	generic composition	2.16.840.1.113883.5.1070	
2-S	**TE**	therapeutic alternative	2.16.840.1.113883.5.1070	
3-L	**TB**	therapeutic brand	2.16.840.1.113883.5.1070	
3-L	**TG**	therapeutic generic	2.16.840.1.113883.5.1070	
1-L	**F**	formulary	2.16.840.1.113883.5.1070	
1-L	**N**	none	2.16.840.1.113883.5.1070	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ActSubstanceAdminSubstitutionCode	2.16.840.1.113883.1.11.16621 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Andere Versionen dieses Value Sets

- ActSubstanceAdminSubstitutionCode DEFN=UV=VO=1099-20110726 - 2011-07-26

3.1.2 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ActSubstanceAdminSubstitutionCode	2.16.840.1.113883.1.11.16621 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.1070

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-S	**E**	equivalent	2.16.840.1.113883.5.1070	
2-S	**EC**	equivalent composition	2.16.840.1.113883.5.1070	
3-L	**BC**	brand composition	2.16.840.1.113883.5.1070	
3-L	**G**	generic composition	2.16.840.1.113883.5.1070	
2-S	**TE**	therapeutic alternative	2.16.840.1.113883.5.1070	
3-L	**TB**	therapeutic brand	2.16.840.1.113883.5.1070	
3-L	**TG**	therapeutic generic	2.16.840.1.113883.5.1070	
1-L	**F**	formulary	2.16.840.1.113883.5.1070	
1-L	**N**	none	2.16.840.1.113883.5.1070	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ActSubstanceAdminSubstitutionCode	2.16.840.1.113883.1.11.16621 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Andere Versionen dieses Value Sets

- ActSubstanceAdminSubstitutionCode DEFN=UV=VO=1360-20160323 - 2014-03-26

3.1.3 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The gender of a person used for adminstrative purposes (as opposed to clinical gender)

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
AdministrativeGender	2.16.840.1.113883.1.11.1 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.1

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**F**	Female	2.16.840.1.113883.5.1	
0-L	**M**	Male	2.16.840.1.113883.5.1	
0-L	**UN**	Undifferentiated	2.16.840.1.113883.5.1	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- AdministrativeGender DEFN=UV=VO=1099-20110726 - 2011-07-26

3.1.4 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)

Beschreibung

description:

The gender of a person used for adminstrative purposes (as opposed to clinical gender)

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
AdministrativeGender	2.16.840.1.113883.1.11.1 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.1

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**F**	Female	2.16.840.1.113883.5.1	
0-L	**M**	Male	2.16.840.1.113883.5.1	
0-L	**UN**	Undifferentiated	2.16.840.1.113883.5.1	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- AdministrativeGender DEFN=UV=VO=1360-20160323 - 2014-03-26

3.1.5 TimingEvent 2.16.756.5.30.1.127.77.4.11.2 - 2016-06-30 14:58:13

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
CH-EMED-TimingEvent	2.16.756.5.30.1.127.77.4.11.2	2016-06-30 14:58:13	Draft

Quell-Codesystem:

- 2.16.840.1.113883.5.139 *TimingEvent*

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-L	**AC**	Before meal	TimingEvent	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
CH-EMED-TimingEvent	2.16.756.5.30.1.127.77.4.11.2	2016-06-30 14:58:13	Draft

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-L	**HS**	Before sleep	TimingEvent	
1-L	**ACD**	Before lunch	TimingEvent	
1-L	**ACM**	Before breakfast	TimingEvent	
1-L	**ACV**	Before dinner	TimingEvent	
1-S	**C**	During meals	TimingEvent	
2-L	**CD**	During lunch	TimingEvent	
2-L	**CM**	During breakfast	TimingEvent	
2-L	**CV**	During dinner	TimingEvent	
1-L	**IC**	Between meals	TimingEvent	
1-L	**ICD**	Between lunch and dinner	TimingEvent	
1-L	**ICM**	Between breakfast and lunch	TimingEvent	
1-L	**ICV**	Between dinner and the hour of sleep	TimingEvent	
1-L	**PC**	After meal	TimingEvent	
1-L	**PCD**	After lunch	TimingEvent	
1-L	**PCM**	After breakfast	TimingEvent	
1-L	**PCV**	After dinner	TimingEvent	
1-L	**WAKE**	Waking up	TimingEvent	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.6 eMedicationCommentType 2.16.756.5.30.1.127.77.4.11.3 - 2016-07-12 21:26:21

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
CH-EMED-eMedicationCommentTyp	2.16.756.5.30.1.127.77.4.11.3	2016-07-12 21:26:21	Draft

Quell-Codesystem:

- 2.16.756.5.30.1.127.77.4.11.3 *cdachemed-valueset-3*

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**1**	Validierungsentscheid	cdachemed-valueset-3	
0-L	**2**	Intervention	cdachemed-valueset-3	
0-L	**3**	Beobachtung	cdachemed-valueset-3	
0-L	**4**	Medikationsanalyse	cdachemed-valueset-3	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.7 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Codes for the representation of the names of human languages.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
HumanLanguage	2.16.840.1.113883.1.11.11526 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
ietf3066	2.16.840.1.113883.6.121	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Codes for the representation of the names of human languages.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
HumanLanguage	2.16.840.1.113883.1.11.11526 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Andere Versionen dieses Value Sets

- HumanLanguage DEFN=UV=VO=1099-20110726 - 2011-07-26

3.1.8 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)

Beschreibung

description:

Codes for the representation of the names of human languages.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
HumanLanguage	2.16.840.1.113883.1.11.11526 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
ietf3066	2.16.840.1.113883.6.121	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- HumanLanguage DEFN=UV=VO=1360-20160323 - 2014-03-26

3.1.9 LanguageAbilityMode 2.16.840.1.113883.1.11.12249 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

A value representing the method of expression of the language.

Example: Expressed spoken, expressed written, expressed signed, received spoken, received written, received signed.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
LanguageAbilityMode	2.16.840.1.113883.1.11.12249 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.60

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**ESGN**	Expressed signed	2.16.840.1.113883.5.60	
0-L	**ESP**	Expressed spoken	2.16.840.1.113883.5.60	
0-L	**EWR**	Expressed written	2.16.840.1.113883.5.60	
0-L	**RSGN**	Received signed	2.16.840.1.113883.5.60	
0-L	**RSP**	Received spoken	2.16.840.1.113883.5.60	
0-L	**RWR**	Received written	2.16.840.1.113883.5.60	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.10 LanguageAbilityProficiency 2.16.840.1.113883.1.11.12199 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

A value representing the level of proficiency in a language.

Example: Excellent, good, fair, poor.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
LanguageAbilityProficiency	2.16.840.1.113883.1.11.12199 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.61

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**E**	Excellent	2.16.840.1.113883.5.61	
0-L	**F**	Fair	2.16.840.1.113883.5.61	
0-L	**G**	Good	2.16.840.1.113883.5.61	
0-L	**P**	Poor	2.16.840.1.113883.5.61	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.11 MaritalStatus 2.16.840.1.113883.1.11.12212 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The domestic partnership status of a person.

Example: Married, separated, divorced, widowed, common-law marriage.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
MaritalStatus	2.16.840.1.113883.1.11.12212 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.2

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**A**	Annulled	2.16.840.1.113883.5.2	
0-L	**D**	Divorced	2.16.840.1.113883.5.2	
0-L	**I**	Interlocutory	2.16.840.1.113883.5.2	
0-L	**L**	Legally Separated	2.16.840.1.113883.5.2	
0-L	**M**	Married	2.16.840.1.113883.5.2	
0-L	**P**	Polygamous	2.16.840.1.113883.5.2	
0-L	**S**	Never Married	2.16.840.1.113883.5.2	
0-L	**T**	Domestic partner	2.16.840.1.113883.5.2	
0-L	**W**	Widowed	2.16.840.1.113883.5.2	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.12 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.85

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_GasDrugForm*	GasDrugForm	2.16.840.1.113883.5.85	
2-L	**GASINHL**	Gas for Inhalation	2.16.840.1.113883.5.85	
1-A	*_GasLiquidMixture*	GasLiquidMixture	2.16.840.1.113883.5.85	
2-S	**AER**	Aerosol	2.16.840.1.113883.5.85	
3-L	**BAINHL**	Breath Activated Inhaler	2.16.840.1.113883.5.85	
3-L	**INHLSOL**	Inhalant Solution	2.16.840.1.113883.5.85	
3-L	**MDINHL**	Metered Dose Inhaler	2.16.840.1.113883.5.85	
3-L	**NASSPRY**	Nasal Spray	2.16.840.1.113883.5.85	
2-L	**DERMSPRY**	Dermal Spray	2.16.840.1.113883.5.85	
2-S	**FOAM**	Foam	2.16.840.1.113883.5.85	
3-L	**FOAMAPL**	Foam with Applicator	2.16.840.1.113883.5.85	
3-L	**RECFORM**	Rectal foam	2.16.840.1.113883.5.85	
3-S	**VAGFOAM**	Vaginal foam	2.16.840.1.113883.5.85	
4-L	**VAGFOAMAPL**	Vaginal foam with applicator	2.16.840.1.113883.5.85	
2-L	**RECSPRY**	Rectal Spray	2.16.840.1.113883.5.85	
2-L	**VAGSPRY**	Vaginal Spray	2.16.840.1.113883.5.85	
1-A	*_GasSolidSpray*	GasSolidSpray	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-S	**INHL**	Inhalant	2.16.840.1.113883.5.85	
3-L	**BAINHLPWD**	Breath Activated Powder Inhaler	2.16.840.1.113883.5.85	
3-L	**INHLPWD**	Inhalant Powder	2.16.840.1.113883.5.85	
3-L	**MDINHLPWD**	Metered Dose Powder Inhaler	2.16.840.1.113883.5.85	
3-L	**NASINHL**	Nasal Inhalant	2.16.840.1.113883.5.85	
3-L	**ORINHL**	Oral Inhalant	2.16.840.1.113883.5.85	
2-L	**PWDSPRY**	Powder Spray	2.16.840.1.113883.5.85	
2-L	**SPRYADAPT**	Spray with Adaptor	2.16.840.1.113883.5.85	
1-A	*_Liquid*	Liquid	2.16.840.1.113883.5.85	
2-S	**LIQCLN**	Liquid Cleanser	2.16.840.1.113883.5.85	
3-L	**LIQSOAP**	Medicated Liquid Soap	2.16.840.1.113883.5.85	
3-L	**SHMP**	Shampoo	2.16.840.1.113883.5.85	
2-S	**OIL**	Oil	2.16.840.1.113883.5.85	
3-L	**TOPOIL**	Topical Oil	2.16.840.1.113883.5.85	
2-S	**SOL**	Solution	2.16.840.1.113883.5.85	
3-S	**DROP**	Drops	2.16.840.1.113883.5.85	
4-L	**NDROP**	Nasal Drops	2.16.840.1.113883.5.85	
4-L	**OPDROP**	Ophthalmic Drops	2.16.840.1.113883.5.85	
4-L	**ORDROP**	Oral Drops	2.16.840.1.113883.5.85	
4-L	**OTDROP**	Otic Drops	2.16.840.1.113883.5.85	
3-L	**IPSOL**	Intraperitoneal Solution	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-S	**IRSOL**	Irrigation Solution	2.16.840.1.113883.5.85	
4-L	**DOUCHE**	Douche	2.16.840.1.113883.5.85	
4-L	**ENEMA**	Enema	2.16.840.1.113883.5.85	
4-L	**OPIRSOL**	Ophthalmic Irrigation Solution	2.16.840.1.113883.5.85	
3-L	**IVSOL**	Intravenous Solution	2.16.840.1.113883.5.85	
3-S	**ORALSOL**	Oral Solution	2.16.840.1.113883.5.85	
4-L	**ORDROP**	Oral Drops	2.16.840.1.113883.5.85	
4-L	**ELIXIR**	Elixir	2.16.840.1.113883.5.85	
4-L	**RINSE**	Mouthwash/Rinse	2.16.840.1.113883.5.85	
4-L	**SYRUP**	Syrup	2.16.840.1.113883.5.85	
3-L	**RECSOL**	Rectal Solution	2.16.840.1.113883.5.85	
3-S	**TOPSOL**	Topical Solution	2.16.840.1.113883.5.85	
4-L	**LIN**	Liniment	2.16.840.1.113883.5.85	
4-L	**MUCTOPSOL**	Mucous Membrane Topical Solution	2.16.840.1.113883.5.85	
4-L	**TINC**	Tincture	2.16.840.1.113883.5.85	
1-A	*_LiquidLiquidEmulsion*	LiquidLiquidEmulsion	2.16.840.1.113883.5.85	
2-S	**CRM**	Cream	2.16.840.1.113883.5.85	
3-L	**NASCRM**	Nasal Cream	2.16.840.1.113883.5.85	
3-L	**OPCRM**	Ophthalmic Cream	2.16.840.1.113883.5.85	
3-L	**ORCRM**	Oral Cream	2.16.840.1.113883.5.85	
3-L	**OTCRM**	Otic Cream	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-L	**RECCRM**	Rectal Cream	2.16.840.1.113883.5.85	
3-L	**TOPCRM**	Topical Cream	2.16.840.1.113883.5.85	
3-S	**VAGCRM**	Vaginal Cream	2.16.840.1.113883.5.85	
4-L	**VAGCRMAPL**	Vaginal Cream with Applicator	2.16.840.1.113883.5.85	
2-S	**LTN**	Lotion	2.16.840.1.113883.5.85	
3-L	**TOPLTN**	Topical Lotion	2.16.840.1.113883.5.85	
2-S	**OINT**	Ointment	2.16.840.1.113883.5.85	
3-L	**NASOINT**	Nasal Ointment	2.16.840.1.113883.5.85	
3-L	**OINTAPL**	Ointment with Applicator	2.16.840.1.113883.5.85	
3-L	**OPOINT**	Ophthalmic Ointment	2.16.840.1.113883.5.85	
3-L	**OTOINT**	Otic Ointment	2.16.840.1.113883.5.85	
3-L	**RECOINT**	Rectal Ointment	2.16.840.1.113883.5.85	
3-L	**TOPOINT**	Topical Ointment	2.16.840.1.113883.5.85	
3-S	**VAGOINT**	Vaginal Ointment	2.16.840.1.113883.5.85	
4-L	**VAGOINTAPL**	Vaginal Ointment with Applicator	2.16.840.1.113883.5.85	
1-A	*_LiquidSolidSuspension*	LiquidSolidSuspension	2.16.840.1.113883.5.85	
2-S	**GEL**	Gel	2.16.840.1.113883.5.85	
3-L	**GELAPL**	Gel with Applicator	2.16.840.1.113883.5.85	
3-L	**NASGEL**	Nasal Gel	2.16.840.1.113883.5.85	
3-L	**OPGEL**	Ophthalmic Gel	2.16.840.1.113883.5.85	
3-L	**OTGEL**	Otic Gel	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-L	**TOPGEL**	Topical Gel	2.16.840.1.113883.5.85	
3-L	**URETHGEL**	Urethral Gel	2.16.840.1.113883.5.85	
3-S	**VAGGEL**	Vaginal Gel	2.16.840.1.113883.5.85	
4-L	**VGELAPL**	Vaginal Gel with Applicator	2.16.840.1.113883.5.85	
2-S	**PASTE**	Paste	2.16.840.1.113883.5.85	
3-L	**PUD**	Pudding	2.16.840.1.113883.5.85	
3-L	**TPASTE**	Toothpaste	2.16.840.1.113883.5.85	
2-S	**SUSP**	Suspension	2.16.840.1.113883.5.85	
3-L	**ITSUSP**	Intrathecal Suspension	2.16.840.1.113883.5.85	
3-L	**OPSUSP**	Ophthalmic Suspension	2.16.840.1.113883.5.85	
3-S	**ORSUSP**	Oral Suspension	2.16.840.1.113883.5.85	
4-S	**ERSUSP**	Extended-Release Suspension	2.16.840.1.113883.5.85	
5-L	**ERSUSP12**	12 Hour Extended-Release Suspension	2.16.840.1.113883.5.85	
5-L	**ERSUSP24**	24 Hour Extended Release Suspension	2.16.840.1.113883.5.85	
3-L	**OTSUSP**	Otic Suspension	2.16.840.1.113883.5.85	
3-L	**RECSUSP**	Rectal Suspension	2.16.840.1.113883.5.85	
1-A	*_SolidDrugForm*	SolidDrugForm	2.16.840.1.113883.5.85	
2-S	**BAR**	Bar	2.16.840.1.113883.5.85	
3-S	**BARSOAP**	Bar Soap	2.16.840.1.113883.5.85	
4-L	**MEDBAR**	Medicated Bar Soap	2.16.840.1.113883.5.85	
3-L	**CHEWBAR**	Chewable Bar	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**BEAD**	Beads	2.16.840.1.113883.5.85	
2-L	**CAKE**	Cake	2.16.840.1.113883.5.85	
2-L	**CEMENT**	Cement	2.16.840.1.113883.5.85	
2-L	**CRYS**	Crystals	2.16.840.1.113883.5.85	
2-L	**DISK**	Disk	2.16.840.1.113883.5.85	
2-L	**FLAKE**	Flakes	2.16.840.1.113883.5.85	
2-L	**GRAN**	Granules	2.16.840.1.113883.5.85	
2-L	**GUM**	ChewingGum	2.16.840.1.113883.5.85	
2-S	**PAD**	Pad	2.16.840.1.113883.5.85	
3-L	**MEDPAD**	Medicated Pad	2.16.840.1.113883.5.85	
2-S	**PATCH**	Patch	2.16.840.1.113883.5.85	
3-S	**TPATCH**	Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH16**	16 Hour Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH24**	24 Hour Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH2WK**	Biweekly Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH72**	72 Hour Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATHWK**	Weekly Transdermal Patch	2.16.840.1.113883.5.85	
2-L	**PELLET**	Pellet	2.16.840.1.113883.5.85	
2-S	**PILL**	Pill	2.16.840.1.113883.5.85	
3-S	**CAP**	Capsule	2.16.840.1.113883.5.85	
4-S	**ORCAP**	Oral Capsule	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
5-S	**ENTCAP**	Enteric Coated Capsule	2.16.840.1.113883.5.85	
6-L	**ERENTCAP**	Extended Release Enteric Coated Capsule	2.16.840.1.113883.5.85	
5-S	**ERCAP**	Extended Release Capsule	2.16.840.1.113883.5.85	
6-L	**ERENTCAP**	Extended Release Enteric Coated Capsule	2.16.840.1.113883.5.85	
6-L	**ERCAP12**	12 Hour Extended Release Capsule	2.16.840.1.113883.5.85	
6-L	**ERCAP24**	24 Hour Extended Release Capsule	2.16.840.1.113883.5.85	
3-S	**TAB**	Tablet	2.16.840.1.113883.5.85	
4-S	**ORTAB**	Oral Tablet	2.16.840.1.113883.5.85	
5-S	**BUCTAB**	Buccal Tablet	2.16.840.1.113883.5.85	
6-L	**SRBUCTAB**	Sustained Release Buccal Tablet	2.16.840.1.113883.5.85	
5-L	**CAPLET**	Caplet	2.16.840.1.113883.5.85	
5-L	**CHEWTAB**	Chewable Tablet	2.16.840.1.113883.5.85	
5-L	**CPTAB**	Coated Particles Tablet	2.16.840.1.113883.5.85	
5-L	**DISINTAB**	Disintegrating Tablet	2.16.840.1.113883.5.85	
5-L	**DRTAB**	Delayed Release Tablet	2.16.840.1.113883.5.85	
5-S	**ECTAB**	Enteric Coated Tablet	2.16.840.1.113883.5.85	
6-L	**ERECTAB**	Extended Release Enteric Coated Tablet	2.16.840.1.113883.5.85	
5-S	**ERTAB**	Extended Release Tablet	2.16.840.1.113883.5.85	
6-L	**ERECTAB**	Extended Release Enteric Coated Tablet	2.16.840.1.113883.5.85	
6-L	**ERTAB12**	12 Hour Extended Release Tablet	2.16.840.1.113883.5.85	
6-L	**ERTAB24**	24 Hour Extended Release Tablet	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
5-L	**ORTROCHE**	Lozenge/Oral Troche	2.16.840.1.113883.5.85	
5-L	**SLTAB**	Sublingual Tablet	2.16.840.1.113883.5.85	
4-L	**VAGTAB**	Vaginal Tablet	2.16.840.1.113883.5.85	
2-S	**POWD**	Powder	2.16.840.1.113883.5.85	
3-S	**TOPPWD**	Topical Powder	2.16.840.1.113883.5.85	
4-L	**RECPWD**	Rectal Powder	2.16.840.1.113883.5.85	
4-L	**VAGPWD**	Vaginal Powder	2.16.840.1.113883.5.85	
2-S	**SUPP**	Suppository	2.16.840.1.113883.5.85	
3-L	**RECSUPP**	Rectal Suppository	2.16.840.1.113883.5.85	
3-L	**URETHSUPP**	Urethral suppository	2.16.840.1.113883.5.85	
3-L	**VAGSUPP**	Vaginal Suppository	2.16.840.1.113883.5.85	
2-S	**SWAB**	Swab	2.16.840.1.113883.5.85	
3-L	**MEDSWAB**	Medicated swab	2.16.840.1.113883.5.85	
2-L	**WAFER**	Wafer	2.16.840.1.113883.5.85	
0-L	**APPFUL**	Applicatorful	2.16.840.1.113883.5.85	
0-L	**PUFF**	Puff	2.16.840.1.113883.5.85	
0-L	**SCOOP**	Scoops	2.16.840.1.113883.5.85	
0-L	**SPRY**	Sprays	2.16.840.1.113883.5.85	
0-S	**DROP**	Drops	2.16.840.1.113883.5.85	
1-L	**NDROP**	Nasal Drops	2.16.840.1.113883.5.85	
1-L	**OPDROP**	Ophthalmic Drops	2.16.840.1.113883.5.85	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-L	**ORDROP**	Oral Drops	2.16.840.1.113883.5.85	
1-L	**OTDROP**	Otic Drops	2.16.840.1.113883.5.85	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- OrderableDrugForm DEFN=UV=VO=1099-20110726 - 2011-07-26

3.1.13 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.85

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_GasDrugForm*	GasDrugForm	2.16.840.1.113883.5.85	
2-L	**GASINHL**	Gas for Inhalation	2.16.840.1.113883.5.85	
1-A	*_GasLiquidMixture*	GasLiquidMixture	2.16.840.1.113883.5.85	
2-S	**AER**	Aerosol	2.16.840.1.113883.5.85	
3-L	**BAINHL**	Breath Activated Inhaler	2.16.840.1.113883.5.85	
3-L	**INHLSOL**	Inhalant Solution	2.16.840.1.113883.5.85	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 **ref** (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-L	**MDINHL**	Metered Dose Inhaler	2.16.840.1.113883.5.85	
3-L	**NASSPRY**	Nasal Spray	2.16.840.1.113883.5.85	
2-L	**DERMSPRY**	Dermal Spray	2.16.840.1.113883.5.85	
2-S	**FOAM**	Foam	2.16.840.1.113883.5.85	
3-L	**FOAMAPL**	Foam with Applicator	2.16.840.1.113883.5.85	
3-L	**RECFORM**	Rectal foam	2.16.840.1.113883.5.85	
3-S	**VAGFOAM**	Vaginal foam	2.16.840.1.113883.5.85	
4-L	**VAGFOAMAPL**	Vaginal foam with applicator	2.16.840.1.113883.5.85	
2-L	**RECSPRY**	Rectal Spray	2.16.840.1.113883.5.85	
2-L	**VAGSPRY**	Vaginal Spray	2.16.840.1.113883.5.85	
1-A	*_GasSolidSpray*	GasSolidSpray	2.16.840.1.113883.5.85	
2-S	**INHL**	Inhalant	2.16.840.1.113883.5.85	
3-L	**BAINHLPWD**	Breath Activated Powder Inhaler	2.16.840.1.113883.5.85	
3-L	**INHLPWD**	Inhalant Powder	2.16.840.1.113883.5.85	
3-L	**MDINHLPWD**	Metered Dose Powder Inhaler	2.16.840.1.113883.5.85	
3-L	**NASINHL**	Nasal Inhalant	2.16.840.1.113883.5.85	
3-L	**ORINHL**	Oral Inhalant	2.16.840.1.113883.5.85	
2-L	**PWDSPRY**	Powder Spray	2.16.840.1.113883.5.85	
2-L	**SPRYADAPT**	Spray with Adaptor	2.16.840.1.113883.5.85	
1-A	*_Liquid*	Liquid	2.16.840.1.113883.5.85	
2-S	**LIQCLN**	Liquid Cleanser	2.16.840.1.113883.5.85	
3-L	**LIQSOAP**	Medicated Liquid Soap	2.16.840.1.113883.5.85	
3-L	**SHMP**	Shampoo	2.16.840.1.113883.5.85	
2-S	**OIL**	Oil	2.16.840.1.113883.5.85	
3-L	**TOPOIL**	Topical Oil	2.16.840.1.113883.5.85	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 **ref** (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-S	**SOL**	Solution	2.16.840.1.113883.5.85	
3-S	**DROP**	Drops	2.16.840.1.113883.5.85	
4-L	**NDROP**	Nasal Drops	2.16.840.1.113883.5.85	
4-L	**OPDROP**	Ophthalmic Drops	2.16.840.1.113883.5.85	
4-L	**ORDROP**	Oral Drops	2.16.840.1.113883.5.85	
4-L	**OTDROP**	Otic Drops	2.16.840.1.113883.5.85	
3-L	**IPSOL**	Intraperitoneal Solution	2.16.840.1.113883.5.85	
3-S	**IRSOL**	Irrigation Solution	2.16.840.1.113883.5.85	
4-L	**DOUCHE**	Douche	2.16.840.1.113883.5.85	
4-L	**ENEMA**	Enema	2.16.840.1.113883.5.85	
4-L	**OPIRSOL**	Ophthalmic Irrigation Solution	2.16.840.1.113883.5.85	
3-L	**IVSOL**	Intravenous Solution	2.16.840.1.113883.5.85	
3-S	**ORALSOL**	Oral Solution	2.16.840.1.113883.5.85	
4-L	**ORDROP**	Oral Drops	2.16.840.1.113883.5.85	
4-L	**ELIXIR**	Elixir	2.16.840.1.113883.5.85	
4-L	**RINSE**	Mouthwash/Rinse	2.16.840.1.113883.5.85	
4-L	**SYRUP**	Syrup	2.16.840.1.113883.5.85	
3-L	**RECSOL**	Rectal Solution	2.16.840.1.113883.5.85	
3-S	**TOPSOL**	Topical Solution	2.16.840.1.113883.5.85	
4-L	**LIN**	Liniment	2.16.840.1.113883.5.85	
4-L	**MUCTOPSOL**	Mucous Membrane Topical Solution	2.16.840.1.113883.5.85	
4-L	**TINC**	Tincture	2.16.840.1.113883.5.85	
1-A	*_LiquidLiquidEmulsion*	LiquidLiquidEmulsion	2.16.840.1.113883.5.85	
2-S	**CRM**	Cream	2.16.840.1.113883.5.85	
3-L	**NASCRM**	Nasal Cream	2.16.840.1.113883.5.85	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 **ref** (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-L	**OPCRM**	Ophthalmic Cream	2.16.840.1.113883.5.85	
3-L	**ORCRM**	Oral Cream	2.16.840.1.113883.5.85	
3-L	**OTCRM**	Otic Cream	2.16.840.1.113883.5.85	
3-L	**RECCRM**	Rectal Cream	2.16.840.1.113883.5.85	
3-L	**TOPCRM**	Topical Cream	2.16.840.1.113883.5.85	
3-S	**VAGCRM**	Vaginal Cream	2.16.840.1.113883.5.85	
4-L	**VAGCRMAPL**	Vaginal Cream with Applicator	2.16.840.1.113883.5.85	
2-S	**LTN**	Lotion	2.16.840.1.113883.5.85	
3-L	**TOPLTN**	Topical Lotion	2.16.840.1.113883.5.85	
2-S	**OINT**	Ointment	2.16.840.1.113883.5.85	
3-L	**NASOINT**	Nasal Ointment	2.16.840.1.113883.5.85	
3-L	**OINTAPL**	Ointment with Applicator	2.16.840.1.113883.5.85	
3-L	**OPOINT**	Ophthalmic Ointment	2.16.840.1.113883.5.85	
3-L	**OTOINT**	Otic Ointment	2.16.840.1.113883.5.85	
3-L	**RECOINT**	Rectal Ointment	2.16.840.1.113883.5.85	
3-L	**TOPOINT**	Topical Ointment	2.16.840.1.113883.5.85	
3-S	**VAGOINT**	Vaginal Ointment	2.16.840.1.113883.5.85	
4-L	**VAGOINTAPL**	Vaginal Ointment with Applicator	2.16.840.1.113883.5.85	
1-A	*_LiquidSolidSuspension*	LiquidSolidSuspension	2.16.840.1.113883.5.85	
2-S	**GEL**	Gel	2.16.840.1.113883.5.85	
3-L	**GELAPL**	Gel with Applicator	2.16.840.1.113883.5.85	
3-L	**NASGEL**	Nasal Gel	2.16.840.1.113883.5.85	
3-L	**OPGEL**	Ophthalmic Gel	2.16.840.1.113883.5.85	
3-L	**OTGEL**	Otic Gel	2.16.840.1.113883.5.85	
3-L	**TOPGEL**	Topical Gel	2.16.840.1.113883.5.85	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-L	**URETHGEL**	Urethral Gel	2.16.840.1.113883.5.85	
3-S	**VAGGEL**	Vaginal Gel	2.16.840.1.113883.5.85	
4-L	**VGELAPL**	Vaginal Gel with Applicator	2.16.840.1.113883.5.85	
2-S	**PASTE**	Paste	2.16.840.1.113883.5.85	
3-L	**PUD**	Pudding	2.16.840.1.113883.5.85	
3-L	**TPASTE**	Toothpaste	2.16.840.1.113883.5.85	
2-S	**SUSP**	Suspension	2.16.840.1.113883.5.85	
3-L	**ITSUSP**	Intrathecal Suspension	2.16.840.1.113883.5.85	
3-L	**OPSUSP**	Ophthalmic Suspension	2.16.840.1.113883.5.85	
3-S	**ORSUSP**	Oral Suspension	2.16.840.1.113883.5.85	
4-S	**ERSUSP**	Extended-Release Suspension	2.16.840.1.113883.5.85	
5-L	**ERSUSP12**	12 Hour Extended-Release Suspension	2.16.840.1.113883.5.85	
5-L	**ERSUSP24**	24 Hour Extended Release Suspension	2.16.840.1.113883.5.85	
3-L	**OTSUSP**	Otic Suspension	2.16.840.1.113883.5.85	
3-L	**RECSUSP**	Rectal Suspension	2.16.840.1.113883.5.85	
1-A	*_SolidDrugForm*	SolidDrugForm	2.16.840.1.113883.5.85	
2-S	**BAR**	Bar	2.16.840.1.113883.5.85	
3-S	**BARSOAP**	Bar Soap	2.16.840.1.113883.5.85	
4-L	**MEDBAR**	Medicated Bar Soap	2.16.840.1.113883.5.85	
3-L	**CHEWBAR**	Chewable Bar	2.16.840.1.113883.5.85	
2-L	**BEAD**	Beads	2.16.840.1.113883.5.85	
2-L	**CAKE**	Cake	2.16.840.1.113883.5.85	
2-L	**CEMENT**	Cement	2.16.840.1.113883.5.85	
2-L	**CRYS**	Crystals	2.16.840.1.113883.5.85	
2-L	**DISK**	Disk	2.16.840.1.113883.5.85	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**FLAKE**	Flakes	2.16.840.1.113883.5.85	
2-L	**GRAN**	Granules	2.16.840.1.113883.5.85	
2-L	**GUM**	ChewingGum	2.16.840.1.113883.5.85	
2-S	**PAD**	Pad	2.16.840.1.113883.5.85	
3-L	**MEDPAD**	Medicated Pad	2.16.840.1.113883.5.85	
2-S	**PATCH**	Patch	2.16.840.1.113883.5.85	
3-S	**TPATCH**	Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH16**	16 Hour Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH24**	24 Hour Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH2WK**	Biweekly Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATH72**	72 Hour Transdermal Patch	2.16.840.1.113883.5.85	
4-L	**TPATHWK**	Weekly Transdermal Patch	2.16.840.1.113883.5.85	
2-L	**PELLET**	Pellet	2.16.840.1.113883.5.85	
2-S	**PILL**	Pill	2.16.840.1.113883.5.85	
3-S	**CAP**	Capsule	2.16.840.1.113883.5.85	
4-S	**ORCAP**	Oral Capsule	2.16.840.1.113883.5.85	
5-S	**ENTCAP**	Enteric Coated Capsule	2.16.840.1.113883.5.85	
6-L	**ERENTCAP**	Extended Release Enteric Coated Capsule	2.16.840.1.113883.5.85	
5-S	**ERCAP**	Extended Release Capsule	2.16.840.1.113883.5.85	
6-L	**ERCAP12**	12 Hour Extended Release Capsule	2.16.840.1.113883.5.85	
6-L	**ERCAP24**	24 Hour Extended Release Capsule	2.16.840.1.113883.5.85	
6-L	**ERECCAP**	Extended Release Enteric Coated Capsule	2.16.840.1.113883.5.85	
3-S	**TAB**	Tablet	2.16.840.1.113883.5.85	
4-S	**ORTAB**	Oral Tablet	2.16.840.1.113883.5.85	
5-S	**BUCTAB**	Buccal Tablet	2.16.840.1.113883.5.85	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
6-L	**SRBUCTAB**	Sustained Release Buccal Tablet	2.16.840.1.113883.5.85	
5-L	**CAPLET**	Caplet	2.16.840.1.113883.5.85	
5-L	**CHEWTAB**	Chewable Tablet	2.16.840.1.113883.5.85	
5-L	**CPTAB**	Coated Particles Tablet	2.16.840.1.113883.5.85	
5-L	**DISINTAB**	Disintegrating Tablet	2.16.840.1.113883.5.85	
5-L	**DRTAB**	Delayed Release Tablet	2.16.840.1.113883.5.85	
5-S	**ECTAB**	Enteric Coated Tablet	2.16.840.1.113883.5.85	
6-L	**ERECTAB**	Extended Release Enteric Coated Tablet	2.16.840.1.113883.5.85	
5-S	**ERTAB**	Extended Release Tablet	2.16.840.1.113883.5.85	
6-L	**ERECTAB**	Extended Release Enteric Coated Tablet	2.16.840.1.113883.5.85	
6-L	**ERTAB12**	12 Hour Extended Release Tablet	2.16.840.1.113883.5.85	
6-L	**ERTAB24**	24 Hour Extended Release Tablet	2.16.840.1.113883.5.85	
5-L	**ORTROCHE**	Lozenge/Oral Troche	2.16.840.1.113883.5.85	
5-L	**SLTAB**	Sublingual Tablet	2.16.840.1.113883.5.85	
4-L	**VAGTAB**	Vaginal Tablet	2.16.840.1.113883.5.85	
2-S	**POWD**	Powder	2.16.840.1.113883.5.85	
3-S	**TOPPWD**	Topical Powder	2.16.840.1.113883.5.85	
4-L	**RECPWD**	Rectal Powder	2.16.840.1.113883.5.85	
4-L	**VAGPWD**	Vaginal Powder	2.16.840.1.113883.5.85	
2-S	**SUPP**	Suppository	2.16.840.1.113883.5.85	
3-L	**RECSUPP**	Rectal Suppository	2.16.840.1.113883.5.85	
3-L	**URETHSUPP**	Urethral suppository	2.16.840.1.113883.5.85	
3-L	**VAGSUPP**	Vaginal Suppository	2.16.840.1.113883.5.85	
2-S	**SWAB**	Swab	2.16.840.1.113883.5.85	
3-L	**MEDSWAB**	Medicated swab	2.16.840.1.113883.5.85	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
OrderableDrugForm	2.16.840.1.113883.1.11.14411 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**WAFER**	Wafer	2.16.840.1.113883.5.85	
0-L	**APPFUL**	Applicatorful	2.16.840.1.113883.5.85	
0-L	**PUFF**	Puff	2.16.840.1.113883.5.85	
0-L	**SCOOP**	Scoops	2.16.840.1.113883.5.85	
0-L	**SPRY**	Sprays	2.16.840.1.113883.5.85	
0-S	**DROP**	Drops	2.16.840.1.113883.5.85	
1-L	**NDROP**	Nasal Drops	2.16.840.1.113883.5.85	
1-L	**OPDROP**	Ophthalmic Drops	2.16.840.1.113883.5.85	
1-L	**ORDROP**	Oral Drops	2.16.840.1.113883.5.85	
1-L	**OTDROP**	Otic Drops	2.16.840.1.113883.5.85	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- OrderableDrugForm DEFN=UV=VO=1360-20160323 - 2014-03-26

3.1.14 ProblemType 2.16.756.5.30.1.127.77.4.11.4 - 2016-07-12 21:49:34

Beschreibung

see 6.3.4.14.7 PCC TF Vol 2

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
PCCTFVol2ProblemType	2.16.756.5.30.1.127.77.4.11.4	2016-07-12 21:49:34	Draft

Quell-Codesystem:

- 2.16.840.1.113883.6.96 *SNOMED Clinical Terms*

Beschreibung			
see 6.3.4.14.7 PCC TF Vol 2			
Value Set Name	**Value Set Id**	**Version / Eingangsdatum**	**Status**
PCCTFVol2ProblemType	2.16.756.5.30.1.127.77.4.11.4	2016-07-12 21:49:34	Draft

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**64572001**	Condition	SNOMED Clinical Terms	
0-L	**418799008**	Symptom	SNOMED Clinical Terms	
0-L	**404684003**	Finding	SNOMED Clinical Terms	
0-L	**409586006**	Complaint	SNOMED Clinical Terms	
0-L	**248536006**	Functional limitation	SNOMED Clinical Terms	
0-L	**55607006**	Problem	SNOMED Clinical Terms	
0-L	**282291009**	Diagnosis	SNOMED Clinical Terms	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.15 ParticipationFunction 2.16.840.1.113883.1.11.10267 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE).

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ParticipationFunction	2.16.840.1.113883.1.11.10267 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.88

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE).

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ParticipationFunction	2.16.840.1.113883.1.11.10267 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-A	*_AuthorizedParticipationFunction*	AuthorizedParticipationFunction	2.16.840.1.113883.5.88	
1-A	*_AuthorizedReceiverParticipationFunction*	AuthorizedReceiverParticipationFunction	2.16.840.1.113883.5.88	
2-L	**AUCG**	caregiver information receiver	2.16.840.1.113883.5.88	
2-L	**AULR**	legitimate relationship information receiver	2.16.840.1.113883.5.88	
2-L	**AUTM**	care team information receiver	2.16.840.1.113883.5.88	
2-L	**AUWA**	work area information receiver	2.16.840.1.113883.5.88	
1-A	*_ConsenterParticipationFunction*	ConsenterParticipationFunction	2.16.840.1.113883.5.88	
2-L	**GRDCON**	legal guardian consent author	2.16.840.1.113883.5.88	
2-L	**POACON**	healthcare power of attorney consent author	2.16.840.1.113883.5.88	
2-L	**PRCON**	personal representative consent author	2.16.840.1.113883.5.88	
2-L	**PROMSK**	authorized provider masking author	2.16.840.1.113883.5.88	
2-L	**SUBCON**	subject of consent author	2.16.840.1.113883.5.88	
1-A	*_OverriderParticipationFunction*	OverriderParticipationFunction	2.16.840.1.113883.5.88	
2-L	**AUCOV**	consent overrider	2.16.840.1.113883.5.88	
2-L	**AUEMROV**	emergency overrider	2.16.840.1.113883.5.88	
0-A	*_CoverageParticipationFunction*	CoverageParticipationFunction	2.16.840.1.113883.5.88	
1-A	*_PayorParticipationFunction*	PayorParticipationFunction	2.16.840.1.113883.5.88	
2-L	**CLMADJ**	claims adjudication	2.16.840.1.113883.5.88	
2-L	**ENROLL**	enrollment broker	2.16.840.1.113883.5.88	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE).

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ParticipationFunction	2.16.840.1.113883.1.11.10267 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**FFSMGT**	ffs management	2.16.840.1.113883.5.88	
2-L	**MCMGT**	managed care management	2.16.840.1.113883.5.88	
2-L	**PROVMGT**	provider management	2.16.840.1.113883.5.88	
2-L	**UMGT**	utilization management	2.16.840.1.113883.5.88	
1-A	*_SponsorParticipationFunction*	SponsorParticipationFunction	2.16.840.1.113883.5.88	
2-L	**FULINRD**	fully insured	2.16.840.1.113883.5.88	
2-L	**SELFINRD**	self insured	2.16.840.1.113883.5.88	
1-A	*_UnderwriterParticipationFunction*	UnderwriterParticipationFunction	2.16.840.1.113883.5.88	
2-L	**PAYORCNTR**	payor contracting	2.16.840.1.113883.5.88	
2-L	**REINS**	reinsures	2.16.840.1.113883.5.88	
2-L	**RETROCES**	retrocessionaires	2.16.840.1.113883.5.88	
2-L	**SUBCTRT**	subcontracting risk	2.16.840.1.113883.5.88	
2-L	**UNDERWRTNG**	underwriting	2.16.840.1.113883.5.88	
0-L	**ADMPHYS**	admitting physician	2.16.840.1.113883.5.88	
0-L	**ANEST**	anesthesist	2.16.840.1.113883.5.88	
0-L	**ANRS**	anesthesia nurse	2.16.840.1.113883.5.88	
0-L	**ASSEMBLER**	assembly software	2.16.840.1.113883.5.88	
0-L	**ATTPHYS**	attending physician	2.16.840.1.113883.5.88	
0-L	**COMPOSER**	composer software	2.16.840.1.113883.5.88	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

This code is used to specify the exact function an actor had in a service in all necessary detail. This domain may include local extensions (CWE).

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ParticipationFunction	2.16.840.1.113883.1.11.10267 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**DISPHYS**	discharging physician	2.16.840.1.113883.5.88	
0-L	**FASST**	first assistant surgeon	2.16.840.1.113883.5.88	
0-L	**MDWF**	midwife	2.16.840.1.113883.5.88	
0-L	**NASST**	nurse assistant	2.16.840.1.113883.5.88	
0-L	**PCP**	primary care physician	2.16.840.1.113883.5.88	
0-L	**PRISURG**	primary surgeon	2.16.840.1.113883.5.88	
0-L	**REVIEWER**	reviewer	2.16.840.1.113883.5.88	
0-L	**RNDPHYS**	rounding physician	2.16.840.1.113883.5.88	
0-L	**SASST**	second assistant surgeon	2.16.840.1.113883.5.88	
0-L	**SNRS**	scrub nurse	2.16.840.1.113883.5.88	
0-L	**TASST**	third assistant	2.16.840.1.113883.5.88	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.16 ParticipationSignature 2.16.840.1.113883.1.11.10282 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

A code specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed.

Examples: A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.)

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ParticipationSignature	2.16.840.1.113883.1.11.10282 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.89

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**I**	intended	2.16.840.1.113883.5.89	
0-L	**S**	signed	2.16.840.1.113883.5.89	
0-L	**X**	required	2.16.840.1.113883.5.89	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.17 ReligiousAffiliation 2.16.840.1.113883.1.11.19185 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Assigment of spiritual faith affiliation

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ReligiousAffiliation	2.16.840.1.113883.1.11.19185 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.1076

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**1001**	Adventist	2.16.840.1.113883.5.1076	
0-L	**1002**	African Religions	2.16.840.1.113883.5.1076	
0-L	**1003**	Afro-Caribbean Religions	2.16.840.1.113883.5.1076	
0-L	**1004**	Agnosticism	2.16.840.1.113883.5.1076	
0-L	**1005**	Anglican	2.16.840.1.113883.5.1076	
0-L	**1006**	Animism	2.16.840.1.113883.5.1076	
0-L	**1007**	Atheism	2.16.840.1.113883.5.1076	
0-L	**1008**	Babi & Baha'I faiths	2.16.840.1.113883.5.1076	
0-L	**1009**	Baptist	2.16.840.1.113883.5.1076	
0-L	**1010**	Bon	2.16.840.1.113883.5.1076	
0-L	**1011**	Cao Dai	2.16.840.1.113883.5.1076	
0-L	**1012**	Celticism	2.16.840.1.113883.5.1076	
0-L	**1013**	Christian (non-Catholic, non-specific)	2.16.840.1.113883.5.1076	
0-L	**1014**	Confucianism	2.16.840.1.113883.5.1076	
0-L	**1015**	Cyberculture Religions	2.16.840.1.113883.5.1076	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Assigment of spiritual faith affiliation

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ReligiousAffiliation	2.16.840.1.113883.1.11.19185 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**1016**	Divination	2.16.840.1.113883.5.1076	
0-L	**1017**	Fourth Way	2.16.840.1.113883.5.1076	
0-L	**1018**	Free Daism	2.16.840.1.113883.5.1076	
0-L	**1019**	Gnosis	2.16.840.1.113883.5.1076	
0-L	**1020**	Hinduism	2.16.840.1.113883.5.1076	
0-L	**1021**	Humanism	2.16.840.1.113883.5.1076	
0-L	**1022**	Independent	2.16.840.1.113883.5.1076	
0-L	**1023**	Islam	2.16.840.1.113883.5.1076	
0-L	**1024**	Jainism	2.16.840.1.113883.5.1076	
0-L	**1025**	Jehovah's Witnesses	2.16.840.1.113883.5.1076	
0-L	**1026**	Judaism	2.16.840.1.113883.5.1076	
0-L	**1027**	Latter Day Saints	2.16.840.1.113883.5.1076	
0-L	**1028**	Lutheran	2.16.840.1.113883.5.1076	
0-L	**1029**	Mahayana	2.16.840.1.113883.5.1076	
0-L	**1030**	Meditation	2.16.840.1.113883.5.1076	
0-L	**1031**	Messianic Judaism	2.16.840.1.113883.5.1076	
0-L	**1032**	Mitraism	2.16.840.1.113883.5.1076	
0-L	**1033**	New Age	2.16.840.1.113883.5.1076	
0-L	**1034**	non-Roman Catholic	2.16.840.1.113883.5.1076	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Assigment of spiritual faith affiliation

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ReligiousAffiliation	2.16.840.1.113883.1.11.19185 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**1035**	Occult	2.16.840.1.113883.5.1076	
0-L	**1036**	Orthodox	2.16.840.1.113883.5.1076	
0-L	**1037**	Paganism	2.16.840.1.113883.5.1076	
0-L	**1038**	Pentecostal	2.16.840.1.113883.5.1076	
0-L	**1039**	Process, The	2.16.840.1.113883.5.1076	
0-L	**1040**	Reformed/Presbyterian	2.16.840.1.113883.5.1076	
0-L	**1041**	Roman Catholic Church	2.16.840.1.113883.5.1076	
0-L	**1042**	Satanism	2.16.840.1.113883.5.1076	
0-L	**1043**	Scientology	2.16.840.1.113883.5.1076	
0-L	**1044**	Shamanism	2.16.840.1.113883.5.1076	
0-L	**1045**	Shiite (Islam)	2.16.840.1.113883.5.1076	
0-L	**1046**	Shinto	2.16.840.1.113883.5.1076	
0-L	**1047**	Sikism	2.16.840.1.113883.5.1076	
0-L	**1048**	Spiritualism	2.16.840.1.113883.5.1076	
0-L	**1049**	Sunni (Islam)	2.16.840.1.113883.5.1076	
0-L	**1050**	Taoism	2.16.840.1.113883.5.1076	
0-L	**1051**	Theravada	2.16.840.1.113883.5.1076	
0-L	**1052**	Unitarian-Universalism	2.16.840.1.113883.5.1076	
0-L	**1053**	Universal Life Church	2.16.840.1.113883.5.1076	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Assigment of spiritual faith affiliation

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ReligiousAffiliation	2.16.840.1.113883.1.11.19185 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**1054**	Vajrayana (Tibetan)	2.16.840.1.113883.5.1076	
0-L	**1055**	Veda	2.16.840.1.113883.5.1076	
0-L	**1056**	Voodoo	2.16.840.1.113883.5.1076	
0-L	**1057**	Wicca	2.16.840.1.113883.5.1076	
0-L	**1058**	Yaohushua	2.16.840.1.113883.5.1076	
0-L	**1059**	Zen Buddhism	2.16.840.1.113883.5.1076	
0-L	**1060**	Zoroastrianism	2.16.840.1.113883.5.1076	
0-L	**1061**	Assembly of God	2.16.840.1.113883.5.1076	
0-L	**1062**	Brethren	2.16.840.1.113883.5.1076	
0-L	**1063**	Christian Scientist	2.16.840.1.113883.5.1076	
0-L	**1064**	Church of Christ	2.16.840.1.113883.5.1076	
0-L	**1065**	Church of God	2.16.840.1.113883.5.1076	
0-L	**1066**	Congregational	2.16.840.1.113883.5.1076	
0-L	**1067**	Disciples of Christ	2.16.840.1.113883.5.1076	
0-L	**1068**	Eastern Orthodox	2.16.840.1.113883.5.1076	
0-L	**1069**	Episcopalian	2.16.840.1.113883.5.1076	
0-L	**1070**	Evangelical Covenant	2.16.840.1.113883.5.1076	
0-L	**1071**	Friends	2.16.840.1.113883.5.1076	
0-L	**1072**	Full Gospel	2.16.840.1.113883.5.1076	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Assigment of spiritual faith affiliation

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ReligiousAffiliation	2.16.840.1.113883.1.11.19185 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**1073**	Methodist	2.16.840.1.113883.5.1076	
0-L	**1074**	Native American	2.16.840.1.113883.5.1076	
0-L	**1075**	Nazarene	2.16.840.1.113883.5.1076	
0-L	**1076**	Presbyterian	2.16.840.1.113883.5.1076	
0-L	**1077**	Protestant	2.16.840.1.113883.5.1076	
0-L	**1078**	Protestant, No Denomination	2.16.840.1.113883.5.1076	
0-L	**1079**	Reformed	2.16.840.1.113883.5.1076	
0-L	**1080**	Salvation Army	2.16.840.1.113883.5.1076	
0-L	**1081**	Unitarian Universalist	2.16.840.1.113883.5.1076	
0-L	**1082**	United Church of Christ	2.16.840.1.113883.5.1076	
0-L	**1061**	Assembly of God	2.16.840.1.113883.5.1076	
0-L	**1062**	Brethren	2.16.840.1.113883.5.1076	
0-L	**1063**	Christian Scientist	2.16.840.1.113883.5.1076	
0-L	**1064**	Church of Christ	2.16.840.1.113883.5.1076	
0-L	**1065**	Church of God	2.16.840.1.113883.5.1076	
0-L	**1066**	Congregational	2.16.840.1.113883.5.1076	
0-L	**1067**	Disciples of Christ	2.16.840.1.113883.5.1076	
0-L	**1068**	Eastern Orthodox	2.16.840.1.113883.5.1076	
0-L	**1069**	Episcopalian	2.16.840.1.113883.5.1076	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Assigment of spiritual faith affiliation

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
ReligiousAffiliation	2.16.840.1.113883.1.11.19185 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**1070**	Evangelical Covenant	2.16.840.1.113883.5.1076	
0-L	**1071**	Friends	2.16.840.1.113883.5.1076	
0-L	**1072**	Full Gospel	2.16.840.1.113883.5.1076	
0-L	**1073**	Methodist	2.16.840.1.113883.5.1076	
0-L	**1074**	Native American	2.16.840.1.113883.5.1076	
0-L	**1075**	Nazarene	2.16.840.1.113883.5.1076	
0-L	**1076**	Presbyterian	2.16.840.1.113883.5.1076	
0-L	**1077**	Protestant	2.16.840.1.113883.5.1076	
0-L	**1078**	Protestant, No Denomination	2.16.840.1.113883.5.1076	
0-L	**1079**	Reformed	2.16.840.1.113883.5.1076	
0-L	**1080**	Salvation Army	2.16.840.1.113883.5.1076	
0-L	**1081**	Unitarian Universalist	2.16.840.1.113883.5.1076	
0-L	**1082**	United Church of Christ	2.16.840.1.113883.5.1076	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.18 RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.112

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-L	**SOAK**	Immersion (soak)	2.16.840.1.113883.5.112	
1-L	**SHAMPOO**	Shampoo	2.16.840.1.113883.5.112	
1-L	**TRNSLING**	Translingual	2.16.840.1.113883.5.112	
1-L	**PO**	Swallow, oral	2.16.840.1.113883.5.112	
1-L	**GARGLE**	Gargle	2.16.840.1.113883.5.112	
1-L	**SUCK**	Suck, oromucosal	2.16.840.1.113883.5.112	
1-A	*_Chew*	Chew	2.16.840.1.113883.5.112	
2-L	**CHEW**	Chew, oral	2.16.840.1.113883.5.112	
1-A	*_Diffusion*	Diffusion	2.16.840.1.113883.5.112	
2-L	**EXTCORPDIF**	Diffusion, extracorporeal	2.16.840.1.113883.5.112	
2-L	**HEMODIFF**	Diffusion, hemodialysis	2.16.840.1.113883.5.112	
2-L	**TRNSDERMD**	Diffusion, transdermal	2.16.840.1.113883.5.112	
1-A	*_Dissolve*	Dissolve	2.16.840.1.113883.5.112	
2-L	**DISSOLVE**	Dissolve, oral	2.16.840.1.113883.5.112	
2-L	**SL**	Dissolve, sublingual	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_Douche*	Douche	2.16.840.1.113883.5.112	
2-L	**DOUCHE**	Douche, vaginal	2.16.840.1.113883.5.112	
1-A	*_ElectroOsmosisRoute*	ElectroOsmosisRoute	2.16.840.1.113883.5.112	
2-L	**ELECTOSMOS**	Electro-osmosis	2.16.840.1.113883.5.112	
1-A	*_Enema*	Enema	2.16.840.1.113883.5.112	
2-L	**ENEMA**	Enema, rectal	2.16.840.1.113883.5.112	
2-L	**RETENEMA**	Enema, rectal retention	2.16.840.1.113883.5.112	
1-A	*_Flush*	Flush	2.16.840.1.113883.5.112	
2-L	**IVFLUSH**	Flush, intravenous catheter	2.16.840.1.113883.5.112	
1-A	*_Implantation*	Implantation	2.16.840.1.113883.5.112	
2-L	**IDIMPLNT**	Implantation, intradermal	2.16.840.1.113883.5.112	
2-L	**IVITIMPLNT**	Implantation, intravitreal	2.16.840.1.113883.5.112	
2-L	**SQIMPLNT**	Implantation, subcutaneous	2.16.840.1.113883.5.112	
1-A	*_Infusion*	Infusion	2.16.840.1.113883.5.112	
2-L	**EPI**	Infusion, epidural	2.16.840.1.113883.5.112	
2-L	**IA**	Infusion, intraarterial catheter	2.16.840.1.113883.5.112	
2-L	**IC**	Infusion, intracardiac	2.16.840.1.113883.5.112	
2-L	**ICOR**	Infusion, intracoronary	2.16.840.1.113883.5.112	
2-L	**IOSSC**	Infusion, intraosseous, continuous	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**IT**	Infusion, intrathecal	2.16.840.1.113883.5.112	
2-S	**IV**	Infusion, intravenous	2.16.840.1.113883.5.112	
3-L	**IVC**	Infusion, intravenous catheter	2.16.840.1.113883.5.112	
3-L	**IVCC**	Infusion, intravenous catheter, continuous	2.16.840.1.113883.5.112	
3-L	**IVCI**	Infusion, intravenous catheter, intermittent	2.16.840.1.113883.5.112	
3-L	**PCA**	Infusion, intravenous catheter, pca pump	2.16.840.1.113883.5.112	
2-L	**IVASCINFUS**	Infusion, intravascular	2.16.840.1.113883.5.112	
2-L	**SQINFUS**	Infusion, subcutaneous	2.16.840.1.113883.5.112	
1-A	*_Inhalation*	Inhalation	2.16.840.1.113883.5.112	
2-S	**IPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**ORINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**RESPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-L	**IPPB**	Inhalation, intermittent positive pressure breathing (ippb)	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-S	**NASINHL**	Inhalation, nasal	2.16.840.1.113883.5.112	
3-L	**NASINHLC**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
3-L	**NP**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
2-S	**NEB**	Inhalation, nebulization	2.16.840.1.113883.5.112	
3-L	**NASNEB**	Inhalation, nebulization, nasal	2.16.840.1.113883.5.112	
3-L	**ORNEB**	Inhalation, nebulization, oral	2.16.840.1.113883.5.112	
2-L	**TRACH**	Inhalation, tracheostomy	2.16.840.1.113883.5.112	
2-L	**VENT**	Inhalation, ventilator	2.16.840.1.113883.5.112	
2-L	**VENTMASK**	Inhalation, ventimask	2.16.840.1.113883.5.112	
1-A	*_Injection*	Injection	2.16.840.1.113883.5.112	
2-L	**AMNINJ**	Injection, amniotic fluid	2.16.840.1.113883.5.112	
2-L	**BILINJ**	Injection, biliary tract	2.16.840.1.113883.5.112	
2-L	**CHOLINJ**	Injection, for cholangiography	2.16.840.1.113883.5.112	
2-L	**CERVINJ**	Injection, cervical	2.16.840.1.113883.5.112	
2-L	**EPIDURINJ**	Injection, epidural	2.16.840.1.113883.5.112	
2-L	**EPIINJ**	Injection, epidural, push	2.16.840.1.113883.5.112	
2-L	**EPINJSP**	Injection, epidural, slow push	2.16.840.1.113883.5.112	
2-L	**EXTRAMNINJ**	Injection, extra-amniotic	2.16.840.1.113883.5.112	
2-L	**EXTCORPINJ**	Injection, extracorporeal	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**GBINJ**	Injection, gastric button	2.16.840.1.113883.5.112	
2-L	**GINGINJ**	Injection, gingival	2.16.840.1.113883.5.112	
2-L	**BLADINJ**	Injection, urinary bladder	2.16.840.1.113883.5.112	
2-L	**ENDOSININJ**	Injection, endosinusial	2.16.840.1.113883.5.112	
2-L	**HEMOPORT**	Injection, hemodialysis port	2.16.840.1.113883.5.112	
2-L	**IABDINJ**	Injection, intra-abdominal	2.16.840.1.113883.5.112	
2-S	**IAINJ**	Injection, intraarterial	2.16.840.1.113883.5.112	
3-L	**IAINJP**	Injection, intraarterial, push	2.16.840.1.113883.5.112	
3-L	**IAINJSP**	Injection, intraarterial, slow push	2.16.840.1.113883.5.112	
2-L	**IARTINJ**	Injection, intraarticular	2.16.840.1.113883.5.112	
2-L	**IBURSINJ**	Injection, intrabursal	2.16.840.1.113883.5.112	
2-S	**ICARDINJ**	Injection, intracardiac	2.16.840.1.113883.5.112	
3-L	**ICARDINJRP**	Injection, intracardiac, rapid push	2.16.840.1.113883.5.112	
3-L	**ICARDINJSP**	Injection, intracardiac, slow push	2.16.840.1.113883.5.112	
3-L	**ICARINJP**	Injection, intracardiac, push	2.16.840.1.113883.5.112	
2-L	**ICARTINJ**	Injection, intracartilaginous	2.16.840.1.113883.5.112	
2-L	**ICAUDINJ**	Injection, intracaudal	2.16.840.1.113883.5.112	
2-L	**ICAVINJ**	Injection, intracavernous	2.16.840.1.113883.5.112	
2-L	**ICAVITINJ**	Injection, intracavitary	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**ICEREBINJ**	Injection, intracerebral	2.16.840.1.113883.5.112	
2-L	**ICISTERNINJ**	Injection, intracisternal	2.16.840.1.113883.5.112	
2-S	**ICORONINJ**	Injection, intracoronary	2.16.840.1.113883.5.112	
3-L	**ICORONINJP**	Injection, intracoronary, push	2.16.840.1.113883.5.112	
2-L	**ICORPCAVINJ**	Injection, intracorpus cavernosum	2.16.840.1.113883.5.112	
2-L	**IDINJ**	Injection, intradermal	2.16.840.1.113883.5.112	
2-L	**IDISCINJ**	Injection, intradiscal	2.16.840.1.113883.5.112	
2-L	**IDUCTINJ**	Injection, intraductal	2.16.840.1.113883.5.112	
2-L	**IDURINJ**	Injection, intradural	2.16.840.1.113883.5.112	
2-L	**IEPIDINJ**	Injection, intraepidermal	2.16.840.1.113883.5.112	
2-L	**IEPITHINJ**	Injection, intraepithelial	2.16.840.1.113883.5.112	
2-L	**ILESINJ**	Injection, intralesional	2.16.840.1.113883.5.112	
2-L	**ILUMINJ**	Injection, intraluminal	2.16.840.1.113883.5.112	
2-L	**ILYMPJINJ**	Injection, intralymphatic	2.16.840.1.113883.5.112	
2-S	**IM**	Injection, intramuscular	2.16.840.1.113883.5.112	
3-L	**IMD**	Injection, intramuscular, deep	2.16.840.1.113883.5.112	
3-L	**IMZ**	Injection, intramuscular, z track	2.16.840.1.113883.5.112	
2-L	**IMEDULINJ**	Injection, intramedullary	2.16.840.1.113883.5.112	
2-L	**INTERMENINJ**	Injection, interameningeal	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**INTERSTITINJ**	Injection, interstitial	2.16.840.1.113883.5.112	
2-L	**IOINJ**	Injection, intraocular	2.16.840.1.113883.5.112	
2-L	**IOSSINJ**	Injection, intraosseous	2.16.840.1.113883.5.112	
2-L	**IOVARINJ**	Injection, intraovarian	2.16.840.1.113883.5.112	
2-L	**IPCARDINJ**	Injection, intrapericardial	2.16.840.1.113883.5.112	
2-L	**IPERINJ**	Injection, intraperitoneal	2.16.840.1.113883.5.112	
2-L	**IPINJ**	Injection, intrapulmonary	2.16.840.1.113883.5.112	
2-L	**IPLRINJ**	Injection, intrapleural	2.16.840.1.113883.5.112	
2-L	**IPROSTINJ**	Injection, intraprostatic	2.16.840.1.113883.5.112	
2-L	**IPUMPINJ**	Injection, insulin pump	2.16.840.1.113883.5.112	
2-L	**ISINJ**	Injection, intraspinal	2.16.840.1.113883.5.112	
2-L	**ISTERINJ**	Injection, intrasternal	2.16.840.1.113883.5.112	
2-L	**ISYNINJ**	Injection, intrasynovial	2.16.840.1.113883.5.112	
2-L	**ITENDINJ**	Injection, intratendinous	2.16.840.1.113883.5.112	
2-L	**ITESTINJ**	Injection, intratesticular	2.16.840.1.113883.5.112	
2-L	**ITHORINJ**	Injection, intrathoracic	2.16.840.1.113883.5.112	
2-L	**ITINJ**	Injection, intrathecal	2.16.840.1.113883.5.112	
2-L	**ITUBINJ**	Injection, intratubular	2.16.840.1.113883.5.112	
2-L	**ITUMINJ**	Injection, intratumor	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**ITYMPINJ**	Injection, intratympanic	2.16.840.1.113883.5.112	
2-L	**IUINJ**	Injection, intrauterine	2.16.840.1.113883.5.112	
2-L	**IUINJC**	Injection, intracervical (uterus)	2.16.840.1.113883.5.112	
2-L	**IURETINJ**	Injection, intraureteral, retrograde	2.16.840.1.113883.5.112	
2-L	**IVASCINJ**	Injection, intravascular	2.16.840.1.113883.5.112	
2-L	**IVENTINJ**	Injection, intraventricular (heart)	2.16.840.1.113883.5.112	
2-L	**IVESINJ**	Injection, intravesicle	2.16.840.1.113883.5.112	
2-S	**IVINJ**	Injection, intravenous	2.16.840.1.113883.5.112	
3-L	**IVINJBOL**	Injection, intravenous, bolus	2.16.840.1.113883.5.112	
3-L	**IVPUSH**	Injection, intravenous, push	2.16.840.1.113883.5.112	
3-L	**IVRPUSH**	Injection, intravenous, rapid push	2.16.840.1.113883.5.112	
3-L	**IVSPUSH**	Injection, intravenous, slow push	2.16.840.1.113883.5.112	
2-L	**IVITINJ**	Injection, intravitreal	2.16.840.1.113883.5.112	
2-L	**PAINJ**	Injection, periarticular	2.16.840.1.113883.5.112	
2-L	**PARENTINJ**	Injection, parenteral	2.16.840.1.113883.5.112	
2-L	**PDONTINJ**	Injection, periodontal	2.16.840.1.113883.5.112	
2-L	**PDPINJ**	Injection, peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**PDURINJ**	Injection, peridural	2.16.840.1.113883.5.112	
2-L	**PNINJ**	Injection, perineural	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**PNSINJ**	Injection, paranasal sinuses	2.16.840.1.113883.5.112	
2-L	**RBINJ**	Injection, retrobulbar	2.16.840.1.113883.5.112	
2-L	**SCINJ**	Injection, subconjunctival	2.16.840.1.113883.5.112	
2-L	**SLESINJ**	Injection, sublesional	2.16.840.1.113883.5.112	
2-L	**SOFTISINJ**	Injection, soft tissue	2.16.840.1.113883.5.112	
2-L	**SQ**	Injection, subcutaneous	2.16.840.1.113883.5.112	
2-L	**SUBARACHINJ**	Injection, subarachnoid	2.16.840.1.113883.5.112	
2-L	**SUBMUCINJ**	Injection, submucosal	2.16.840.1.113883.5.112	
2-L	**TRPLACINJ**	Injection, transplacental	2.16.840.1.113883.5.112	
2-L	**TRTRACHINJ**	Injection, transtracheal	2.16.840.1.113883.5.112	
2-L	**URETHINJ**	Injection, urethral	2.16.840.1.113883.5.112	
2-L	**URETINJ**	Injection, ureteral	2.16.840.1.113883.5.112	
1-A	*_Insertion*	Insertion	2.16.840.1.113883.5.112	
2-L	**CERVINS**	Insertion, cervical (uterine)	2.16.840.1.113883.5.112	
2-L	**IOSURGINS**	Insertion, intraocular, surgical	2.16.840.1.113883.5.112	
2-L	**IU**	Insertion, intrauterine	2.16.840.1.113883.5.112	
2-L	**LPINS**	Insertion, lacrimal puncta	2.16.840.1.113883.5.112	
2-L	**PR**	Insertion, rectal	2.16.840.1.113883.5.112	
2-L	**SQSURGINS**	Insertion, subcutaneous, surgical	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**URETHINS**	Insertion, urethral	2.16.840.1.113883.5.112	
2-L	**VAGINSI**	Insertion, vaginal	2.16.840.1.113883.5.112	
1-A	*_Instillation*	Instillation	2.16.840.1.113883.5.112	
2-L	**CECINSTL**	Instillation, cecostomy	2.16.840.1.113883.5.112	
2-L	**EFT**	Instillation, enteral feeding tube	2.16.840.1.113883.5.112	
2-L	**ENTINSTL**	Instillation, enteral	2.16.840.1.113883.5.112	
2-L	**GT**	Instillation, gastrostomy tube	2.16.840.1.113883.5.112	
2-L	**NGT**	Instillation, nasogastric tube	2.16.840.1.113883.5.112	
2-L	**OGT**	Instillation, orogastric tube	2.16.840.1.113883.5.112	
2-L	**BLADINSTL**	Instillation, urinary catheter	2.16.840.1.113883.5.112	
2-L	**CAPDINSTL**	Instillation, continuous ambulatory peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**CTINSTL**	Instillation, chest tube	2.16.840.1.113883.5.112	
2-L	**ETINSTL**	Instillation, endotracheal tube	2.16.840.1.113883.5.112	
2-L	**GJT**	Instillation, gastro-jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**IBRONCHINSTIL**	Instillation, intrabronchial	2.16.840.1.113883.5.112	
2-L	**IDUODINSTIL**	Instillation, intraduodenal	2.16.840.1.113883.5.112	
2-L	**IESOPHINSTIL**	Instillation, intraesophageal	2.16.840.1.113883.5.112	
2-L	**IGASTINSTIL**	Instillation, intragastric	2.16.840.1.113883.5.112	
2-L	**IILEALINJ**	Instillation, intraileal	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**IOINSTL**	Instillation, intraocular	2.16.840.1.113883.5.112	
2-L	**ISININSTIL**	Instillation, intrasinal	2.16.840.1.113883.5.112	
2-L	**ITRACHINSTIL**	Instillation, intratracheal	2.16.840.1.113883.5.112	
2-L	**IUINSTL**	Instillation, intrauterine	2.16.840.1.113883.5.112	
2-L	**JJTINSTL**	Instillation, jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**LARYNGINSTIL**	Instillation, laryngeal	2.16.840.1.113883.5.112	
2-L	**NASALINSTIL**	Instillation, nasal	2.16.840.1.113883.5.112	
2-L	**NASOGASINSTIL**	Instillation, nasogastric	2.16.840.1.113883.5.112	
2-L	**NTT**	Instillation, nasotracheal tube	2.16.840.1.113883.5.112	
2-L	**OJJ**	Instillation, orojejunum tube	2.16.840.1.113883.5.112	
2-L	**OT**	Instillation, otic	2.16.840.1.113883.5.112	
2-L	**PDPINSTL**	Instillation, peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**PNSINSTL**	Instillation, paranasal sinuses	2.16.840.1.113883.5.112	
2-S	**RECINSTL**	Instillation, rectal	2.16.840.1.113883.5.112	
3-L	**RECTINSTL**	Instillation, rectal tube	2.16.840.1.113883.5.112	
2-L	**SININSTIL**	Instillation, sinus, unspecified	2.16.840.1.113883.5.112	
2-L	**SOFTISINSTIL**	Instillation, soft tissue	2.16.840.1.113883.5.112	
2-L	**TRACHINSTL**	Instillation, tracheostomy	2.16.840.1.113883.5.112	
2-L	**TRTYMPINSTIL**	Instillation, transtympanic	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**URETHINSTL**	instillation, urethral	2.16.840.1.113883.5.112	
1-A	*_IontophoresisRoute*	IontophoresisRoute	2.16.840.1.113883.5.112	
2-L	**IONTO**	Topical application, iontophoresis	2.16.840.1.113883.5.112	
1-A	*_Irrigation*	Irrigation	2.16.840.1.113883.5.112	
2-L	**GUIRR**	Irrigation, genitourinary	2.16.840.1.113883.5.112	
2-L	**IGASTIRR**	Irrigation, intragastric	2.16.840.1.113883.5.112	
2-L	**ILESIRR**	Irrigation, intralesional	2.16.840.1.113883.5.112	
2-L	**IOIRR**	Irrigation, intraocular	2.16.840.1.113883.5.112	
2-S	**BLADIRR**	Irrigation, urinary bladder	2.16.840.1.113883.5.112	
3-L	**BLADIRRC**	Irrigation, urinary bladder, continuous	2.16.840.1.113883.5.112	
3-L	**BLADIRRT**	Irrigation, urinary bladder, tidal	2.16.840.1.113883.5.112	
2-L	**RECIRR**	Irrigation, rectal	2.16.840.1.113883.5.112	
1-A	*_LavageRoute*	LavageRoute	2.16.840.1.113883.5.112	
2-L	**IGASTLAV**	Lavage, intragastric	2.16.840.1.113883.5.112	
1-A	*_MucosalAbsorptionRoute*	MucosalAbsorptionRoute	2.16.840.1.113883.5.112	
2-L	**IDOUDMAB**	Mucosal absorption, intraduodenal	2.16.840.1.113883.5.112	
2-L	**ITRACHMAB**	Mucosal absorption, intratracheal	2.16.840.1.113883.5.112	
2-L	**SMUCMAB**	Mucosal absorption, submucosal	2.16.840.1.113883.5.112	
1-A	*_Nebulization*	Nebulization	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**ETNEB**	Nebulization, endotracheal tube	2.16.840.1.113883.5.112	
1-A	*_Rinse*	Rinse	2.16.840.1.113883.5.112	
2-L	**DENRINSE**	Rinse, dental	2.16.840.1.113883.5.112	
2-L	**ORRINSE**	Rinse, oral	2.16.840.1.113883.5.112	
1-A	*_SuppositoryRoute*	SuppositoryRoute	2.16.840.1.113883.5.112	
2-L	**URETHSUP**	Suppository, urethral	2.16.840.1.113883.5.112	
1-A	*_Swish*	Swish	2.16.840.1.113883.5.112	
2-L	**SWISHSPIT**	Swish and spit out, oromucosal	2.16.840.1.113883.5.112	
2-L	**SWISHSWAL**	Swish and swallow, oromucosal	2.16.840.1.113883.5.112	
1-A	*_TopicalAbsorptionRoute*	TopicalAbsorptionRoute	2.16.840.1.113883.5.112	
2-L	**TTYMPTABSORP**	Topical absorption, transtympanic	2.16.840.1.113883.5.112	
1-A	*_TopicalApplication*	TopicalApplication	2.16.840.1.113883.5.112	
2-L	**DRESS**	Topical application, soaked dressing	2.16.840.1.113883.5.112	
2-L	**IONTO**	Topical application, iontophoresis	2.16.840.1.113883.5.112	
2-L	**SWAB**	Topical application, swab	2.16.840.1.113883.5.112	
2-L	**TOPICAL**	Topical	2.16.840.1.113883.5.112	
2-L	**BUC**	Topical application, buccal	2.16.840.1.113883.5.112	
2-L	**CERV**	Topical application, cervical	2.16.840.1.113883.5.112	
2-L	**DEN**	Topical application, dental	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**GIN**	Topical application, gingival	2.16.840.1.113883.5.112	
2-L	**HAIR**	Topical application, hair	2.16.840.1.113883.5.112	
2-L	**ICORNTA**	Topical application, intracorneal	2.16.840.1.113883.5.112	
2-L	**ICORONTA**	Topical application, intracoronal (dental)	2.16.840.1.113883.5.112	
2-L	**IESOPHTA**	Topical application, intraesophageal	2.16.840.1.113883.5.112	
2-L	**IILEALTA**	Topical application, intraileal	2.16.840.1.113883.5.112	
2-L	**ILTOP**	Topical application, intralesional	2.16.840.1.113883.5.112	
2-L	**ILUMTA**	Topical application, intraluminal	2.16.840.1.113883.5.112	
2-L	**IOTOP**	Topical application, intraocular	2.16.840.1.113883.5.112	
2-L	**LARYNGTA**	Topical application, laryngeal	2.16.840.1.113883.5.112	
2-L	**MUC**	Topical application, mucous membrane	2.16.840.1.113883.5.112	
2-L	**NAIL**	Topical application, nail	2.16.840.1.113883.5.112	
2-L	**NASAL**	Topical application, nasal	2.16.840.1.113883.5.112	
2-L	**OPTHALTA**	Topical application, ophthalmic	2.16.840.1.113883.5.112	
2-L	**ORALTA**	Topical application, oral	2.16.840.1.113883.5.112	
2-L	**ORMUC**	Topical application, oromucosal	2.16.840.1.113883.5.112	
2-L	**OROPHARTA**	Topical application, oropharyngeal	2.16.840.1.113883.5.112	
2-L	**PERIANAL**	Topical application, perianal	2.16.840.1.113883.5.112	
2-L	**PERINEAL**	Topical application, perineal	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**PDONTTA**	Topical application, periodontal	2.16.840.1.113883.5.112	
2-L	**RECTAL**	Topical application, rectal	2.16.840.1.113883.5.112	
2-L	**SCALP**	Topical application, scalp	2.16.840.1.113883.5.112	
2-L	**OCDRESTA**	Occlusive dressing technique	2.16.840.1.113883.5.112	
2-L	**SKIN**	Topical application, skin	2.16.840.1.113883.5.112	
2-L	**SUBCONJTA**	Subconjunctival	2.16.840.1.113883.5.112	
2-L	**TMUCTA**	Topical application, transmucosal	2.16.840.1.113883.5.112	
2-L	**VAGINS**	Topical application, vaginal	2.16.840.1.113883.5.112	
1-L	**INSUF**	Insufflation	2.16.840.1.113883.5.112	
1-S	**TRNSDERM**	Transdermal	2.16.840.1.113883.5.112	
2-L	**TRNSDERMD**	Diffusion, transdermal	2.16.840.1.113883.5.112	
1-S	**TRNSDERM**	Transdermal	2.16.840.1.113883.5.112	
2-L	**TRNSDERMD**	Diffusion, transdermal	2.16.840.1.113883.5.112	
1-A	*_AmnioticFluidSacRoute*	AmnioticFluidSacRoute	2.16.840.1.113883.5.112	
2-L	**AMNINJ**	Injection, amniotic fluid	2.16.840.1.113883.5.112	
1-A	*_BiliaryRoute*	BiliaryRoute	2.16.840.1.113883.5.112	
2-L	**BILINJ**	Injection, biliary tract	2.16.840.1.113883.5.112	
2-L	**CHOLINJ**	Injection, for cholangiography	2.16.840.1.113883.5.112	
1-A	*_BodySurfaceRoute*	BodySurfaceRoute	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**DRESS**	Topical application, soaked dressing	2.16.840.1.113883.5.112	
2-L	**ELECTOSMOS**	Electro-osmosis	2.16.840.1.113883.5.112	
2-L	**IONTO**	Topical application, iontophoresis	2.16.840.1.113883.5.112	
2-L	**SOAK**	Immersion (soak)	2.16.840.1.113883.5.112	
2-L	**SWAB**	Topical application, swab	2.16.840.1.113883.5.112	
2-L	**TOPICAL**	Topical	2.16.840.1.113883.5.112	
1-A	*_BuccalMucosaRoute*	BuccalMucosaRoute	2.16.840.1.113883.5.112	
2-L	**BUC**	Topical application, buccal	2.16.840.1.113883.5.112	
1-A	*_CecostomyRoute*	CecostomyRoute	2.16.840.1.113883.5.112	
2-L	**CECINSTL**	Instillation, cecostomy	2.16.840.1.113883.5.112	
1-A	*_CervicalRoute*	CervicalRoute	2.16.840.1.113883.5.112	
2-L	**CERV**	Topical application, cervical	2.16.840.1.113883.5.112	
2-L	**CERVINJ**	Injection, cervical	2.16.840.1.113883.5.112	
2-L	**CERVINS**	Insertion, cervical (uterine)	2.16.840.1.113883.5.112	
2-L	**DEN**	Topical application, dental	2.16.840.1.113883.5.112	
2-L	**DENRINSE**	Rinse, dental	2.16.840.1.113883.5.112	
1-A	*_EndocervicalRoute*	EndocervicalRoute	2.16.840.1.113883.5.112	
2-L	**AMNINJ**	Injection, amniotic fluid	2.16.840.1.113883.5.112	
2-L	**BILINJ**	Injection, biliary tract	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_EnteralRoute*	EnteralRoute	2.16.840.1.113883.5.112	
2-L	**EFT**	Instillation, enteral feeding tube	2.16.840.1.113883.5.112	
2-L	**ENTINSTL**	Instillation, enteral	2.16.840.1.113883.5.112	
1-A	*_EpiduralRoute*	EpiduralRoute	2.16.840.1.113883.5.112	
2-L	**EPI**	Infusion, epidural	2.16.840.1.113883.5.112	
2-L	**EPIDURINJ**	Injection, epidural	2.16.840.1.113883.5.112	
2-L	**EPIINJ**	Injection, epidural, push	2.16.840.1.113883.5.112	
2-L	**EPINJSP**	Injection, epidural, slow push	2.16.840.1.113883.5.112	
1-A	*_ExtraAmnioticRoute*	ExtraAmnioticRoute	2.16.840.1.113883.5.112	
2-L	**EXTRAMNINJ**	Injection, extra-amniotic	2.16.840.1.113883.5.112	
1-A	*_ExtracorporealCirculationRoute*	ExtracorporealCirculationRoute	2.16.840.1.113883.5.112	
2-L	**EXTCORPDIF**	Diffusion, extracorporeal	2.16.840.1.113883.5.112	
2-L	**EXTCORPINJ**	Injection, extracorporeal	2.16.840.1.113883.5.112	
1-A	*_GastricRoute*	GastricRoute	2.16.840.1.113883.5.112	
2-L	**GBINJ**	Injection, gastric button	2.16.840.1.113883.5.112	
2-L	**GT**	Instillation, gastrostomy tube	2.16.840.1.113883.5.112	
2-L	**NGT**	Instillation, nasogastric tube	2.16.840.1.113883.5.112	
2-L	**OGT**	Instillation, orogastric tube	2.16.840.1.113883.5.112	
1-A	*_GenitourinaryRoute*	GenitourinaryRoute	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**GUIRR**	Irrigation, genitourinary	2.16.840.1.113883.5.112	
1-A	*_GingivalRoute*	GingivalRoute	2.16.840.1.113883.5.112	
2-L	**GIN**	Topical application, gingival	2.16.840.1.113883.5.112	
2-L	**GINGINJ**	Injection, gingival	2.16.840.1.113883.5.112	
1-A	*_HairRoute*	HairRoute	2.16.840.1.113883.5.112	
2-L	**HAIR**	Topical application, hair	2.16.840.1.113883.5.112	
2-L	**SHAMPOO**	Shampoo	2.16.840.1.113883.5.112	
1-A	*_InterameningealRoute*	InterameningealRoute	2.16.840.1.113883.5.112	
2-L	**INTERMENINJ**	Injection, interameningeal	2.16.840.1.113883.5.112	
1-A	*_InterstitialRoute*	InterstitialRoute	2.16.840.1.113883.5.112	
2-L	**INTERSTITINJ**	Injection, interstitial	2.16.840.1.113883.5.112	
1-A	*_IntraabdominalRoute*	IntraabdominalRoute	2.16.840.1.113883.5.112	
2-L	**IABDINJ**	Injection, intra-abdominal	2.16.840.1.113883.5.112	
1-A	*_IntraarterialRoute*	IntraarterialRoute	2.16.840.1.113883.5.112	
2-L	**IA**	Infusion, intraarterial catheter	2.16.840.1.113883.5.112	
2-S	**IAINJ**	Injection, intraarterial	2.16.840.1.113883.5.112	
3-L	**IAINJP**	Injection, intraarterial, push	2.16.840.1.113883.5.112	
3-L	**IAINJSP**	Injection, intraarterial, slow push	2.16.840.1.113883.5.112	
1-A	*_IntraarticularRoute*	IntraarticularRoute	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**IARTINJ**	Injection, intraarticular	2.16.840.1.113883.5.112	
1-A	*_IntrabronchialRoute*	IntrabronchialRoute	2.16.840.1.113883.5.112	
2-L	**IBRONCHINSTIL**	Instillation, intrabronchial	2.16.840.1.113883.5.112	
1-A	*_IntrabursalRoute*	IntrabursalRoute	2.16.840.1.113883.5.112	
2-L	**IBURSINJ**	Injection, intrabursal	2.16.840.1.113883.5.112	
1-A	*_IntracardiacRoute*	IntracardiacRoute	2.16.840.1.113883.5.112	
2-L	**IC**	Infusion, intracardiac	2.16.840.1.113883.5.112	
2-S	**ICARDINJ**	Injection, intracardiac	2.16.840.1.113883.5.112	
3-L	**ICARDINJRP**	Injection, intracardiac, rapid push	2.16.840.1.113883.5.112	
3-L	**ICARDINJSP**	Injection, intracardiac, slow push	2.16.840.1.113883.5.112	
3-L	**ICARINJP**	Injection, intracardiac, push	2.16.840.1.113883.5.112	
1-A	*_IntracartilaginousRoute*	IntracartilaginousRoute	2.16.840.1.113883.5.112	
2-L	**ICARTINJ**	Injection, intracartilaginous	2.16.840.1.113883.5.112	
1-A	*_IntracaudalRoute*	IntracaudalRoute	2.16.840.1.113883.5.112	
2-L	**ICAUDINJ**	Injection, intracaudal	2.16.840.1.113883.5.112	
1-A	*_IntracavernosalRoute*	IntracavernosalRoute	2.16.840.1.113883.5.112	
2-L	**ICAVINJ**	Injection, intracavernous	2.16.840.1.113883.5.112	
1-A	*_IntracavitaryRoute*	IntracavitaryRoute	2.16.840.1.113883.5.112	
2-L	**ICAVITINJ**	Injection, intracavitary	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntracerebralRoute*	IntracerebralRoute	2.16.840.1.113883.5.112	
2-L	**ICEREBINJ**	Injection, intracerebral	2.16.840.1.113883.5.112	
1-A	*_IntracervicalRoute*	IntracervicalRoute	2.16.840.1.113883.5.112	
2-L	**IUINJC**	Injection, intracervical (uterus)	2.16.840.1.113883.5.112	
1-A	*_IntracisternalRoute*	IntracisternalRoute	2.16.840.1.113883.5.112	
2-L	**ICISTERNINJ**	Injection, intracisternal	2.16.840.1.113883.5.112	
1-A	*_IntracornealRoute*	IntracornealRoute	2.16.840.1.113883.5.112	
2-L	**ICORNTA**	Topical application, intracorneal	2.16.840.1.113883.5.112	
1-A	*_IntracoronalRoute*	IntracoronalRoute	2.16.840.1.113883.5.112	
2-L	**ICORONTA**	Topical application, intracoronal (dental)	2.16.840.1.113883.5.112	
1-A	*_IntracoronaryRoute*	IntracoronaryRoute	2.16.840.1.113883.5.112	
2-L	**ICOR**	Infusion, intracoronary	2.16.840.1.113883.5.112	
2-S	**ICORONINJ**	Injection, intracoronary	2.16.840.1.113883.5.112	
3-L	**ICORONINJP**	Injection, intracoronary, push	2.16.840.1.113883.5.112	
1-A	*_IntracorpusCavernosumRoute*	IntracorpusCavernosumRoute	2.16.840.1.113883.5.112	
2-L	**ICORPCAVINJ**	Injection, intracorpus cavernosum	2.16.840.1.113883.5.112	
1-A	*_IntradermalRoute*	IntradermalRoute	2.16.840.1.113883.5.112	
2-L	**IDIMPLNT**	Implantation, intradermal	2.16.840.1.113883.5.112	
2-L	**IDINJ**	Injection, intradermal	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntradiscalRoute*	IntradiscalRoute	2.16.840.1.113883.5.112	
2-L	**IDISCINJ**	Injection, intradiscal	2.16.840.1.113883.5.112	
1-A	*_IntraductalRoute*	IntraductalRoute	2.16.840.1.113883.5.112	
2-L	**IDUCTINJ**	Injection, intraductal	2.16.840.1.113883.5.112	
1-A	*_IntraduodenalRoute*	IntraduodenalRoute	2.16.840.1.113883.5.112	
2-L	**IDUODINSTIL**	Instillation, intraduodenal	2.16.840.1.113883.5.112	
2-L	**IDOUDMAB**	Mucosal absorption, intraduodenal	2.16.840.1.113883.5.112	
1-A	*_IntraduralRoute*	IntraduralRoute	2.16.840.1.113883.5.112	
2-L	**IDURINJ**	Injection, intradural	2.16.840.1.113883.5.112	
1-A	*_IntraepidermalRoute*	IntraepidermalRoute	2.16.840.1.113883.5.112	
2-L	**IEPIDINJ**	Injection, intraepidermal	2.16.840.1.113883.5.112	
1-A	*_IntraepithelialRoute*	IntraepithelialRoute	2.16.840.1.113883.5.112	
2-L	**IEPITHINJ**	Injection, intraepithelial	2.16.840.1.113883.5.112	
1-A	*_IntraesophagealRoute*	IntraesophagealRoute	2.16.840.1.113883.5.112	
2-L	**IESOPHINSTIL**	Instillation, intraesophageal	2.16.840.1.113883.5.112	
2-L	**IESOPHTA**	Topical application, intraesophageal	2.16.840.1.113883.5.112	
1-A	*_IntragastricRoute*	IntragastricRoute	2.16.840.1.113883.5.112	
2-L	**IGASTINSTIL**	Instillation, intragastric	2.16.840.1.113883.5.112	
2-L	**IGASTIRR**	Irrigation, intragastric	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**IGASTLAV**	Lavage, intragastric	2.16.840.1.113883.5.112	
1-A	*_IntrailealRoute*	IntrailealRoute	2.16.840.1.113883.5.112	
2-L	**IILEALINJ**	Instillation, intraileal	2.16.840.1.113883.5.112	
2-L	**IILEALTA**	Topical application, intraileal	2.16.840.1.113883.5.112	
1-A	*_IntralesionalRoute*	IntralesionalRoute	2.16.840.1.113883.5.112	
2-L	**ILESINJ**	Injection, intralesional	2.16.840.1.113883.5.112	
2-L	**ILESIRR**	Irrigation, intralesional	2.16.840.1.113883.5.112	
2-L	**ILTOP**	Topical application, intralesional	2.16.840.1.113883.5.112	
1-A	*_IntraluminalRoute*	IntraluminalRoute	2.16.840.1.113883.5.112	
2-L	**ILUMINJ**	Injection, intraluminal	2.16.840.1.113883.5.112	
2-L	**ILUMTA**	Topical application, intraluminal	2.16.840.1.113883.5.112	
1-A	*_IntralymphaticRoute*	IntralymphaticRoute	2.16.840.1.113883.5.112	
2-L	**ILYMPJINJ**	Injection, intralymphatic	2.16.840.1.113883.5.112	
1-A	*_IntramedullaryRoute*	IntramedullaryRoute	2.16.840.1.113883.5.112	
2-L	**IMEDULINJ**	Injection, intramedullary	2.16.840.1.113883.5.112	
1-A	*_IntramuscularRoute*	IntramuscularRoute	2.16.840.1.113883.5.112	
2-S	**IM**	Injection, intramuscular	2.16.840.1.113883.5.112	
3-L	**IMD**	Injection, intramuscular, deep	2.16.840.1.113883.5.112	
3-L	**IMZ**	Injection, intramuscular, z track	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntraocularRoute*	IntraocularRoute	2.16.840.1.113883.5.112	
2-L	**IOINJ**	Injection, intraocular	2.16.840.1.113883.5.112	
2-L	**IOSURGINS**	Insertion, intraocular, surgical	2.16.840.1.113883.5.112	
2-L	**IOINSTL**	Instillation, intraocular	2.16.840.1.113883.5.112	
2-L	**IOIRR**	Irrigation, intraocular	2.16.840.1.113883.5.112	
2-L	**IOTOP**	Topical application, intraocular	2.16.840.1.113883.5.112	
1-A	*_IntraosseousRoute*	IntraosseousRoute	2.16.840.1.113883.5.112	
2-L	**IOSSC**	Infusion, intraosseous, continuous	2.16.840.1.113883.5.112	
2-L	**IOSSINJ**	Injection, intraosseous	2.16.840.1.113883.5.112	
1-A	*_IntraovarianRoute*	IntraovarianRoute	2.16.840.1.113883.5.112	
2-L	**IOVARINJ**	Injection, intraovarian	2.16.840.1.113883.5.112	
1-A	*_IntrapericardialRoute*	IntrapericardialRoute	2.16.840.1.113883.5.112	
2-L	**IPCARDINJ**	Injection, intrapericardial	2.16.840.1.113883.5.112	
1-A	*_IntraperitonealRoute*	IntraperitonealRoute	2.16.840.1.113883.5.112	
2-L	**IPERINJ**	Injection, intraperitoneal	2.16.840.1.113883.5.112	
2-L	**PDPINJ**	Injection, peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**CAPDINSTL**	Instillation, continuous ambulatory peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**PDPINSTL**	Instillation, peritoneal dialysis port	2.16.840.1.113883.5.112	
1-A	*_IntrapleuralRoute*	IntrapleuralRoute	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**IPLRINJ**	Injection, intrapleural	2.16.840.1.113883.5.112	
2-L	**CTINSTL**	Instillation, chest tube	2.16.840.1.113883.5.112	
1-A	*_IntraprostaticRoute*	IntraprostaticRoute	2.16.840.1.113883.5.112	
2-L	**IPROSTINJ**	Injection, intraprostatic	2.16.840.1.113883.5.112	
1-A	*_IntrapulmonaryRoute*	IntrapulmonaryRoute	2.16.840.1.113883.5.112	
2-L	**EXTCORPINJ**	Injection, extracorporeal	2.16.840.1.113883.5.112	
2-L	**IPINJ**	Injection, intrapulmonary	2.16.840.1.113883.5.112	
1-A	*_IntrasinalRoute*	IntrasinalRoute	2.16.840.1.113883.5.112	
2-L	**ISININSTIL**	Instillation, intrasinal	2.16.840.1.113883.5.112	
1-A	*_IntraspinalRoute*	IntraspinalRoute	2.16.840.1.113883.5.112	
2-L	**ISINJ**	Injection, intraspinal	2.16.840.1.113883.5.112	
1-A	*_IntrasternalRoute*	IntrasternalRoute	2.16.840.1.113883.5.112	
2-L	**ISTERINJ**	Injection, intrasternal	2.16.840.1.113883.5.112	
1-A	*_IntrasynovialRoute*	IntrasynovialRoute	2.16.840.1.113883.5.112	
2-L	**ISYNINJ**	Injection, intrasynovial	2.16.840.1.113883.5.112	
1-A	*_IntratendinousRoute*	IntratendinousRoute	2.16.840.1.113883.5.112	
2-L	**ITENDINJ**	Injection, intratendinous	2.16.840.1.113883.5.112	
1-A	*_IntratesticularRoute*	IntratesticularRoute	2.16.840.1.113883.5.112	
2-L	**ITESTINJ**	Injection, intratesticular	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntrathecalRoute*	IntrathecalRoute	2.16.840.1.113883.5.112	
2-L	**IT**	Infusion, intrathecal	2.16.840.1.113883.5.112	
2-L	**ITINJ**	Injection, intrathecal	2.16.840.1.113883.5.112	
1-A	*_IntrathoracicRoute*	IntrathoracicRoute	2.16.840.1.113883.5.112	
2-L	**ITHORINJ**	Injection, intrathoracic	2.16.840.1.113883.5.112	
1-A	*_IntratrachealRoute*	IntratrachealRoute	2.16.840.1.113883.5.112	
2-L	**ITRACHINSTIL**	Instillation, intratracheal	2.16.840.1.113883.5.112	
2-L	**ITRACHMAB**	Mucosal absorption, intratracheal	2.16.840.1.113883.5.112	
1-A	*_IntratubularRoute*	IntratubularRoute	2.16.840.1.113883.5.112	
2-L	**ITUBINJ**	Injection, intratubular	2.16.840.1.113883.5.112	
1-A	*_IntratumorRoute*	IntratumorRoute	2.16.840.1.113883.5.112	
2-L	**ITUMINJ**	Injection, intratumor	2.16.840.1.113883.5.112	
1-A	*_IntratympanicRoute*	IntratympanicRoute	2.16.840.1.113883.5.112	
2-L	**ITYMPINJ**	Injection, intratympanic	2.16.840.1.113883.5.112	
1-A	*_IntrauterineRoute*	IntrauterineRoute	2.16.840.1.113883.5.112	
2-L	**IUINJ**	Injection, intrauterine	2.16.840.1.113883.5.112	
2-L	**IURETINJ**	Injection, intraureteral, retrograde	2.16.840.1.113883.5.112	
2-L	**IU**	Insertion, intrauterine	2.16.840.1.113883.5.112	
2-L	**IUINSTL**	Instillation, intrauterine	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntravascularRoute*	IntravascularRoute	2.16.840.1.113883.5.112	
2-L	**HEMODIFF**	Diffusion, hemodialysis	2.16.840.1.113883.5.112	
2-L	**IVASCINFUS**	Infusion, intravascular	2.16.840.1.113883.5.112	
2-L	**HEMOPORT**	Injection, hemodialysis port	2.16.840.1.113883.5.112	
2-L	**IVASCINJ**	Injection, intravascular	2.16.840.1.113883.5.112	
1-A	*_IntravenousRoute*	IntravenousRoute	2.16.840.1.113883.5.112	
2-L	**IVFLUSH**	Flush, intravenous catheter	2.16.840.1.113883.5.112	
2-S	**IVINJ**	Injection, intravenous	2.16.840.1.113883.5.112	
3-L	**IVINJBOL**	Injection, intravenous, bolus	2.16.840.1.113883.5.112	
3-L	**IVPUSH**	Injection, intravenous, push	2.16.840.1.113883.5.112	
3-L	**IVRPUSH**	Injection, intravenous, rapid push	2.16.840.1.113883.5.112	
3-L	**IVSPUSH**	Injection, intravenous, slow push	2.16.840.1.113883.5.112	
1-A	*_IntraventricularRoute*	IntraventricularRoute	2.16.840.1.113883.5.112	
2-L	**IVENTINJ**	Injection, intraventricular (heart)	2.16.840.1.113883.5.112	
1-A	*_IntravesicleRoute*	IntravesicleRoute	2.16.840.1.113883.5.112	
2-L	**IVESINJ**	Injection, intravesicle	2.16.840.1.113883.5.112	
1-A	*_IntravitrealRoute*	IntravitrealRoute	2.16.840.1.113883.5.112	
2-L	**IVITINJ**	Injection, intravitreal	2.16.840.1.113883.5.112	
1-A	*_JejunumRoute*	JejunumRoute	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**GJT**	Instillation, gastro-jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**JJTINSTL**	Instillation, jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**OJJ**	Instillation, orojejunum tube	2.16.840.1.113883.5.112	
1-A	*_LacrimalPunctaRoute*	LacrimalPunctaRoute	2.16.840.1.113883.5.112	
2-L	**LPINS**	Insertion, lacrimal puncta	2.16.840.1.113883.5.112	
1-A	*_LaryngealRoute*	LaryngealRoute	2.16.840.1.113883.5.112	
2-L	**LARYNGINSTIL**	Instillation, laryngeal	2.16.840.1.113883.5.112	
2-L	**LARYNGTA**	Topical application, laryngeal	2.16.840.1.113883.5.112	
1-A	*_LingualRoute*	LingualRoute	2.16.840.1.113883.5.112	
2-L	**TRNSLING**	Translingual	2.16.840.1.113883.5.112	
1-A	*_MucousMembraneRoute*	MucousMembraneRoute	2.16.840.1.113883.5.112	
2-L	**MUC**	Topical application, mucous membrane	2.16.840.1.113883.5.112	
1-A	*_NailRoute*	NailRoute	2.16.840.1.113883.5.112	
2-L	**NAIL**	Topical application, nail	2.16.840.1.113883.5.112	
1-A	*_NasalRoute*	NasalRoute	2.16.840.1.113883.5.112	
2-S	**NASINHL**	Inhalation, nasal	2.16.840.1.113883.5.112	
3-L	**NASINHLC**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
3-L	**NP**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
2-L	**NASALINSTIL**	Instillation, nasal	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**NASOGASINSTIL**	Instillation, nasogastric	2.16.840.1.113883.5.112	
2-L	**NASAL**	Topical application, nasal	2.16.840.1.113883.5.112	
1-A	*_OphthalmicRoute*	OphthalmicRoute	2.16.840.1.113883.5.112	
2-L	**OPTHALTA**	Topical application, ophthalmic	2.16.840.1.113883.5.112	
1-A	*_OralRoute*	OralRoute	2.16.840.1.113883.5.112	
2-L	**CHEW**	Chew, oral	2.16.840.1.113883.5.112	
2-L	**DISSOLVE**	Dissolve, oral	2.16.840.1.113883.5.112	
2-S	**IPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**ORINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**RESPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-L	**ORALTA**	Topical application, oral	2.16.840.1.113883.5.112	
2-L	**ORRINSE**	Rinse, oral	2.16.840.1.113883.5.112	
2-L	**PO**	Swallow, oral	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_OromucosalRoute*	OromucosalRoute	2.16.840.1.113883.5.112	
2-L	**GARGLE**	Gargle	2.16.840.1.113883.5.112	
2-L	**ORMUC**	Topical application, oromucosal	2.16.840.1.113883.5.112	
2-L	**SUCK**	Suck, oromucosal	2.16.840.1.113883.5.112	
2-L	**SWISHSPIT**	Swish and spit out, oromucosal	2.16.840.1.113883.5.112	
2-L	**SWISHSWAL**	Swish and swallow, oromucosal	2.16.840.1.113883.5.112	
1-A	*_OropharyngealRoute*	OropharyngealRoute	2.16.840.1.113883.5.112	
2-L	**OROPHARTA**	Topical application, oropharyngeal	2.16.840.1.113883.5.112	
1-A	*_OticRoute*	OticRoute	2.16.840.1.113883.5.112	
2-L	**OT**	Instillation, otic	2.16.840.1.113883.5.112	
1-A	*_ParanasalSinusesRoute*	ParanasalSinusesRoute	2.16.840.1.113883.5.112	
2-L	**PNSINJ**	Injection, paranasal sinuses	2.16.840.1.113883.5.112	
2-L	**PNSINSTL**	Instillation, paranasal sinuses	2.16.840.1.113883.5.112	
1-A	*_ParenteralRoute*	ParenteralRoute	2.16.840.1.113883.5.112	
2-L	**PARENTINJ**	Injection, parenteral	2.16.840.1.113883.5.112	
1-A	*_PerianalRoute*	PerianalRoute	2.16.840.1.113883.5.112	
2-L	**PERIANAL**	Topical application, perianal	2.16.840.1.113883.5.112	
1-A	*_PeriarticularRoute*	PeriarticularRoute	2.16.840.1.113883.5.112	
2-L	**PAINJ**	Injection, periarticular	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_PeriduralRoute*	PeriduralRoute	2.16.840.1.113883.5.112	
2-L	**PDURINJ**	Injection, peridural	2.16.840.1.113883.5.112	
1-A	*_PerinealRoute*	PerinealRoute	2.16.840.1.113883.5.112	
2-L	**PERINEAL**	Topical application, perineal	2.16.840.1.113883.5.112	
1-A	*_PerineuralRoute*	PerineuralRoute	2.16.840.1.113883.5.112	
2-L	**PNINJ**	Injection, perineural	2.16.840.1.113883.5.112	
1-A	*_PeriodontalRoute*	PeriodontalRoute	2.16.840.1.113883.5.112	
2-L	**PDONTINJ**	Injection, periodontal	2.16.840.1.113883.5.112	
2-L	**PDONTTA**	Topical application, periodontal	2.16.840.1.113883.5.112	
1-A	*_PulmonaryRoute*	PulmonaryRoute	2.16.840.1.113883.5.112	
2-L	**IPPB**	Inhalation, intermittent positive pressure breathing (ippb)	2.16.840.1.113883.5.112	
2-L	**VENT**	Inhalation, ventilator	2.16.840.1.113883.5.112	
2-L	**VENTMASK**	Inhalation, ventimask	2.16.840.1.113883.5.112	
2-L	**ETINSTL**	Instillation, endotracheal tube	2.16.840.1.113883.5.112	
2-L	**NTT**	Instillation, nasotracheal tube	2.16.840.1.113883.5.112	
2-L	**ETNEB**	Nebulization, endotracheal tube	2.16.840.1.113883.5.112	
1-A	*_RectalRoute*	RectalRoute	2.16.840.1.113883.5.112	
2-L	**ENEMA**	Enema, rectal	2.16.840.1.113883.5.112	
2-L	**RETENEMA**	Enema, rectal retention	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**PR**	Insertion, rectal	2.16.840.1.113883.5.112	
2-S	**RECINSTL**	Instillation, rectal	2.16.840.1.113883.5.112	
3-L	**RECTINSTL**	Instillation, rectal tube	2.16.840.1.113883.5.112	
2-L	**RECIRR**	Irrigation, rectal	2.16.840.1.113883.5.112	
2-L	**RECTAL**	Topical application, rectal	2.16.840.1.113883.5.112	
1-A	*_RespiratoryTractRoute*	RespiratoryTractRoute	2.16.840.1.113883.5.112	
2-S	**IPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**ORINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**RESPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
1-A	*_RetrobulbarRoute*	RetrobulbarRoute	2.16.840.1.113883.5.112	
2-L	**RBINJ**	Injection, retrobulbar	2.16.840.1.113883.5.112	
1-A	*_ScalpRoute*	ScalpRoute	2.16.840.1.113883.5.112	
2-L	**SCALP**	Topical application, scalp	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_SinusUnspecifiedRoute*	SinusUnspecifiedRoute	2.16.840.1.113883.5.112	
2-L	**ENDOSININJ**	Injection, endosinusial	2.16.840.1.113883.5.112	
2-L	**SININSTIL**	Instillation, sinus, unspecified	2.16.840.1.113883.5.112	
1-A	*_SkinRoute*	SkinRoute	2.16.840.1.113883.5.112	
2-L	**OCDRESTA**	Occlusive dressing technique	2.16.840.1.113883.5.112	
2-L	**SKIN**	Topical application, skin	2.16.840.1.113883.5.112	
1-A	*_SoftTissueRoute*	SoftTissueRoute	2.16.840.1.113883.5.112	
2-L	**SOFTISINJ**	Injection, soft tissue	2.16.840.1.113883.5.112	
2-L	**SOFTISINSTIL**	Instillation, soft tissue	2.16.840.1.113883.5.112	
1-A	*_SubarachnoidRoute*	SubarachnoidRoute	2.16.840.1.113883.5.112	
2-L	**SUBARACHINJ**	Injection, subarachnoid	2.16.840.1.113883.5.112	
1-A	*_SubconjunctivalRoute*	SubconjunctivalRoute	2.16.840.1.113883.5.112	
2-L	**SCINJ**	Injection, subconjunctival	2.16.840.1.113883.5.112	
2-L	**SUBCONJTA**	Subconjunctival	2.16.840.1.113883.5.112	
1-A	*_SubcutaneousRoute*	SubcutaneousRoute	2.16.840.1.113883.5.112	
2-L	**SQIMPLNT**	Implantation, subcutaneous	2.16.840.1.113883.5.112	
2-L	**SQINFUS**	Infusion, subcutaneous	2.16.840.1.113883.5.112	
2-L	**IPUMPINJ**	Injection, insulin pump	2.16.840.1.113883.5.112	
2-L	**SQ**	Injection, subcutaneous	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**SQSURGINS**	Insertion, subcutaneous, surgical	2.16.840.1.113883.5.112	
1-A	*_SublesionalRoute*	SublesionalRoute	2.16.840.1.113883.5.112	
2-L	**SLESINJ**	Injection, sublesional	2.16.840.1.113883.5.112	
1-A	*_SublingualRoute*	SublingualRoute	2.16.840.1.113883.5.112	
2-L	**SL**	Dissolve, sublingual	2.16.840.1.113883.5.112	
1-A	*_SubmucosalRoute*	SubmucosalRoute	2.16.840.1.113883.5.112	
2-L	**SUBMUCINJ**	Injection, submucosal	2.16.840.1.113883.5.112	
2-L	**SMUCMAB**	Mucosal absorption, submucosal	2.16.840.1.113883.5.112	
1-A	*_TracheostomyRoute*	TracheostomyRoute	2.16.840.1.113883.5.112	
2-L	**TRACH**	Inhalation, tracheostomy	2.16.840.1.113883.5.112	
2-L	**TRACHINSTL**	Instillation, tracheostomy	2.16.840.1.113883.5.112	
1-A	*_TransmucosalRoute*	TransmucosalRoute	2.16.840.1.113883.5.112	
2-L	**TMUCTA**	Topical application, transmucosal	2.16.840.1.113883.5.112	
1-A	*_TransplacentalRoute*	TransplacentalRoute	2.16.840.1.113883.5.112	
2-L	**TRPLACINJ**	Injection, transplacental	2.16.840.1.113883.5.112	
1-A	*_TranstrachealRoute*	TranstrachealRoute	2.16.840.1.113883.5.112	
2-L	**TRTRACHINJ**	Injection, transtracheal	2.16.840.1.113883.5.112	
1-A	*_TranstympanicRoute*	TranstympanicRoute	2.16.840.1.113883.5.112	
2-L	**TRTYMPINSTIL**	Instillation, transtympanic	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**TTYMPTABSORP**	Topical absorption, transtympanic	2.16.840.1.113883.5.112	
1-A	*_UreteralRoute*	UreteralRoute	2.16.840.1.113883.5.112	
2-L	**URETINJ**	Injection, ureteral	2.16.840.1.113883.5.112	
1-A	*_UrethralRoute*	UrethralRoute	2.16.840.1.113883.5.112	
2-L	**URETHINJ**	Injection, urethral	2.16.840.1.113883.5.112	
2-L	**URETHINS**	Insertion, urethral	2.16.840.1.113883.5.112	
2-L	**URETHINSTL**	instillation, urethral	2.16.840.1.113883.5.112	
2-L	**URETHSUP**	Suppository, urethral	2.16.840.1.113883.5.112	
1-A	*_UrinaryBladderRoute*	UrinaryBladderRoute	2.16.840.1.113883.5.112	
2-L	**BLADINJ**	Injection, urinary bladder	2.16.840.1.113883.5.112	
2-S	**BLADIRR**	Irrigation, urinary bladder	2.16.840.1.113883.5.112	
3-L	**BLADIRRC**	Irrigation, urinary bladder, continuous	2.16.840.1.113883.5.112	
3-L	**BLADIRRT**	Irrigation, urinary bladder, tidal	2.16.840.1.113883.5.112	
1-A	*_UrinaryTractRoute*	UrinaryTractRoute	2.16.840.1.113883.5.112	
2-L	**BLADINSTL**	Instillation, urinary catheter	2.16.840.1.113883.5.112	
1-A	*_VaginalRoute*	VaginalRoute	2.16.840.1.113883.5.112	
2-L	**DOUCHE**	Douche, vaginal	2.16.840.1.113883.5.112	
2-L	**VAGINSI**	Insertion, vaginal	2.16.840.1.113883.5.112	
2-L	**VAGINS**	Topical application, vaginal	2.16.840.1.113883.5.112	

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_VitreousHumourRoute*	VitreousHumourRoute	2.16.840.1.113883.5.112	
2-L	**IVITIMPLNT**	Implantation, intravitreal	2.16.840.1.113883.5.112	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- RouteOfAdministration DEFN=UV=VO=1099-20110726 - 2011-07-26

3.1.19 RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.112

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-L	**SOAK**	Immersion (soak)	2.16.840.1.113883.5.112	
1-L	**SHAMPOO**	Shampoo	2.16.840.1.113883.5.112	
1-L	**TRNSLING**	Translingual	2.16.840.1.113883.5.112	
1-L	**PO**	Swallow, oral	2.16.840.1.113883.5.112	
1-L	**GARGLE**	Gargle	2.16.840.1.113883.5.112	
1-L	**SUCK**	Suck, oromucosal	2.16.840.1.113883.5.112	
1-A	*_Chew*	Chew	2.16.840.1.113883.5.112	
2-L	**CHEW**	Chew, oral	2.16.840.1.113883.5.112	
1-A	*_Diffusion*	Diffusion	2.16.840.1.113883.5.112	
2-L	**EXTCORPDIF**	Diffusion, extracorporeal	2.16.840.1.113883.5.112	
2-L	**HEMODIFF**	Diffusion, hemodialysis	2.16.840.1.113883.5.112	
2-L	**TRNSDERMD**	Diffusion, transdermal	2.16.840.1.113883.5.112	
1-A	*_Dissolve*	Dissolve	2.16.840.1.113883.5.112	
2-L	**DISSOLVE**	Dissolve, oral	2.16.840.1.113883.5.112	
2-L	**SL**	Dissolve, sublingual	2.16.840.1.113883.5.112	
1-A	*_Douche*	Douche	2.16.840.1.113883.5.112	
2-L	**DOUCHE**	Douche, vaginal	2.16.840.1.113883.5.112	
1-A	*_ElectroOsmosisRoute*	ElectroOsmosisRoute	2.16.840.1.113883.5.112	
2-L	**ELECTOSMOS**	Electro-osmosis	2.16.840.1.113883.5.112	
1-A	*_Enema*	Enema	2.16.840.1.113883.5.112	
2-L	**ENEMA**	Enema, rectal	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**RETENEMA**	Enema, rectal retention	2.16.840.1.113883.5.112	
1-A	*_Flush*	Flush	2.16.840.1.113883.5.112	
2-L	**IVFLUSH**	Flush, intravenous catheter	2.16.840.1.113883.5.112	
1-A	*_Implantation*	Implantation	2.16.840.1.113883.5.112	
2-L	**IDIMPLNT**	Implantation, intradermal	2.16.840.1.113883.5.112	
2-L	**IVITIMPLNT**	Implantation, intravitreal	2.16.840.1.113883.5.112	
2-L	**SQIMPLNT**	Implantation, subcutaneous	2.16.840.1.113883.5.112	
1-A	*_Infusion*	Infusion	2.16.840.1.113883.5.112	
2-L	**EPI**	Infusion, epidural	2.16.840.1.113883.5.112	
2-L	**IA**	Infusion, intraarterial catheter	2.16.840.1.113883.5.112	
2-L	**IC**	Infusion, intracardiac	2.16.840.1.113883.5.112	
2-L	**ICOR**	Infusion, intracoronary	2.16.840.1.113883.5.112	
2-L	**IOSSC**	Infusion, intraosseous, continuous	2.16.840.1.113883.5.112	
2-L	**IT**	Infusion, intrathecal	2.16.840.1.113883.5.112	
2-S	**IV**	Infusion, intravenous	2.16.840.1.113883.5.112	
3-L	**IVC**	Infusion, intravenous catheter	2.16.840.1.113883.5.112	
3-L	**IVCC**	Infusion, intravenous catheter, continuous	2.16.840.1.113883.5.112	
3-L	**IVCI**	Infusion, intravenous catheter, intermittent	2.16.840.1.113883.5.112	
3-L	**PCA**	Infusion, intravenous catheter, pca pump	2.16.840.1.113883.5.112	
2-L	**IVASCINFUS**	Infusion, intravascular	2.16.840.1.113883.5.112	
2-L	**SQINFUS**	Infusion, subcutaneous	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_Inhalation*	Inhalation	2.16.840.1.113883.5.112	
2-S	**IPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**ORINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**RESPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-L	**IPPB**	Inhalation, intermittent positive pressure breathing (ippb)	2.16.840.1.113883.5.112	
2-S	**NASINHL**	Inhalation, nasal	2.16.840.1.113883.5.112	
3-L	**NASINHLC**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
3-L	**NP**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
2-S	**NEB**	Inhalation, nebulization	2.16.840.1.113883.5.112	
3-L	**NASNEB**	Inhalation, nebulization, nasal	2.16.840.1.113883.5.112	
3-L	**ORNEB**	Inhalation, nebulization, oral	2.16.840.1.113883.5.112	
2-L	**TRACH**	Inhalation, tracheostomy	2.16.840.1.113883.5.112	
2-L	**VENT**	Inhalation, ventilator	2.16.840.1.113883.5.112	
2-L	**VENTMASK**	Inhalation, ventimask	2.16.840.1.113883.5.112	
1-A	*_Injection*	Injection	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**AMNINJ**	Injection, amniotic fluid	2.16.840.1.113883.5.112	
2-L	**BILINJ**	Injection, biliary tract	2.16.840.1.113883.5.112	
2-L	**CHOLINJ**	Injection, for cholangiography	2.16.840.1.113883.5.112	
2-L	**CERVINJ**	Injection, cervical	2.16.840.1.113883.5.112	
2-L	**EPIDURINJ**	Injection, epidural	2.16.840.1.113883.5.112	
2-L	**EPIINJ**	Injection, epidural, push	2.16.840.1.113883.5.112	
2-L	**EPINJSP**	Injection, epidural, slow push	2.16.840.1.113883.5.112	
2-L	**EXTRAMNINJ**	Injection, extra-amniotic	2.16.840.1.113883.5.112	
2-L	**EXTCORPINJ**	Injection, extracorporeal	2.16.840.1.113883.5.112	
2-L	**GBINJ**	Injection, gastric button	2.16.840.1.113883.5.112	
2-L	**GINGINJ**	Injection, gingival	2.16.840.1.113883.5.112	
2-L	**BLADINJ**	Injection, urinary bladder	2.16.840.1.113883.5.112	
2-L	**ENDOSININJ**	Injection, endosinusial	2.16.840.1.113883.5.112	
2-L	**HEMOPORT**	Injection, hemodialysis port	2.16.840.1.113883.5.112	
2-L	**IABDINJ**	Injection, intra-abdominal	2.16.840.1.113883.5.112	
2-S	**IAINJ**	Injection, intraarterial	2.16.840.1.113883.5.112	
3-L	**IAINJP**	Injection, intraarterial, push	2.16.840.1.113883.5.112	
3-L	**IAINJSP**	Injection, intraarterial, slow push	2.16.840.1.113883.5.112	
2-L	**IARTINJ**	Injection, intraarticular	2.16.840.1.113883.5.112	
2-L	**IBURSINJ**	Injection, intrabursal	2.16.840.1.113883.5.112	
2-S	**ICARDINJ**	Injection, intracardiac	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-L	**ICARDINJRP**	Injection, intracardiac, rapid push	2.16.840.1.113883.5.112	
3-L	**ICARDINJSP**	Injection, intracardiac, slow push	2.16.840.1.113883.5.112	
3-L	**ICARINJP**	Injection, intracardiac, push	2.16.840.1.113883.5.112	
2-L	**ICARTINJ**	Injection, intracartilaginous	2.16.840.1.113883.5.112	
2-L	**ICAUDINJ**	Injection, intracaudal	2.16.840.1.113883.5.112	
2-L	**ICAVINJ**	Injection, intracavernous	2.16.840.1.113883.5.112	
2-L	**ICAVITINJ**	Injection, intracavitary	2.16.840.1.113883.5.112	
2-L	**ICEREBINJ**	Injection, intracerebral	2.16.840.1.113883.5.112	
2-L	**ICISTERNINJ**	Injection, intracisternal	2.16.840.1.113883.5.112	
2-S	**ICORONINJ**	Injection, intracoronary	2.16.840.1.113883.5.112	
3-L	**ICORONINJP**	Injection, intracoronary, push	2.16.840.1.113883.5.112	
2-L	**ICORPCAVINJ**	Injection, intracorpus cavernosum	2.16.840.1.113883.5.112	
2-L	**IDINJ**	Injection, intradermal	2.16.840.1.113883.5.112	
2-L	**IDISCINJ**	Injection, intradiscal	2.16.840.1.113883.5.112	
2-L	**IDUCTINJ**	Injection, intraductal	2.16.840.1.113883.5.112	
2-L	**IDURINJ**	Injection, intradural	2.16.840.1.113883.5.112	
2-L	**IEPIDINJ**	Injection, intraepidermal	2.16.840.1.113883.5.112	
2-L	**IEPITHINJ**	Injection, intraepithelial	2.16.840.1.113883.5.112	
2-L	**ILESINJ**	Injection, intralesional	2.16.840.1.113883.5.112	
2-L	**ILUMINJ**	Injection, intraluminal	2.16.840.1.113883.5.112	
2-L	**ILYMPJINJ**	Injection, intralymphatic	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-S	**IM**	Injection, intramuscular	2.16.840.1.113883.5.112	
3-L	**IMD**	Injection, intramuscular, deep	2.16.840.1.113883.5.112	
3-L	**IMZ**	Injection, intramuscular, z track	2.16.840.1.113883.5.112	
2-L	**IMEDULINJ**	Injection, intramedullary	2.16.840.1.113883.5.112	
2-L	**INTERMENINJ**	Injection, interameningeal	2.16.840.1.113883.5.112	
2-L	**INTERSTITINJ**	Injection, interstitial	2.16.840.1.113883.5.112	
2-L	**IOINJ**	Injection, intraocular	2.16.840.1.113883.5.112	
2-L	**IOSSINJ**	Injection, intraosseous	2.16.840.1.113883.5.112	
2-L	**IOVARINJ**	Injection, intraovarian	2.16.840.1.113883.5.112	
2-L	**IPCARDINJ**	Injection, intrapericardial	2.16.840.1.113883.5.112	
2-L	**IPERINJ**	Injection, intraperitoneal	2.16.840.1.113883.5.112	
2-L	**IPINJ**	Injection, intrapulmonary	2.16.840.1.113883.5.112	
2-L	**IPLRINJ**	Injection, intrapleural	2.16.840.1.113883.5.112	
2-L	**IPROSTINJ**	Injection, intraprostatic	2.16.840.1.113883.5.112	
2-L	**IPUMPINJ**	Injection, insulin pump	2.16.840.1.113883.5.112	
2-L	**ISINJ**	Injection, intraspinal	2.16.840.1.113883.5.112	
2-L	**ISTERINJ**	Injection, intrasternal	2.16.840.1.113883.5.112	
2-L	**ISYNINJ**	Injection, intrasynovial	2.16.840.1.113883.5.112	
2-L	**ITENDINJ**	Injection, intratendinous	2.16.840.1.113883.5.112	
2-L	**ITESTINJ**	Injection, intratesticular	2.16.840.1.113883.5.112	
2-L	**ITHORINJ**	Injection, intrathoracic	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**ITINJ**	Injection, intrathecal	2.16.840.1.113883.5.112	
2-L	**ITUBINJ**	Injection, intratubular	2.16.840.1.113883.5.112	
2-L	**ITUMINJ**	Injection, intratumor	2.16.840.1.113883.5.112	
2-L	**ITYMPINJ**	Injection, intratympanic	2.16.840.1.113883.5.112	
2-L	**IUINJ**	Injection, intrauterine	2.16.840.1.113883.5.112	
2-L	**IUINJC**	Injection, intracervical (uterus)	2.16.840.1.113883.5.112	
2-L	**IURETINJ**	Injection, intraureteral, retrograde	2.16.840.1.113883.5.112	
2-L	**IVASCINJ**	Injection, intravascular	2.16.840.1.113883.5.112	
2-L	**IVENTINJ**	Injection, intraventricular (heart)	2.16.840.1.113883.5.112	
2-L	**IVESINJ**	Injection, intravesicle	2.16.840.1.113883.5.112	
2-S	**IVINJ**	Injection, intravenous	2.16.840.1.113883.5.112	
3-L	**IVINJBOL**	Injection, intravenous, bolus	2.16.840.1.113883.5.112	
3-L	**IVPUSH**	Injection, intravenous, push	2.16.840.1.113883.5.112	
3-L	**IVRPUSH**	Injection, intravenous, rapid push	2.16.840.1.113883.5.112	
3-L	**IVSPUSH**	Injection, intravenous, slow push	2.16.840.1.113883.5.112	
2-L	**IVITINJ**	Injection, intravitreal	2.16.840.1.113883.5.112	
2-L	**PAINJ**	Injection, periarticular	2.16.840.1.113883.5.112	
2-L	**PARENTINJ**	Injection, parenteral	2.16.840.1.113883.5.112	
2-L	**PDONTINJ**	Injection, periodontal	2.16.840.1.113883.5.112	
2-L	**PDPINJ**	Injection, peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**PDURINJ**	Injection, peridural	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**PNINJ**	Injection, perineural	2.16.840.1.113883.5.112	
2-L	**PNSINJ**	Injection, paranasal sinuses	2.16.840.1.113883.5.112	
2-L	**RBINJ**	Injection, retrobulbar	2.16.840.1.113883.5.112	
2-L	**SCINJ**	Injection, subconjunctival	2.16.840.1.113883.5.112	
2-L	**SLESINJ**	Injection, sublesional	2.16.840.1.113883.5.112	
2-L	**SOFTISINJ**	Injection, soft tissue	2.16.840.1.113883.5.112	
2-L	**SQ**	Injection, subcutaneous	2.16.840.1.113883.5.112	
2-L	**SUBARACHINJ**	Injection, subarachnoid	2.16.840.1.113883.5.112	
2-L	**SUBMUCINJ**	Injection, submucosal	2.16.840.1.113883.5.112	
2-L	**TRPLACINJ**	Injection, transplacental	2.16.840.1.113883.5.112	
2-L	**TRTRACHINJ**	Injection, transtracheal	2.16.840.1.113883.5.112	
2-L	**URETHINJ**	Injection, urethral	2.16.840.1.113883.5.112	
2-L	**URETINJ**	Injection, ureteral	2.16.840.1.113883.5.112	
1-A	*_Insertion*	Insertion	2.16.840.1.113883.5.112	
2-L	**CERVINS**	Insertion, cervical (uterine)	2.16.840.1.113883.5.112	
2-L	**IOSURGINS**	Insertion, intraocular, surgical	2.16.840.1.113883.5.112	
2-L	**IU**	Insertion, intrauterine	2.16.840.1.113883.5.112	
2-L	**LPINS**	Insertion, lacrimal puncta	2.16.840.1.113883.5.112	
2-L	**PR**	Insertion, rectal	2.16.840.1.113883.5.112	
2-L	**SQSURGINS**	Insertion, subcutaneous, surgical	2.16.840.1.113883.5.112	
2-L	**URETHINS**	Insertion, urethral	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**VAGINSI**	Insertion, vaginal	2.16.840.1.113883.5.112	
1-A	*_Instillation*	Instillation	2.16.840.1.113883.5.112	
2-L	**CECINSTL**	Instillation, cecostomy	2.16.840.1.113883.5.112	
2-L	**EFT**	Instillation, enteral feeding tube	2.16.840.1.113883.5.112	
2-L	**ENTINSTL**	Instillation, enteral	2.16.840.1.113883.5.112	
2-L	**GT**	Instillation, gastrostomy tube	2.16.840.1.113883.5.112	
2-L	**NGT**	Instillation, nasogastric tube	2.16.840.1.113883.5.112	
2-L	**OGT**	Instillation, orogastric tube	2.16.840.1.113883.5.112	
2-L	**BLADINSTL**	Instillation, urinary catheter	2.16.840.1.113883.5.112	
2-L	**CAPDINSTL**	Instillation, continuous ambulatory peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**CTINSTL**	Instillation, chest tube	2.16.840.1.113883.5.112	
2-L	**ETINSTL**	Instillation, endotracheal tube	2.16.840.1.113883.5.112	
2-L	**GJT**	Instillation, gastro-jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**IBRONCHINSTIL**	Instillation, intrabronchial	2.16.840.1.113883.5.112	
2-L	**IDUODINSTIL**	Instillation, intraduodenal	2.16.840.1.113883.5.112	
2-L	**IESOPHINSTIL**	Instillation, intraesophageal	2.16.840.1.113883.5.112	
2-L	**IGASTINSTIL**	Instillation, intragastric	2.16.840.1.113883.5.112	
2-L	**IILEALINJ**	Instillation, intraileal	2.16.840.1.113883.5.112	
2-L	**IOINSTL**	Instillation, intraocular	2.16.840.1.113883.5.112	
2-L	**ISININSTIL**	Instillation, intrasinal	2.16.840.1.113883.5.112	
2-L	**ITRACHINSTIL**	Instillation, intratracheal	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**IUINSTL**	Instillation, intrauterine	2.16.840.1.113883.5.112	
2-L	**JJTINSTL**	Instillation, jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**LARYNGINSTIL**	Instillation, laryngeal	2.16.840.1.113883.5.112	
2-L	**NASALINSTIL**	Instillation, nasal	2.16.840.1.113883.5.112	
2-L	**NASOGASINSTIL**	Instillation, nasogastric	2.16.840.1.113883.5.112	
2-L	**NTT**	Instillation, nasotracheal tube	2.16.840.1.113883.5.112	
2-L	**OJJ**	Instillation, orojejunum tube	2.16.840.1.113883.5.112	
2-L	**OT**	Instillation, otic	2.16.840.1.113883.5.112	
2-L	**PDPINSTL**	Instillation, peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**PNSINSTL**	Instillation, paranasal sinuses	2.16.840.1.113883.5.112	
2-S	**RECINSTL**	Instillation, rectal	2.16.840.1.113883.5.112	
3-L	**RECTINSTL**	Instillation, rectal tube	2.16.840.1.113883.5.112	
2-L	**SININSTIL**	Instillation, sinus, unspecified	2.16.840.1.113883.5.112	
2-L	**SOFTISINSTIL**	Instillation, soft tissue	2.16.840.1.113883.5.112	
2-L	**TRACHINSTL**	Instillation, tracheostomy	2.16.840.1.113883.5.112	
2-L	**TRTYMPINSTIL**	Instillation, transtympanic	2.16.840.1.113883.5.112	
2-L	**URETHINSTL**	instillation, urethral	2.16.840.1.113883.5.112	
1-A	*_IontophoresisRoute*	IontophoresisRoute	2.16.840.1.113883.5.112	
2-L	**IONTO**	Topical application, iontophoresis	2.16.840.1.113883.5.112	
1-A	*_Irrigation*	Irrigation	2.16.840.1.113883.5.112	
2-L	**GUIRR**	Irrigation, genitourinary	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**IGASTIRR**	Irrigation, intragastric	2.16.840.1.113883.5.112	
2-L	**ILESIRR**	Irrigation, intralesional	2.16.840.1.113883.5.112	
2-L	**IOIRR**	Irrigation, intraocular	2.16.840.1.113883.5.112	
2-S	**BLADIRR**	Irrigation, urinary bladder	2.16.840.1.113883.5.112	
3-L	**BLADIRRC**	Irrigation, urinary bladder, continuous	2.16.840.1.113883.5.112	
3-L	**BLADIRRT**	Irrigation, urinary bladder, tidal	2.16.840.1.113883.5.112	
2-L	**RECIRR**	Irrigation, rectal	2.16.840.1.113883.5.112	
1-A	*_LavageRoute*	LavageRoute	2.16.840.1.113883.5.112	
2-L	**IGASTLAV**	Lavage, intragastric	2.16.840.1.113883.5.112	
1-A	*_MucosalAbsorptionRoute*	MucosalAbsorptionRoute	2.16.840.1.113883.5.112	
2-L	**IDOUDMAB**	Mucosal absorption, intraduodenal	2.16.840.1.113883.5.112	
2-L	**ITRACHMAB**	Mucosal absorption, intratracheal	2.16.840.1.113883.5.112	
2-L	**SMUCMAB**	Mucosal absorption, submucosal	2.16.840.1.113883.5.112	
1-A	*_Nebulization*	Nebulization	2.16.840.1.113883.5.112	
2-L	**ETNEB**	Nebulization, endotracheal tube	2.16.840.1.113883.5.112	
1-A	*_Rinse*	Rinse	2.16.840.1.113883.5.112	
2-L	**DENRINSE**	Rinse, dental	2.16.840.1.113883.5.112	
2-L	**ORRINSE**	Rinse, oral	2.16.840.1.113883.5.112	
1-A	*_SuppositoryRoute*	SuppositoryRoute	2.16.840.1.113883.5.112	
2-L	**URETHSUP**	Suppository, urethral	2.16.840.1.113883.5.112	
1-A	*_Swish*	Swish	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**SWISHSPIT**	Swish and spit out, oromucosal	2.16.840.1.113883.5.112	
2-L	**SWISHSWAL**	Swish and swallow, oromucosal	2.16.840.1.113883.5.112	
1-A	*_TopicalAbsorptionRoute*	TopicalAbsorptionRoute	2.16.840.1.113883.5.112	
2-L	**TTYMPTABSORP**	Topical absorption, transtympanic	2.16.840.1.113883.5.112	
1-A	*_TopicalApplication*	TopicalApplication	2.16.840.1.113883.5.112	
2-L	**DRESS**	Topical application, soaked dressing	2.16.840.1.113883.5.112	
2-L	**IONTO**	Topical application, iontophoresis	2.16.840.1.113883.5.112	
2-L	**SWAB**	Topical application, swab	2.16.840.1.113883.5.112	
2-L	**TOPICAL**	Topical	2.16.840.1.113883.5.112	
2-L	**BUC**	Topical application, buccal	2.16.840.1.113883.5.112	
2-L	**CERV**	Topical application, cervical	2.16.840.1.113883.5.112	
2-L	**DEN**	Topical application, dental	2.16.840.1.113883.5.112	
2-L	**GIN**	Topical application, gingival	2.16.840.1.113883.5.112	
2-L	**HAIR**	Topical application, hair	2.16.840.1.113883.5.112	
2-L	**ICORNTA**	Topical application, intracorneal	2.16.840.1.113883.5.112	
2-L	**ICORONTA**	Topical application, intracoronal (dental)	2.16.840.1.113883.5.112	
2-L	**IESOPHTA**	Topical application, intraesophageal	2.16.840.1.113883.5.112	
2-L	**IILEALTA**	Topical application, intraileal	2.16.840.1.113883.5.112	
2-L	**ILTOP**	Topical application, intralesional	2.16.840.1.113883.5.112	
2-L	**ILUMTA**	Topical application, intraluminal	2.16.840.1.113883.5.112	
2-L	**IOTOP**	Topical application, intraocular	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**LARYNGTA**	Topical application, laryngeal	2.16.840.1.113883.5.112	
2-L	**MUC**	Topical application, mucous membrane	2.16.840.1.113883.5.112	
2-L	**NAIL**	Topical application, nail	2.16.840.1.113883.5.112	
2-L	**NASAL**	Topical application, nasal	2.16.840.1.113883.5.112	
2-L	**OPTHALTA**	Topical application, ophthalmic	2.16.840.1.113883.5.112	
2-L	**ORALTA**	Topical application, oral	2.16.840.1.113883.5.112	
2-L	**ORMUC**	Topical application, oromucosal	2.16.840.1.113883.5.112	
2-L	**OROPHARTA**	Topical application, oropharyngeal	2.16.840.1.113883.5.112	
2-L	**PERIANAL**	Topical application, perianal	2.16.840.1.113883.5.112	
2-L	**PERINEAL**	Topical application, perineal	2.16.840.1.113883.5.112	
2-L	**PDONTTA**	Topical application, periodontal	2.16.840.1.113883.5.112	
2-L	**RECTAL**	Topical application, rectal	2.16.840.1.113883.5.112	
2-L	**SCALP**	Topical application, scalp	2.16.840.1.113883.5.112	
2-L	**OCDRESTA**	Occlusive dressing technique	2.16.840.1.113883.5.112	
2-L	**SKIN**	Topical application, skin	2.16.840.1.113883.5.112	
2-L	**SUBCONJTA**	Subconjunctival	2.16.840.1.113883.5.112	
2-L	**TMUCTA**	Topical application, transmucosal	2.16.840.1.113883.5.112	
2-L	**VAGINS**	Topical application, vaginal	2.16.840.1.113883.5.112	
1-L	**INSUF**	Insufflation	2.16.840.1.113883.5.112	
1-S	**TRNSDERM**	Transdermal	2.16.840.1.113883.5.112	
2-L	**TRNSDERMD**	Diffusion, transdermal	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-S	**TRNSDERM**	Transdermal	2.16.840.1.113883.5.112	
2-L	**TRNSDERMD**	Diffusion, transdermal	2.16.840.1.113883.5.112	
1-A	*_AmnioticFluidSacRoute*	AmnioticFluidSacRoute	2.16.840.1.113883.5.112	
2-L	**AMNINJ**	Injection, amniotic fluid	2.16.840.1.113883.5.112	
1-A	*_BiliaryRoute*	BiliaryRoute	2.16.840.1.113883.5.112	
2-L	**BILINJ**	Injection, biliary tract	2.16.840.1.113883.5.112	
2-L	**CHOLINJ**	Injection, for cholangiography	2.16.840.1.113883.5.112	
1-A	*_BodySurfaceRoute*	BodySurfaceRoute	2.16.840.1.113883.5.112	
2-L	**DRESS**	Topical application, soaked dressing	2.16.840.1.113883.5.112	
2-L	**ELECTOSMOS**	Electro-osmosis	2.16.840.1.113883.5.112	
2-L	**IONTO**	Topical application, iontophoresis	2.16.840.1.113883.5.112	
2-L	**SOAK**	Immersion (soak)	2.16.840.1.113883.5.112	
2-L	**SWAB**	Topical application, swab	2.16.840.1.113883.5.112	
2-L	**TOPICAL**	Topical	2.16.840.1.113883.5.112	
1-A	*_BuccalMucosaRoute*	BuccalMucosaRoute	2.16.840.1.113883.5.112	
2-L	**BUC**	Topical application, buccal	2.16.840.1.113883.5.112	
1-A	*_CecostomyRoute*	CecostomyRoute	2.16.840.1.113883.5.112	
2-L	**CECINSTL**	Instillation, cecostomy	2.16.840.1.113883.5.112	
1-A	*_CervicalRoute*	CervicalRoute	2.16.840.1.113883.5.112	
2-L	**CERV**	Topical application, cervical	2.16.840.1.113883.5.112	
2-L	**CERVINJ**	Injection, cervical	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**CERVINS**	Insertion, cervical (uterine)	2.16.840.1.113883.5.112	
2-L	**DEN**	Topical application, dental	2.16.840.1.113883.5.112	
2-L	**DENRINSE**	Rinse, dental	2.16.840.1.113883.5.112	
1-A	*_EndocervicalRoute*	EndocervicalRoute	2.16.840.1.113883.5.112	
2-L	**AMNINJ**	Injection, amniotic fluid	2.16.840.1.113883.5.112	
2-L	**BILINJ**	Injection, biliary tract	2.16.840.1.113883.5.112	
1-A	*_EnteralRoute*	EnteralRoute	2.16.840.1.113883.5.112	
2-L	**EFT**	Instillation, enteral feeding tube	2.16.840.1.113883.5.112	
2-L	**ENTINSTL**	Instillation, enteral	2.16.840.1.113883.5.112	
1-A	*_EpiduralRoute*	EpiduralRoute	2.16.840.1.113883.5.112	
2-L	**EPI**	Infusion, epidural	2.16.840.1.113883.5.112	
2-L	**EPIDURINJ**	Injection, epidural	2.16.840.1.113883.5.112	
2-L	**EPIINJ**	Injection, epidural, push	2.16.840.1.113883.5.112	
2-L	**EPINJSP**	Injection, epidural, slow push	2.16.840.1.113883.5.112	
1-A	*_ExtraAmnioticRoute*	ExtraAmnioticRoute	2.16.840.1.113883.5.112	
2-L	**EXTRAMNINJ**	Injection, extra-amniotic	2.16.840.1.113883.5.112	
1-A	*_ExtracorporealCirculationRoute*	ExtracorporealCirculationRoute	2.16.840.1.113883.5.112	
2-L	**EXTCORPDIF**	Diffusion, extracorporeal	2.16.840.1.113883.5.112	
2-L	**EXTCORPINJ**	Injection, extracorporeal	2.16.840.1.113883.5.112	
1-A	*_GastricRoute*	GastricRoute	2.16.840.1.113883.5.112	
2-L	**GBINJ**	Injection, gastric button	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**GT**	Instillation, gastrostomy tube	2.16.840.1.113883.5.112	
2-L	**NGT**	Instillation, nasogastric tube	2.16.840.1.113883.5.112	
2-L	**OGT**	Instillation, orogastric tube	2.16.840.1.113883.5.112	
1-A	*_GenitourinaryRoute*	GenitourinaryRoute	2.16.840.1.113883.5.112	
2-L	**GUIRR**	Irrigation, genitourinary	2.16.840.1.113883.5.112	
1-A	*_GingivalRoute*	GingivalRoute	2.16.840.1.113883.5.112	
2-L	**GIN**	Topical application, gingival	2.16.840.1.113883.5.112	
2-L	**GINGINJ**	Injection, gingival	2.16.840.1.113883.5.112	
1-A	*_HairRoute*	HairRoute	2.16.840.1.113883.5.112	
2-L	**HAIR**	Topical application, hair	2.16.840.1.113883.5.112	
2-L	**SHAMPOO**	Shampoo	2.16.840.1.113883.5.112	
1-A	*_InterameningealRoute*	InterameningealRoute	2.16.840.1.113883.5.112	
2-L	**INTERMENINJ**	Injection, interameningeal	2.16.840.1.113883.5.112	
1-A	*_InterstitialRoute*	InterstitialRoute	2.16.840.1.113883.5.112	
2-L	**INTERSTITINJ**	Injection, interstitial	2.16.840.1.113883.5.112	
1-A	*_IntraabdominalRoute*	IntraabdominalRoute	2.16.840.1.113883.5.112	
2-L	**IABDINJ**	Injection, intra-abdominal	2.16.840.1.113883.5.112	
1-A	*_IntraarterialRoute*	IntraarterialRoute	2.16.840.1.113883.5.112	
2-L	**IA**	Infusion, intraarterial catheter	2.16.840.1.113883.5.112	
2-S	**IAINJ**	Injection, intraarterial	2.16.840.1.113883.5.112	
3-L	**IAINJP**	Injection, intraarterial, push	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
3-L	**IAINJSP**	Injection, intraarterial, slow push	2.16.840.1.113883.5.112	
1-A	*_IntraarticularRoute*	IntraarticularRoute	2.16.840.1.113883.5.112	
2-L	**IARTINJ**	Injection, intraarticular	2.16.840.1.113883.5.112	
1-A	*_IntrabronchialRoute*	IntrabronchialRoute	2.16.840.1.113883.5.112	
2-L	**IBRONCHINSTIL**	Instillation, intrabronchial	2.16.840.1.113883.5.112	
1-A	*_IntrabursalRoute*	IntrabursalRoute	2.16.840.1.113883.5.112	
2-L	**IBURSINJ**	Injection, intrabursal	2.16.840.1.113883.5.112	
1-A	*_IntracardiacRoute*	IntracardiacRoute	2.16.840.1.113883.5.112	
2-L	**IC**	Infusion, intracardiac	2.16.840.1.113883.5.112	
2-S	**ICARDINJ**	Injection, intracardiac	2.16.840.1.113883.5.112	
3-L	**ICARDINJRP**	Injection, intracardiac, rapid push	2.16.840.1.113883.5.112	
3-L	**ICARDINJSP**	Injection, intracardiac, slow push	2.16.840.1.113883.5.112	
3-L	**ICARINJP**	Injection, intracardiac, push	2.16.840.1.113883.5.112	
1-A	*_IntracartilaginousRoute*	IntracartilaginousRoute	2.16.840.1.113883.5.112	
2-L	**ICARTINJ**	Injection, intracartilaginous	2.16.840.1.113883.5.112	
1-A	*_IntracaudalRoute*	IntracaudalRoute	2.16.840.1.113883.5.112	
2-L	**ICAUDINJ**	Injection, intracaudal	2.16.840.1.113883.5.112	
1-A	*_IntracavernosalRoute*	IntracavernosalRoute	2.16.840.1.113883.5.112	
2-L	**ICAVINJ**	Injection, intracavernous	2.16.840.1.113883.5.112	
1-A	*_IntracavitaryRoute*	IntracavitaryRoute	2.16.840.1.113883.5.112	
2-L	**ICAVITINJ**	Injection, intracavitary	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntracerebralRoute*	IntracerebralRoute	2.16.840.1.113883.5.112	
2-L	**ICEREBINJ**	Injection, intracerebral	2.16.840.1.113883.5.112	
1-A	*_IntracervicalRoute*	IntracervicalRoute	2.16.840.1.113883.5.112	
2-L	**IUINJC**	Injection, intracervical (uterus)	2.16.840.1.113883.5.112	
1-A	*_IntracisternalRoute*	IntracisternalRoute	2.16.840.1.113883.5.112	
2-L	**ICISTERNINJ**	Injection, intracisternal	2.16.840.1.113883.5.112	
1-A	*_IntracornealRoute*	IntracornealRoute	2.16.840.1.113883.5.112	
2-L	**ICORNTA**	Topical application, intracorneal	2.16.840.1.113883.5.112	
1-A	*_IntracoronalRoute*	IntracoronalRoute	2.16.840.1.113883.5.112	
2-L	**ICORONTA**	Topical application, intracoronal (dental)	2.16.840.1.113883.5.112	
1-A	*_IntracoronaryRoute*	IntracoronaryRoute	2.16.840.1.113883.5.112	
2-L	**ICOR**	Infusion, intracoronary	2.16.840.1.113883.5.112	
2-S	**ICORONINJ**	Injection, intracoronary	2.16.840.1.113883.5.112	
3-L	**ICORONINJP**	Injection, intracoronary, push	2.16.840.1.113883.5.112	
1-A	*_IntracorpusCavernosumRoute*	IntracorpusCavernosumRoute	2.16.840.1.113883.5.112	
2-L	**ICORPCAVINJ**	Injection, intracorpus cavernosum	2.16.840.1.113883.5.112	
1-A	*_IntradermalRoute*	IntradermalRoute	2.16.840.1.113883.5.112	
2-L	**IDIMPLNT**	Implantation, intradermal	2.16.840.1.113883.5.112	
2-L	**IDINJ**	Injection, intradermal	2.16.840.1.113883.5.112	
1-A	*_IntradiscalRoute*	IntradiscalRoute	2.16.840.1.113883.5.112	
2-L	**IDISCINJ**	Injection, intradiscal	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntraductalRoute*	IntraductalRoute	2.16.840.1.113883.5.112	
2-L	**IDUCTINJ**	Injection, intraductal	2.16.840.1.113883.5.112	
1-A	*_IntraduodenalRoute*	IntraduodenalRoute	2.16.840.1.113883.5.112	
2-L	**IDUODINSTIL**	Instillation, intraduodenal	2.16.840.1.113883.5.112	
2-L	**IDOUDMAB**	Mucosal absorption, intraduodenal	2.16.840.1.113883.5.112	
1-A	*_IntraduralRoute*	IntraduralRoute	2.16.840.1.113883.5.112	
2-L	**IDURINJ**	Injection, intradural	2.16.840.1.113883.5.112	
1-A	*_IntraepidermalRoute*	IntraepidermalRoute	2.16.840.1.113883.5.112	
2-L	**IEPIDINJ**	Injection, intraepidermal	2.16.840.1.113883.5.112	
1-A	*_IntraepithelialRoute*	IntraepithelialRoute	2.16.840.1.113883.5.112	
2-L	**IEPITHINJ**	Injection, intraepithelial	2.16.840.1.113883.5.112	
1-A	*_IntraesophagealRoute*	IntraesophagealRoute	2.16.840.1.113883.5.112	
2-L	**IESOPHINSTIL**	Instillation, intraesophageal	2.16.840.1.113883.5.112	
2-L	**IESOPHTA**	Topical application, intraesophageal	2.16.840.1.113883.5.112	
1-A	*_IntragastricRoute*	IntragastricRoute	2.16.840.1.113883.5.112	
2-L	**IGASTINSTIL**	Instillation, intragastric	2.16.840.1.113883.5.112	
2-L	**IGASTIRR**	Irrigation, intragastric	2.16.840.1.113883.5.112	
2-L	**IGASTLAV**	Lavage, intragastric	2.16.840.1.113883.5.112	
1-A	*_IntrailealRoute*	IntrailealRoute	2.16.840.1.113883.5.112	
2-L	**IILEALINJ**	Instillation, intraileal	2.16.840.1.113883.5.112	
2-L	**IILEALTA**	Topical application, intraileal	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntralesionalRoute*	IntralesionalRoute	2.16.840.1.113883.5.112	
2-L	**ILESINJ**	Injection, intralesional	2.16.840.1.113883.5.112	
2-L	**ILESIRR**	Irrigation, intralesional	2.16.840.1.113883.5.112	
2-L	**ILTOP**	Topical application, intralesional	2.16.840.1.113883.5.112	
1-A	*_IntraluminalRoute*	IntraluminalRoute	2.16.840.1.113883.5.112	
2-L	**ILUMINJ**	Injection, intraluminal	2.16.840.1.113883.5.112	
2-L	**ILUMTA**	Topical application, intraluminal	2.16.840.1.113883.5.112	
1-A	*_IntralymphaticRoute*	IntralymphaticRoute	2.16.840.1.113883.5.112	
2-L	**ILYMPJINJ**	Injection, intralymphatic	2.16.840.1.113883.5.112	
1-A	*_IntramedullaryRoute*	IntramedullaryRoute	2.16.840.1.113883.5.112	
2-L	**IMEDULINJ**	Injection, intramedullary	2.16.840.1.113883.5.112	
1-A	*_IntramuscularRoute*	IntramuscularRoute	2.16.840.1.113883.5.112	
2-S	**IM**	Injection, intramuscular	2.16.840.1.113883.5.112	
3-L	**IMD**	Injection, intramuscular, deep	2.16.840.1.113883.5.112	
3-L	**IMZ**	Injection, intramuscular, z track	2.16.840.1.113883.5.112	
1-A	*_IntraocularRoute*	IntraocularRoute	2.16.840.1.113883.5.112	
2-L	**IOINJ**	Injection, intraocular	2.16.840.1.113883.5.112	
2-L	**IOSURGINS**	Insertion, intraocular, surgical	2.16.840.1.113883.5.112	
2-L	**IOINSTL**	Instillation, intraocular	2.16.840.1.113883.5.112	
2-L	**IOIRR**	Irrigation, intraocular	2.16.840.1.113883.5.112	
2-L	**IOTOP**	Topical application, intraocular	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntraosseousRoute*	IntraosseousRoute	2.16.840.1.113883.5.112	
2-L	**IOSSC**	Infusion, intraosseous, continuous	2.16.840.1.113883.5.112	
2-L	**IOSSINJ**	Injection, intraosseous	2.16.840.1.113883.5.112	
1-A	*_IntraovarianRoute*	IntraovarianRoute	2.16.840.1.113883.5.112	
2-L	**IOVARINJ**	Injection, intraovarian	2.16.840.1.113883.5.112	
1-A	*_IntrapericardialRoute*	IntrapericardialRoute	2.16.840.1.113883.5.112	
2-L	**IPCARDINJ**	Injection, intrapericardial	2.16.840.1.113883.5.112	
1-A	*_IntraperitonealRoute*	IntraperitonealRoute	2.16.840.1.113883.5.112	
2-L	**IPERINJ**	Injection, intraperitoneal	2.16.840.1.113883.5.112	
2-L	**PDPINJ**	Injection, peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**CAPDINSTL**	Instillation, continuous ambulatory peritoneal dialysis port	2.16.840.1.113883.5.112	
2-L	**PDPINSTL**	Instillation, peritoneal dialysis port	2.16.840.1.113883.5.112	
1-A	*_IntrapleuralRoute*	IntrapleuralRoute	2.16.840.1.113883.5.112	
2-L	**IPLRINJ**	Injection, intrapleural	2.16.840.1.113883.5.112	
2-L	**CTINSTL**	Instillation, chest tube	2.16.840.1.113883.5.112	
1-A	*_IntraprostaticRoute*	IntraprostaticRoute	2.16.840.1.113883.5.112	
2-L	**IPROSTINJ**	Injection, intraprostatic	2.16.840.1.113883.5.112	
1-A	*_IntrapulmonaryRoute*	IntrapulmonaryRoute	2.16.840.1.113883.5.112	
2-L	**EXTCORPINJ**	Injection, extracorporeal	2.16.840.1.113883.5.112	
2-L	**IPINJ**	Injection, intrapulmonary	2.16.840.1.113883.5.112	
1-A	*_IntrasinalRoute*	IntrasinalRoute	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**ISININSTIL**	Instillation, intrasinal	2.16.840.1.113883.5.112	
1-A	*_IntraspinalRoute*	IntraspinalRoute	2.16.840.1.113883.5.112	
2-L	**ISINJ**	Injection, intraspinal	2.16.840.1.113883.5.112	
1-A	*_IntrasternalRoute*	IntrasternalRoute	2.16.840.1.113883.5.112	
2-L	**ISTERINJ**	Injection, intrasternal	2.16.840.1.113883.5.112	
1-A	*_IntrasynovialRoute*	IntrasynovialRoute	2.16.840.1.113883.5.112	
2-L	**ISYNINJ**	Injection, intrasynovial	2.16.840.1.113883.5.112	
1-A	*_IntratendinousRoute*	IntratendinousRoute	2.16.840.1.113883.5.112	
2-L	**ITENDINJ**	Injection, intratendinous	2.16.840.1.113883.5.112	
1-A	*_IntratesticularRoute*	IntratesticularRoute	2.16.840.1.113883.5.112	
2-L	**ITESTINJ**	Injection, intratesticular	2.16.840.1.113883.5.112	
1-A	*_IntrathecalRoute*	IntrathecalRoute	2.16.840.1.113883.5.112	
2-L	**IT**	Infusion, intrathecal	2.16.840.1.113883.5.112	
2-L	**ITINJ**	Injection, intrathecal	2.16.840.1.113883.5.112	
1-A	*_IntrathoracicRoute*	IntrathoracicRoute	2.16.840.1.113883.5.112	
2-L	**ITHORINJ**	Injection, intrathoracic	2.16.840.1.113883.5.112	
1-A	*_IntratrachealRoute*	IntratrachealRoute	2.16.840.1.113883.5.112	
2-L	**ITRACHINSTIL**	Instillation, intratracheal	2.16.840.1.113883.5.112	
2-L	**ITRACHMAB**	Mucosal absorption, intratracheal	2.16.840.1.113883.5.112	
1-A	*_IntratubularRoute*	IntratubularRoute	2.16.840.1.113883.5.112	
2-L	**ITUBINJ**	Injection, intratubular	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntratumorRoute*	IntratumorRoute	2.16.840.1.113883.5.112	
2-L	**ITUMINJ**	Injection, intratumor	2.16.840.1.113883.5.112	
1-A	*_IntratympanicRoute*	IntratympanicRoute	2.16.840.1.113883.5.112	
2-L	**ITYMPINJ**	Injection, intratympanic	2.16.840.1.113883.5.112	
1-A	*_IntrauterineRoute*	IntrauterineRoute	2.16.840.1.113883.5.112	
2-L	**IUINJ**	Injection, intrauterine	2.16.840.1.113883.5.112	
2-L	**IURETINJ**	Injection, intraureteral, retrograde	2.16.840.1.113883.5.112	
2-L	**IU**	Insertion, intrauterine	2.16.840.1.113883.5.112	
2-L	**IUINSTL**	Instillation, intrauterine	2.16.840.1.113883.5.112	
1-A	*_IntravascularRoute*	IntravascularRoute	2.16.840.1.113883.5.112	
2-L	**HEMODIFF**	Diffusion, hemodialysis	2.16.840.1.113883.5.112	
2-L	**IVASCINFUS**	Infusion, intravascular	2.16.840.1.113883.5.112	
2-L	**HEMOPORT**	Injection, hemodialysis port	2.16.840.1.113883.5.112	
2-L	**IVASCINJ**	Injection, intravascular	2.16.840.1.113883.5.112	
1-A	*_IntravenousRoute*	IntravenousRoute	2.16.840.1.113883.5.112	
2-L	**IVFLUSH**	Flush, intravenous catheter	2.16.840.1.113883.5.112	
2-S	**IVINJ**	Injection, intravenous	2.16.840.1.113883.5.112	
3-L	**IVINJBOL**	Injection, intravenous, bolus	2.16.840.1.113883.5.112	
3-L	**IVPUSH**	Injection, intravenous, push	2.16.840.1.113883.5.112	
3-L	**IVRPUSH**	Injection, intravenous, rapid push	2.16.840.1.113883.5.112	
3-L	**IVSPUSH**	Injection, intravenous, slow push	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_IntraventricularRoute*	IntraventricularRoute	2.16.840.1.113883.5.112	
2-L	**IVENTINJ**	Injection, intraventricular (heart)	2.16.840.1.113883.5.112	
1-A	*_IntravesicleRoute*	IntravesicleRoute	2.16.840.1.113883.5.112	
2-L	**IVESINJ**	Injection, intravesicle	2.16.840.1.113883.5.112	
1-A	*_IntravitrealRoute*	IntravitrealRoute	2.16.840.1.113883.5.112	
2-L	**IVITINJ**	Injection, intravitreal	2.16.840.1.113883.5.112	
1-A	*_JejunumRoute*	JejunumRoute	2.16.840.1.113883.5.112	
2-L	**GJT**	Instillation, gastro-jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**JJTINSTL**	Instillation, jejunostomy tube	2.16.840.1.113883.5.112	
2-L	**OJJ**	Instillation, orojejunum tube	2.16.840.1.113883.5.112	
1-A	*_LacrimalPunctaRoute*	LacrimalPunctaRoute	2.16.840.1.113883.5.112	
2-L	**LPINS**	Insertion, lacrimal puncta	2.16.840.1.113883.5.112	
1-A	*_LaryngealRoute*	LaryngealRoute	2.16.840.1.113883.5.112	
2-L	**LARYNGINSTIL**	Instillation, laryngeal	2.16.840.1.113883.5.112	
2-L	**LARYNGTA**	Topical application, laryngeal	2.16.840.1.113883.5.112	
1-A	*_LingualRoute*	LingualRoute	2.16.840.1.113883.5.112	
2-L	**TRNSLING**	Translingual	2.16.840.1.113883.5.112	
1-A	*_MucousMembraneRoute*	MucousMembraneRoute	2.16.840.1.113883.5.112	
2-L	**MUC**	Topical application, mucous membrane	2.16.840.1.113883.5.112	
1-A	*_NailRoute*	NailRoute	2.16.840.1.113883.5.112	
2-L	**NAIL**	Topical application, nail	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_NasalRoute*	NasalRoute	2.16.840.1.113883.5.112	
2-S	**NASINHL**	Inhalation, nasal	2.16.840.1.113883.5.112	
3-L	**NASINHLC**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
3-L	**NP**	Inhalation, nasal cannula Inhalation, nasal, prongs	2.16.840.1.113883.5.112	
2-L	**NASALINSTIL**	Instillation, nasal	2.16.840.1.113883.5.112	
2-L	**NASOGASINSTIL**	Instillation, nasogastric	2.16.840.1.113883.5.112	
2-L	**NASAL**	Topical application, nasal	2.16.840.1.113883.5.112	
1-A	*_OphthalmicRoute*	OphthalmicRoute	2.16.840.1.113883.5.112	
2-L	**OPTHALTA**	Topical application, ophthalmic	2.16.840.1.113883.5.112	
1-A	*_OralRoute*	OralRoute	2.16.840.1.113883.5.112	
2-L	**CHEW**	Chew, oral	2.16.840.1.113883.5.112	
2-L	**DISSOLVE**	Dissolve, oral	2.16.840.1.113883.5.112	
2-S	**IPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**ORINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**RESPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**ORALTA**	Topical application, oral	2.16.840.1.113883.5.112	
2-L	**ORRINSE**	Rinse, oral	2.16.840.1.113883.5.112	
2-L	**PO**	Swallow, oral	2.16.840.1.113883.5.112	
1-A	*_OromucosalRoute*	OromucosalRoute	2.16.840.1.113883.5.112	
2-L	**GARGLE**	Gargle	2.16.840.1.113883.5.112	
2-L	**ORMUC**	Topical application, oromucosal	2.16.840.1.113883.5.112	
2-L	**SUCK**	Suck, oromucosal	2.16.840.1.113883.5.112	
2-L	**SWISHSPIT**	Swish and spit out, oromucosal	2.16.840.1.113883.5.112	
2-L	**SWISHSWAL**	Swish and swallow, oromucosal	2.16.840.1.113883.5.112	
1-A	*_OropharyngealRoute*	OropharyngealRoute	2.16.840.1.113883.5.112	
2-L	**OROPHARTA**	Topical application, oropharyngeal	2.16.840.1.113883.5.112	
1-A	*_OticRoute*	OticRoute	2.16.840.1.113883.5.112	
2-L	**OT**	Instillation, otic	2.16.840.1.113883.5.112	
1-A	*_ParanasalSinusesRoute*	ParanasalSinusesRoute	2.16.840.1.113883.5.112	
2-L	**PNSINJ**	Injection, paranasal sinuses	2.16.840.1.113883.5.112	
2-L	**PNSINSTL**	Instillation, paranasal sinuses	2.16.840.1.113883.5.112	
1-A	*_ParenteralRoute*	ParenteralRoute	2.16.840.1.113883.5.112	
2-L	**PARENTINJ**	Injection, parenteral	2.16.840.1.113883.5.112	
1-A	*_PerianalRoute*	PerianalRoute	2.16.840.1.113883.5.112	
2-L	**PERIANAL**	Topical application, perianal	2.16.840.1.113883.5.112	
1-A	*_PeriarticularRoute*	PeriarticularRoute	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**PAINJ**	Injection, periarticular	2.16.840.1.113883.5.112	
1-A	*_PeriduralRoute*	PeriduralRoute	2.16.840.1.113883.5.112	
2-L	**PDURINJ**	Injection, peridural	2.16.840.1.113883.5.112	
1-A	*_PerinealRoute*	PerinealRoute	2.16.840.1.113883.5.112	
2-L	**PERINEAL**	Topical application, perineal	2.16.840.1.113883.5.112	
1-A	*_PerineuralRoute*	PerineuralRoute	2.16.840.1.113883.5.112	
2-L	**PNINJ**	Injection, perineural	2.16.840.1.113883.5.112	
1-A	*_PeriodontalRoute*	PeriodontalRoute	2.16.840.1.113883.5.112	
2-L	**PDONTINJ**	Injection, periodontal	2.16.840.1.113883.5.112	
2-L	**PDONTTA**	Topical application, periodontal	2.16.840.1.113883.5.112	
1-A	*_PulmonaryRoute*	PulmonaryRoute	2.16.840.1.113883.5.112	
2-L	**IPPB**	Inhalation, intermittent positive pressure breathing (ippb)	2.16.840.1.113883.5.112	
2-L	**VENT**	Inhalation, ventilator	2.16.840.1.113883.5.112	
2-L	**VENTMASK**	Inhalation, ventimask	2.16.840.1.113883.5.112	
2-L	**ETINSTL**	Instillation, endotracheal tube	2.16.840.1.113883.5.112	
2-L	**NTT**	Instillation, nasotracheal tube	2.16.840.1.113883.5.112	
2-L	**ETNEB**	Nebulization, endotracheal tube	2.16.840.1.113883.5.112	
1-A	*_RectalRoute*	RectalRoute	2.16.840.1.113883.5.112	
2-L	**ENEMA**	Enema, rectal	2.16.840.1.113883.5.112	
2-L	**RETENEMA**	Enema, rectal retention	2.16.840.1.113883.5.112	
2-L	**PR**	Insertion, rectal	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-S	**RECINSTL**	Instillation, rectal	2.16.840.1.113883.5.112	
3-L	**RECTINSTL**	Instillation, rectal tube	2.16.840.1.113883.5.112	
2-L	**RECIRR**	Irrigation, rectal	2.16.840.1.113883.5.112	
2-L	**RECTAL**	Topical application, rectal	2.16.840.1.113883.5.112	
1-A	*_RespiratoryTractRoute*	RespiratoryTractRoute	2.16.840.1.113883.5.112	
2-S	**IPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**ORINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
2-S	**RESPINHL**	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	2.16.840.1.113883.5.112	
3-L	**ORIFINHL**	Inhalation, oral intermittent flow	2.16.840.1.113883.5.112	
3-L	**REBREATH**	Inhalation, oral rebreather mask	2.16.840.1.113883.5.112	
1-A	*_RetrobulbarRoute*	RetrobulbarRoute	2.16.840.1.113883.5.112	
2-L	**RBINJ**	Injection, retrobulbar	2.16.840.1.113883.5.112	
1-A	*_ScalpRoute*	ScalpRoute	2.16.840.1.113883.5.112	
2-L	**SCALP**	Topical application, scalp	2.16.840.1.113883.5.112	
1-A	*_SinusUnspecifiedRoute*	SinusUnspecifiedRoute	2.16.840.1.113883.5.112	
2-L	**ENDOSININJ**	Injection, endosinusial	2.16.840.1.113883.5.112	
2-L	**SININSTIL**	Instillation, sinus, unspecified	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_SkinRoute*	SkinRoute	2.16.840.1.113883.5.112	
2-L	**OCDRESTA**	Occlusive dressing technique	2.16.840.1.113883.5.112	
2-L	**SKIN**	Topical application, skin	2.16.840.1.113883.5.112	
1-A	*_SoftTissueRoute*	SoftTissueRoute	2.16.840.1.113883.5.112	
2-L	**SOFTISINJ**	Injection, soft tissue	2.16.840.1.113883.5.112	
2-L	**SOFTISINSTIL**	Instillation, soft tissue	2.16.840.1.113883.5.112	
1-A	*_SubarachnoidRoute*	SubarachnoidRoute	2.16.840.1.113883.5.112	
2-L	**SUBARACHINJ**	Injection, subarachnoid	2.16.840.1.113883.5.112	
1-A	*_SubconjunctivalRoute*	SubconjunctivalRoute	2.16.840.1.113883.5.112	
2-L	**SCINJ**	Injection, subconjunctival	2.16.840.1.113883.5.112	
2-L	**SUBCONJTA**	Subconjunctival	2.16.840.1.113883.5.112	
1-A	*_SubcutaneousRoute*	SubcutaneousRoute	2.16.840.1.113883.5.112	
2-L	**SQIMPLNT**	Implantation, subcutaneous	2.16.840.1.113883.5.112	
2-L	**SQINFUS**	Infusion, subcutaneous	2.16.840.1.113883.5.112	
2-L	**IPUMPINJ**	Injection, insulin pump	2.16.840.1.113883.5.112	
2-L	**SQ**	Injection, subcutaneous	2.16.840.1.113883.5.112	
2-L	**SQSURGINS**	Insertion, subcutaneous, surgical	2.16.840.1.113883.5.112	
1-A	*_SublesionalRoute*	SublesionalRoute	2.16.840.1.113883.5.112	
2-L	**SLESINJ**	Injection, sublesional	2.16.840.1.113883.5.112	
1-A	*_SublingualRoute*	SublingualRoute	2.16.840.1.113883.5.112	
2-L	**SL**	Dissolve, sublingual	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-A	*_SubmucosalRoute*	SubmucosalRoute	2.16.840.1.113883.5.112	
2-L	**SUBMUCINJ**	Injection, submucosal	2.16.840.1.113883.5.112	
2-L	**SMUCMAB**	Mucosal absorption, submucosal	2.16.840.1.113883.5.112	
1-A	*_TracheostomyRoute*	TracheostomyRoute	2.16.840.1.113883.5.112	
2-L	**TRACH**	Inhalation, tracheostomy	2.16.840.1.113883.5.112	
2-L	**TRACHINSTL**	Instillation, tracheostomy	2.16.840.1.113883.5.112	
1-A	*_TransmucosalRoute*	TransmucosalRoute	2.16.840.1.113883.5.112	
2-L	**TMUCTA**	Topical application, transmucosal	2.16.840.1.113883.5.112	
1-A	*_TransplacentalRoute*	TransplacentalRoute	2.16.840.1.113883.5.112	
2-L	**TRPLACINJ**	Injection, transplacental	2.16.840.1.113883.5.112	
1-A	*_TranstrachealRoute*	TranstrachealRoute	2.16.840.1.113883.5.112	
2-L	**TRTRACHINJ**	Injection, transtracheal	2.16.840.1.113883.5.112	
1-A	*_TranstympanicRoute*	TranstympanicRoute	2.16.840.1.113883.5.112	
2-L	**TRTYMPINSTIL**	Instillation, transtympanic	2.16.840.1.113883.5.112	
2-L	**TTYMPTABSORP**	Topical absorption, transtympanic	2.16.840.1.113883.5.112	
1-A	*_UreteralRoute*	UreteralRoute	2.16.840.1.113883.5.112	
2-L	**URETINJ**	Injection, ureteral	2.16.840.1.113883.5.112	
1-A	*_UrethralRoute*	UrethralRoute	2.16.840.1.113883.5.112	
2-L	**URETHINJ**	Injection, urethral	2.16.840.1.113883.5.112	
2-L	**URETHINS**	Insertion, urethral	2.16.840.1.113883.5.112	
2-L	**URETHINSTL**	instillation, urethral	2.16.840.1.113883.5.112	

Beschreibung

description:

The path the administered medication takes to get into the body or into contact with the body.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
RouteOfAdministration	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
2-L	**URETHSUP**	Suppository, urethral	2.16.840.1.113883.5.112	
1-A	*_UrinaryBladderRoute*	UrinaryBladderRoute	2.16.840.1.113883.5.112	
2-L	**BLADINJ**	Injection, urinary bladder	2.16.840.1.113883.5.112	
2-S	**BLADIRR**	Irrigation, urinary bladder	2.16.840.1.113883.5.112	
3-L	**BLADIRRC**	Irrigation, urinary bladder, continuous	2.16.840.1.113883.5.112	
3-L	**BLADIRRT**	Irrigation, urinary bladder, tidal	2.16.840.1.113883.5.112	
1-A	*_UrinaryTractRoute*	UrinaryTractRoute	2.16.840.1.113883.5.112	
2-L	**BLADINSTL**	Instillation, urinary catheter	2.16.840.1.113883.5.112	
1-A	*_VaginalRoute*	VaginalRoute	2.16.840.1.113883.5.112	
2-L	**DOUCHE**	Douche, vaginal	2.16.840.1.113883.5.112	
2-L	**VAGINSI**	Insertion, vaginal	2.16.840.1.113883.5.112	
2-L	**VAGINS**	Topical application, vaginal	2.16.840.1.113883.5.112	
1-A	*_VitreousHumourRoute*	VitreousHumourRoute	2.16.840.1.113883.5.112	
2-L	**IVITIMPLNT**	Implantation, intravitreal	2.16.840.1.113883.5.112	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- RouteOfAdministration DEFN=UV=VO=1360-20160323 - 2014-03-26

3.1.20 SeverityObservation 2.16.840.1.113883.1.11.16643 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Beschreibung

History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

Potential values for observations of severity.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SeverityObservation	2.16.840.1.113883.1.11.16643 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1360-20160323 - 2014-03-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.1063

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-L	**H**	High	2.16.840.1.113883.5.1063	
1-L	**L**	Low	2.16.840.1.113883.5.1063	
1-L	**M**	Moderate	2.16.840.1.113883.5.1063	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- SeverityObservation DEFN=UV=VO=1099-20110726 - 2011-07-26

3.1.21 SeverityObservation 2.16.840.1.113883.1.11.16643 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)

Beschreibung

description:

Potential values for observations of severity.

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SeverityObservation	2.16.840.1.113883.1.11.16643 ref (aus Repository: ad2bbr-)	DEFN=UV=VO=1099-20110726 - 2011-07-26	Final

Quell-Codesystem:

- 2.16.840.1.113883.5.1063

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
1-L	**H**	High	2.16.840.1.113883.5.1063	
1-L	**L**	Low	2.16.840.1.113883.5.1063	
1-L	**M**	Moderate	2.16.840.1.113883.5.1063	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

Andere Versionen dieses Value Sets

- SeverityObservation DEFN=UV=VO=1360-20160323 - 2014-03-26

3.1.22 Swiss Role Author EPD 2.16.756.5.30.1.1.11.3 - 2016-06-09 ref (aus Repository: hl7chcda-)

Beschreibung
Zu verwendende Metadaten im elektronischen Patientendossier Anhang 3 - EPDV-EDI: Metadaten 1.1 Rolle des Autors Nationale OID: 2.16.756.5.30.1.127.3.10.1.1.3

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SwisRoleAuthor	2.16.756.5.30.1.1.11.3 ref (aus Repository: hl7chcda-)	2016-06-09	Draft

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
Swiss Role Author EPD	2.16.756.5.30.1.127.3.10.1.1.3	

Or one of the following:

Quell-Codesystem:

- 2.16.756.5.30.1.127.3.10.1.1.3

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**40001**	Pharmacist	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40002**	Physician	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40003**	Chiropractor	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40004**	Dietitian	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40005**	Midwife	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40006**	Complementary therapist	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40007**	Patient	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40008**	Professional nurse	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40009**	Psychologist	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40010**	Social Worker	2.16.756.5.30.1.127.3.10.1.1.3	

Beschreibung
Zu verwendende Metadaten im elektronischen Patientendossier Anhang 3 - EPDV-EDI: Metadaten 1.1 Rolle des Autors Nationale OID: 2.16.756.5.30.1.127.3.10.1.1.3

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SwisRoleAuthor	2.16.756.5.30.1.1.11.3 ref (aus Repository: hl7chcda-)	2016-06-09	Draft

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**40011**	Other Therapist	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40012**	Dentist	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40900**	Unknown	2.16.756.5.30.1.127.3.10.1.1.3	
0-L	**40999**	Other	2.16.756.5.30.1.127.3.10.1.1.3	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.23 Swiss Author Speciality EPD 2.16.756.5.30.1.1.11.4 - 2016-06-09 ref (aus Repository: hl7chcda-)

Beschreibung
EPDV-EDI: Metadaten Medizinische Fachrichtung des Autors Nationale OID: 2.16.756.5.30.1.127.3.10.1.1.4

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SwissAuthorSpeciality	2.16.756.5.30.1.1.11.4 ref (aus Repository: hl7chcda-)	2016-06-09	Draft

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version

Beschreibung
EPDV-EDI: Metadaten Medizinische Fachrichtung des Autors Nationale OID: 2.16.756.5.30.1.127.3.10.1.1.4

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SwissAuthorSpeciality	2.16.756.5.30.1.1.11.4 ref (aus Repository: hl7chcda-)	2016-06-09	Draft

epd_xds_authorSpeciality 2.16.756.5.30.1.127.3.10.1.1.4

Or one of the following:

Quell-Codesystem:

- 2.16.756.5.30.1.127.3.10.1.1.4

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**50001**	Fachärztin/Facharzt für Allgemeine Innere Medizin	2.16.756.5.30.1.127.3.10.1.1.4	
0-L	**todo**	todo structured import	2.16.756.5.30.1.127.3.10.1.1.4	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.24 Swiss Confidentiality Codes 2.16.756.5.30.1.1.11.1 - 2016-05-27 ref (aus Repository: hl7chcda-)

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SwissConfidentialityCodes	2.16.756.5.30.1.1.11.1 ref (aus Repository: hl7chcda-)	2016-05-27	Draft

Quell-Codesystem:

- 2.16.756.5.30.1.127.3.10.1.5

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**30002**	Useful medical data	2.16.756.5.30.1.127.3.10.1.5	
0-L	**30003**	Medical data	2.16.756.5.30.1.127.3.10.1.5	
0-L	**30004**	Sensitive data	2.16.756.5.30.1.127.3.10.1.5	
0-L	**30005**	Secret data	2.16.756.5.30.1.127.3.10.1.5	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
SwissConfidentialityCodes	2.16.756.5.30.1.1.11.1 ref (aus Repository: hl7chcda-)	2016-05-27	Draft

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.25 epSOSHealthcareProfessionalRoles 1.3.6.1.4.1.12559.11.10.1.3.1.42.1 - 2013-06-03 (2008) ref (aus Repository: epsos-)

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
epSOSHealthcareProfessionalRoles	1.3.6.1.4.1.12559.11.10.1.3.1.42.1 ref (aus Repository: epsos-)	2008 - 2013-06-03	Draft

Quell-Codesystem:

- 2.16.840.1.113883.2.9.6.2.7

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**22**	Health professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**221**	Medical doctors	2.16.840.1.113883.2.9.6.2.7	
0-L	**2211**	Generalist medical practitioners	2.16.840.1.113883.2.9.6.2.7	
0-L	**2212**	Specialist medical practitioners	2.16.840.1.113883.2.9.6.2.7	
0-L	**222**	Nursing and midwifery professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**2221**	Nursing professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**2222**	Midwifery professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**223**	Traditional and complementary medicine professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**224**	Paramedical practitioners	2.16.840.1.113883.2.9.6.2.7	
0-L	**225**	Veterinarians	2.16.840.1.113883.2.9.6.2.7	
0-L	**226**	Other health professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**2261**	Dentists	2.16.840.1.113883.2.9.6.2.7	
0-L	**2262**	Pharmacists	2.16.840.1.113883.2.9.6.2.7	
0-L	**2263**	Environmental and occupational health and hygiene professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**2264**	Physiotherapists	2.16.840.1.113883.2.9.6.2.7	
0-L	**2265**	Dieticians and nutritionists	2.16.840.1.113883.2.9.6.2.7	

Value Set Name	Value Set Id	Version / Eingangsdatum	Status
epSOSHealthcareProfessionalRoles	1.3.6.1.4.1.12559.11.10.1.3.1.42.1 **ref** (aus Repository: epsos-)	2008 - 2013-06-03	Draft

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	**2266**	Audiologists and speech therapists	2.16.840.1.113883.2.9.6.2.7	
0-L	**2267**	Optometrists and ophthalmic opticians	2.16.840.1.113883.2.9.6.2.7	
0-L	**2269**	Health professionals not elsewhere classified	2.16.840.1.113883.2.9.6.2.7	
0-L	**32**	Health associate professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**321**	Medical and pharmaceutical technicians	2.16.840.1.113883.2.9.6.2.7	
0-L	**3211**	Medical imaging and therapeutic equipment technicians	2.16.840.1.113883.2.9.6.2.7	
0-L	**3212**	Medical and pathology laboratory technicians	2.16.840.1.113883.2.9.6.2.7	
0-L	**3213**	Pharmaceutical technicians and assistants	2.16.840.1.113883.2.9.6.2.7	
0-L	**3214**	Medical and dental prosthetic technicians	2.16.840.1.113883.2.9.6.2.7	
0-L	**322**	Nursing and midwifery associate professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**3221**	Nursing associate professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**3222**	Midwifery associate professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**323**	Traditional and complementary medicine associate professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**325**	Other health associate professionals	2.16.840.1.113883.2.9.6.2.7	
0-L	**3251**	Dental assistants and therapists	2.16.840.1.113883.2.9.6.2.7	
0-L	**3252**	Medical records and health information technicians	2.16.840.1.113883.2.9.6.2.7	
0-L	**3253**	Community health workers	2.16.840.1.113883.2.9.6.2.7	
0-L	**3254**	Dispensing opticians	2.16.840.1.113883.2.9.6.2.7	
0-L	**3255**	Physiotherapy technicians and assistants	2.16.840.1.113883.2.9.6.2.7	
0-L	**3256**	Medical assistants	2.16.840.1.113883.2.9.6.2.7	
0-L	**3257**	Environmental and occupational health inspectors and associates	2.16.840.1.113883.2.9.6.2.7	
0-L	**3258**	Ambulance workers	2.16.840.1.113883.2.9.6.2.7	
0-L	**3259**	Health associate professionals not elsewhere classified	2.16.840.1.113883.2.9.6.2.7	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

3.1.26 epSOSSeverity 1.3.6.1.4.1.12559.11.10.1.3.1.42.13 - 2013-06-03 (July 2009) ref (aus Repository: epsos-)

Beschreibung			
Contents are under IP and only available to epSOS participants. Refer to epSOS for access			
Value Set Name	**Value Set Id**	**Version / Eingangsdatum**	**Status**
epSOSSeverity	1.3.6.1.4.1.12559.11.10.1.3.1.42.13 ref (aus Repository: epsos-)	July 2009 - 2013-06-03	Draft

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
SNOMED-CT	2.16.840.1.113883.6.96	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

4 Templates

4.1 Transaktionsrepräsentierende Templates

4.1.1 eMedicationComment V1 2.16.756.5.30.1.1.1.1.3.10.4 - 2016-05-21

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
initial	POCD_MT000040DE	eMedicationComment	cdachemed-eMedicationComment.sch

Id	2.16.756.5.30.1.1.1.1.3.10.4	**Gültigkeit**	gültig ab 2016-05-21
Status	Draft	**Versions-Label**	
Name	CDA-CH-EMED-eMedicationComment-V1	**Anzeigename**	eMedicationComment V1
Beschreibung	The **eMedicationComment** is a document in which health professionals track important observations (with the explicit consent of the patient), in regards to medication use. These observations are entered in free text. The eMedicationComment does not replace direct interprofessional communication. *Benefits of eMedicationComment* The eCurrentMedication aids interprofessional communication, which aims at a raised standard of interprofessional accountability within the entire treatment chain: Every treating health professional should be increasingly accountable to ensure that all required information is readily available to all subsequent treating health professionals, thus guaranteeing an optimal treatment for the patient. *eMedicationComment Parameters* Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the ART-DECOR Dataset they are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will continue to revise these. Source: IPAG eMedikation, 10.8.2016		

	Relation to IHE Pharmacy The eMedicationComment is based on the IHE Pharmacy Technical Framework Supplement – Pharmacy Pharmaceutical Advice (PADV).
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.4
Klassifikation	CDA Document Level Template
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)
Assoziiert mit	Assoziiert mit 2 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-60	Ausstelldatum (Erstellungsdatum)	Parameter eMedikation
cdachemed-dataelement-67	Typ des Kommentars	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 0 Templates, Benutzt 11 Templates

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.2.25	Inklusion	CDA_CH_RELM	DYNAMIC
2.16.756.5.30.1.1.10.2.24	Inklusion	CDAtypeId	DYNAMIC
2.16.756.5.30.1.1.10.2.18	Inklusion	CDA-CH-TPLT	DYNAMIC
2.16.756.5.30.1.1.10.9.3	Inklusion	CDAid	DYNAMIC
2.16.756.5.30.1.1.10.2.19	Inklusion	CDA_CH_CONF	DYNAMIC
2.16.756.5.30.1.1.10.2.22	Inklusion	CDA_CH_DOCL	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.5	Inklusion	CH-EMED-PAT	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.1	Inklusion	CH-EMED-AUTO	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.4	Inklusion	CH-EMED-CONT	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Containment	CH-EMED-PharmaceuticalAdviceSectionContentModule	DYNAMIC
2.16.756.5.30.1.1.10.3.2	Containment	CDA-CH-RemarksSection	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.2 (*DYNAMIC*)

Specialization: Template 1.3.6.1.4.1.19376.1.9.1.1.2 (*DYNAMIC*)

Specialization: Template 2.16.756.5.30.1.1.1.1 (*DYNAMIC*)

Beispiel

header

```
<cda:ClinicalDocument>

  <cda:realmCode code="CHE"/>

  <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>

  <!-- IHE PCC -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/>

  <!-- IHE PHARM PADV -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.9.1.1.2"/>

  <!-- CDA-CH -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/>

  <!-- CDA-CH-EMED-eMedicationComment-V1 -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.4"/>

  <!-- CDA-CH-EMED-eMedicationComment-Intervention -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.4.2"/>

  <!-- id of this eMedicationComment -->

  <cda:id root="2.16.756.5.30.1.1.1.1" extension="8ed02d0a-2971-11e6-b67b-9e71128cae77"/>

  <!-- IHE PHARM PADV -->

  <cda:code code="61356-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Pharmaceutical advice"/>

  <cda:title>Kommentar zur Medikation</cda:title>
  <cda:effectiveTime value="20120204140000+0100"/>

  <cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>

  <cda:languageCode code="de-CH"/>

  <!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-eMedicationComment-V1)
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.25 *<CDA-CH-RELM>* (DYNAMIC)	
hl7:realmCode	**CS**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
@code		**1 ... 1**	F	CHE	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.24 *CDA TypeId* (DYNAMIC)	
hl7:typeId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	2.16.840.1.113883.1.3	
@extension	st	**1 ... 1**	F	POCD_HD000040	
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.1.1	
Eingefügt				IHE PCC von 2.16.756.5.30.1.1.10.2.18 *<CDA-CH-TPLT>* (DYNAMIC)	
hl7:templateId	**II**	**1 ... 1**	**R**		(CDA-CH-EMED-eMedicationComment-V1)
@extension	st	**1 ... 1**	F	CDA-CH	
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.4 CDA-CH-EMED-eMedicationComment-V1	
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.1.2 IHE PHARM PADV	
Auswahl		**0 ... 1**		Optional Entry of the specific eMedicationComment Type Elemente in der Auswahl: ▪ hl7:templateId[@root='2.16.756.5.30.1.1.1.1.3.10.4.1'] ▪ hl7:templateId[@root='2.16.756.5.30.1.1.1.1.3.10.4.2'] ▪ hl7:templateId[@root='2.16.756.5.30.1.1.1.1.3.10.4.3'] ▪ hl7:templateId[@root='2.16.756.5.30.1.1.1.1.3.10.4.4']	
hl7:templateId	**II**	**0 ... 1**			(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.4.1 CDA-CH-EMED-eMedicationCommentValidierungsentscheid	
hl7:templateId	**II**	**0 ... 1**			(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.4.2 CDA-CH-EMED-eMedicationCommentIntervention	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**0 ... 1**			(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.4.3 CDA-CH-EMED-eMedicationCommentBeobachtung	
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-67 Typ des Kommentars Parameter eMedikation			
hl7:templateId	**II**	**0 ... 1**			(CDA-CH-EMED-eMedicationComment-V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.4.4 CDA-CH-EMED-eMedicationCommentMedikationsanalyse	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.9.3 *CDA Document Id* (DYNAMIC)	
hl7:id	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-59 Referenz-ID des Dokuments Parameter eMedikation			
hl7:code	**CE**	**1 ... 1**	**R**		(CDA-CH-EMED-eMedicationComment-V1)
@code		**1 ... 1**	F	61356-2	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		**1 ... 1**	F	LOINC	
@codeSystemName		**1 ... 1**	F	Medication Pharmaceutical Advice	

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:title`	**ST**	**0 ... 1**		eMedicationComment	(CDA-CH-EMED-eMedicationComment-V1)
`hl7:effectiveTime`	**TS.CH.TZ**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-60 Ausstelldatum (Erstellungsdatum) Parameter eMedikation			
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.19 *<CDA-CH-CONF>* (DYNAMIC)	
`hl7:confidentialityCode`	**CE** CNE	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 *Swiss Confidentiality Codes* (DYNAMIC)			
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.22 *<CDA-CH-DOCL>* (DYNAMIC)	
`hl7:languageCode`	**CS**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 *HumanLanguage* (DYNAMIC)			
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.5 *<CH-EMED-PAT>* (DYNAMIC)	
`hl7:recordTarget`		**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-3 Patient Parameter eMedikation			
`hl7:patientRole`		**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
`hl7:id`	**II**	**1 ... ***	**R**	Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-eMedicationComment-V1)
	Beispiel	`<id extension="80756999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>`			

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:addr`	**AD**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:streetAddressLine`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:postalCode`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:city`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:country`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:patient`		**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-eMedicationComment-V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-24 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-23 Name Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:administrativeGenderCode	**CE**	**0 ... 1**			(CDA-CH-EMED-eMedicationComment-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 *AdministrativeGender* (DYNAMIC)			
hl7:birthTime	**TS**	**1 ... 1**	**M**	The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-25 Geburtsjahr Parameter eMedikation cdachemed-dataelement-26 Geburtsdatum Parameter eMedikation			
Eingefügt		**1 ... ***		von 2.16.756.5.30.1.1.1.1.3.10.10.2.1 *<CH-EMED-AUTO>* (DYNAMIC)	
hl7:author		**1 ... ***	**R**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-2 Dokumentersteller Parameter eMedikation			
hl7:time	**TS**	**1 ... 1**	**R**		(CDA-CH-EMED-eMedicationComment-V1)
hl7:assignedAuthor		**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
@classCode	cs	**0 ... 1**	F	ASSIGNED	
hl7:id	**II**	**1 ... ***	**R**	The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-9 GLN-Nr. Parameter eMedikation			
	Beispiel	`<id root="2.51.1.3" extension="7601000000000"/>`			

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:addr`	**AD**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:assignedPerson`		**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
Eingefügt			**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-eMedicationComment-V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			
`hl7:representedOrganization`		**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-12 Organisation Parameter eMedikation			
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 *<CH-EMED-RORG>* (DYNAMIC)	
`hl7:id`	**II**	**0 ... ***	**R**		(CDA-CH-EMED-eMedicationComment-V1)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:name`	**ON**	**0 ... ***	**R**		(CDA-CH-EMED-eMedicationComment-V1)
`hl7:addr`	**AD**	**0 ... 1**			(CDA-CH-EMED-eMedicationComment-V1)
`hl7:streetAddressLine`	**ADXP**	**1 ... ***	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-16 Adresse Parameter eMedikation			
`hl7:postalCode`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-17 PLZ Parameter eMedikation			
`hl7:city`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-18 Ort Parameter eMedikation			
Eingefügt		**0 ... ***		von 2.16.756.5.30.1.1.1.1.3.10.10.2.4 *<CH-EMED-CONT>* (DYNAMIC)	
`hl7:participant`		**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
`@typeCode`	cs	**1 ... 1**	F	CALLBCK	
`hl7:templateId`		**1 ... 1**	**R**		(CDA-CH-EMED-eMedicationComment-V1)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.10.2.4	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:associatedEntity		**1 ... 1**	**R**		(CDA-CH-EMED-eMedicationComment-V1)
@classCode	cs	**1 ... 1**	F	PROV	
hl7:id	**II**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
hl7:telecom	**TEL**	**0 ... ***			(CDA-CH-EMED-eMedicationComment-V1)
hl7:associatedPerson		**0 ... 1**			(CDA-CH-EMED-eMedicationComment-V1)
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
hl7:name	**PN**	**1 ... ***	**R**		(CDA-CH-EMED-eMedicationComment-V1)
hl7:given	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-8		Vorname — Parameter eMedikation	
hl7:family	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-7		Name — Parameter eMedikation	
hl7:component		**1 ... 1**	**R**		(CDA-CH-EMED-eMedicationComment-V1)
@contextConductionInd	bl	**1 ... 1**	R		

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:structuredBody`		**1 ... 1**	**M**		(CDA-CH-EMED-eMedicationComment-V1)
`hl7:component`		**1 ... 1**	**M**	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1 *Pharmaceutical Advice Section Content Module* (DYNAMIC)	(CDA-CH-EMED-eMedicationComment-V1)
wo *[hl7:section [hl7:templateId/@root='2.16.756.5.30.1.127.77.4.10.9' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.2.2' and hl7:templateId/@root='2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1']]*					
`hl7:component`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.3.2 *CDA-CH Remarks Section* (DYNAMIC)	(CDA-CH-EMED-eMedicationComment-V1)
wo *[hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]*					

4.1.2 eAbgabeAnwendung V1 2.16.756.5.30.1.1.1.1.3.10.3 - 2016-05-21

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
initial	POCD_MT000040DE	eAbgabeAnwendung	cdachemed-eAbgabeAnwendung.sch

Id	2.16.756.5.30.1.1.1.1.3.10.3	**Gültigkeit**	gültig ab 2016-05-21
Status	Draft	**Versions-Label**	
Name	CDA-CH-EMED-AbgabeAnwendung-V1	**Anzeigename**	eAbgabeAnwendung V1
Beschreibung	The **eAbgabe/Anwendung** documents the direct dispensation of a drug to a patient or legitimized third party with regard to a later application of the produ by a qualified health professional. When a drug is dispensed to the patient, the eAbgabe/Anwendung can be created by a qualified health professional (in accordance with their respective competencies). *Benefits of eAbgabe/Anwendung* ▪ Transparency regarding the acquisition of a drug by the patient. ▪ The possession of a drug is the basic requirement for the patient to be able to take the drug. ▪ Evidence of the adherence to a given therapy by the patient through the comparison with eCurrentMedication. (medication adherence).		

- Documentation of Information which will be provided to the patient during the dispensation.

eAbgabe/Anwendung Parameters

Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the ART-DECOR Dataset they are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will continue to revise these.

Source: IPAG eMedikation, 10.8.2016

Relation to IHE Pharmacy

The eAbgabe/Anwendung is based on the IHE Pharmacy Technical Framework Supplement – Pharmacy Dispense (DIS).

Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.3
Klassifikation	CDA Document Level Template
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)

Assoziiert mit

Assoziiert mit 3 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-60	Ausstelldatum (Erstellungsdatum)	Parameter eMedikation
cdachemed-dataelement-65	Datum, Zeit der Abgabe/Anwendung	Parameter eMedikation
cdachemed-dataelement-64	Abgabe/Anwendung	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 0 Templates, Benutzt 11 Templates

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.2.25	Inklusion	CDA_CH_RELM	DYNAMIC
2.16.756.5.30.1.1.10.2.24	Inklusion	CDAtypeId	DYNAMIC
2.16.756.5.30.1.1.10.2.18	Inklusion	CDA-CH-TPLT	DYNAMIC
2.16.756.5.30.1.1.10.9.3	Inklusion	CDAid	DYNAMIC
2.16.756.5.30.1.1.10.2.19	Inklusion	CDA_CH_CONF	DYNAMIC
2.16.756.5.30.1.1.10.2.22	Inklusion	CDA_CH_DOCL	DYNAMIC

	2.16.756.5.30.1.1.1.1.3.10.10.2.5	Inklusion	CH-EMED-PAT	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.10.2.1	Inklusion	CH-EMED-AUTO	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.10.2.4	Inklusion	CH-EMED-CONT	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Containment	CH-EMED-DispenseSectionContentModule	DYNAMIC
	2.16.756.5.30.1.1.10.3.2	Containment	CDA-CH-RemarksSection	DYNAMIC
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.2 (*DYNAMIC*) Specialization: Template 1.3.6.1.4.1.19376.1.9.1.1.3 (*DYNAMIC*) Specialization: Template 2.16.756.5.30.1.1.1.1 (*DYNAMIC*)			

Beispiel

header

```
<cda:ClinicalDocument>
  <cda:realmCode code="CHE"/>
  <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <!-- IHE PCC -->
  <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/>
  <!-- IHE PARM DIS -->
  <cda:templateId root="1.3.6.1.4.1.19376.1.9.1.1.3"/>
  <!-- CDA-CH -->
  <cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/>
  <!-- CDA-CH-EMED-AbgabeAnwendung-V1 -->
  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.3"/>
  <!-- CDA-CH-EMED-Abgabe -->
  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.3.1"/>
  <!-- id of the eAbgabeAwendung -->
  <cda:id root="2.16.756.5.30.1.1.1.1" extension="488bd23a-20c6-11e6-b67b-9e71128cae77"/>
  <!-- IHE PHARM DIS -->
```

```
  <cda:code code="60593-1" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medication dispensed"/>

  <cda:title>eAbgabeDokument</cda:title>
  <cda:effectiveTime value="20111129110100+0100"/>

  <cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>

  <cda:languageCode code="de-CH"/>

  <!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-AbgabeAnwendung V1)
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.25 *<CDA-CH-RELM>* (DYNAMIC)	
hl7:realmCode	**CS**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
@code		**1 ... 1**	F	CHE	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.24 *CDA TypeId* (DYNAMIC)	
hl7:typeId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
@root	uid	**1 ... 1**	F	2.16.840.1.113883.1.3	
@extension	st	**1 ... 1**	F	POCD_HD000040	
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.1.1 IHE PCC	

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt				von 2.16.756.5.30.1.1.10.2.18 *<CDA-CH-TPLT>* (DYNAMIC)	
hl7:templateId	**II**	**1 ... 1**	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
@extension	st	**1 ... 1**	F	CDA-CH	
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1	
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.3 CDA-CH-EMED-AbgabeAnwendung-V1	
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.1.3 IHE PHARM DIS	
Auswahl		**0 ... 1**		Elemente in der Auswahl: ▪ hl7:templateId[@root='2.16.756.5.30.1.1.1.1.3.10.3.1'] ▪ hl7:templateId[@root='2.16.756.5.30.1.1.1.1.3.10.3.2']	
hl7:templateId	**II**	**0 ... 1**		Optional template id to identify a dispense (Abgabe)	(CDA-CH-EMED-AbgabeAnwendung V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.3.1	
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-64 Abgabe/Anwendung Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**0 ... 1**		Optional template id to identify an application (Anwendung)	(CDA-CH-EMED-AbgabeAnwendung V1)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.3.2	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.9.3 *CDA Document Id* (DYNAMIC)	
hl7:id	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-59 Referenz-ID des Dokuments Parameter eMedikation			
hl7:code	**CE**	**1 ... 1**	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
@code		**1 ... 1**	F	60593-1	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		**1 ... 1**	F	LOINC	
@codeSystemName		**1 ... 1**	F	Medication dispensed	
hl7:title	**ST**	**0 ... 1**		eAbgabeAnwendung	(CDA-CH-EMED-AbgabeAnwendung V1)
hl7:effectiveTime	**TS.CH.TZ**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-60 Ausstelldatum (Erstellungsdatum) Parameter eMedikation; cdachemed-dataelement-65 Datum, Zeit der Abgabe/Anwendung Parameter eMedikation			
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.19 *<CDA-CH-CONF>* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:confidentialityCode`	**CE** CNE	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 *Swiss Confidentiality Codes* (DYNAMIC)			
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.22 *<CDA-CH-DOCL>* (DYNAMIC)	
`hl7:languageCode`	**CS**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 *HumanLanguage* (DYNAMIC)			
Eingefügt		**1 ... ***	**R**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.5 *<CH-EMED-PAT>* (DYNAMIC)	
`hl7:recordTarget`		**1 ... ***	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-3 Patient Parameter eMedikation			
`hl7:patientRole`		**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:id`	**II**	**1 ... ***	**R**	Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-AbgabeAnwendung V1)
	Beispiel	`<id extension="807569999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>`			
`hl7:addr`	**AD**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:streetAddressLine`	**ADXP**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:postalCode`	**ADXP**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:city`	**ADXP**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:country`	**ADXP**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:patient`		**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-24 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-23 Name Parameter eMedikation			
`hl7:administrativeGenderCode`	**CE**	**0 ... 1**			(CDA-CH-EMED-AbgabeAnwendung V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 *AdministrativeGender* (DYNAMIC)			
`hl7:birthTime`	**TS**	**1 ... 1**	**M**	The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s):			

Item	DT	Kard	Konf	Beschreibung	Label
		cdachemed-dataelement-25 Geburtsjahr Parameter eMedikation cdachemed-dataelement-26 Geburtsdatum Parameter eMedikation			
Eingefügt		**1 ... 1**	**R**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.1 *<CH-EMED-AUTO>* (DYNAMIC)	
hl7:author		**1 ... 1**	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-2 Dokumentersteller Parameter eMedikation			
hl7:time	**TS**	**1 ... 1**	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
hl7:assignedAuthor		**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
@classCode	cs	**0 ... 1**	F	ASSIGNED	
hl7:id	**II**	**1 ... ***	**R**	The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-9 GLN-Nr. Parameter eMedikation			
	Beispiel	`<id root="2.51.1.3" extension="7601000000000"/>`			
hl7:addr	**AD**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
hl7:telecom	**TEL**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
hl7:assignedPerson		**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
Eingefügt			**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			
`hl7:representedOrganization`		**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-12 Organisation Parameter eMedikation			
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 *<CH-EMED-RORG>* (DYNAMIC)	
`hl7:id`	**II**	**0 ... ***	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:name`	**ON**	**0 ... ***	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:addr`	**AD**	**0 ... 1**			(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:streetAddressLine`	**ADXP**	**1 ... ***	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-16 Adresse Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:postalCode`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-17 PLZ Parameter eMedikation			
`hl7:city`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-18 Ort Parameter eMedikation			
Eingefügt		**0 ... ***		von 2.16.756.5.30.1.1.1.1.3.10.10.2.4 *<CH-EMED-CONT>* (DYNAMIC)	
`hl7:participant`		**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
`@typeCode`	cs	**1 ... 1**	F	CALLBCK	
`hl7:templateId`		**1 ... 1**	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.10.2.4	
`hl7:associatedEntity`		**1 ... 1**	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
`@classCode`	cs	**1 ... 1**	F	PROV	
`hl7:id`	**II**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-AbgabeAnwendung V1)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:associatedPerson`		**0 ... 1**			(CDA-CH-EMED-AbgabeAnwendung V1)
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
`hl7:name`	**PN**	**1 ... ***	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			
`hl7:component`		**1 ... 1**	**R**		(CDA-CH-EMED-AbgabeAnwendung V1)
`@contextConductionInd`	bl	**1 ... 1**	R		
`hl7:structuredBody`		**1 ... 1**	**M**		(CDA-CH-EMED-AbgabeAnwendung V1)
`hl7:component`		**1 ... 1**	**M**	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1 *Dispense Section Content Module* (DYNAMIC)	(CDA-CH-EMED-AbgabeAnwendung V1)
wo *[hl7:section [hl7:code [(@code='60590-7' and @codeSystem='2.16.840.1.113883.6.1')] [not(@nullFlavor)]]]*					
`hl7:component`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.3.2 *CDA-CH Remarks Section* (DYNAMIC)	(CDA-CH-EMED-AbgabeAnwendung V1)
wo *[hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]*					

4.1.3 eRezept V1 2.16.756.5.30.1.1.1.1.3.10.2 - 2016-05-21

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
initial	POCD_MT000040DE	eRezept	cdachemed-eRezept.sch

Id	2.16.756.5.30.1.1.1.1.3.10.2	**Gültigkeit**	gültig ab 2016-05-21
Status	Draft	**Versions-Label**	
Name	CDA-CH-EMED-eRezept-V1	**Anzeigename**	eRezept V1
Beschreibung	The **eRezept** represents the electronic form of a prescription of a drug by a qualified healthcare professional. *Benefits of eRezept* Increase in patient safety through: ▪ Increased legibility and completeness of the prescription compared to handwritten prescriptions. ▪ No change in media and thus a reduction of potential sources of error when entering a prescription into the primary system of a healthcare professional. *eRezept Parameters* Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the ART-DECOR Dataset they are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will continue to revise these. Source: IPAG eMedikation, 10.8.2016 **Relation to IHE Pharmacy** The eRezept is based on the IHE Pharmacy Technical Framework Supplement – Pharmacy Prescription (PRE).		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2		
Klassifikation	CDA Document Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-60	Ausstelldatum (Erstellungsdatum)	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 0 Templates, Benutzt 12 Templates

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.2.25	Inklusion	CDA_CH_RELM	DYNAMIC
2.16.756.5.30.1.1.10.2.24	Inklusion	CDAtypeId	DYNAMIC
2.16.756.5.30.1.1.10.2.18	Inklusion	CDA-CH-TPLT	DYNAMIC
2.16.756.5.30.1.1.10.9.3	Inklusion	CDAid	DYNAMIC
2.16.756.5.30.1.1.10.2.19	Inklusion	CDA_CH_CONF	DYNAMIC
2.16.756.5.30.1.1.10.2.22	Inklusion	CDA_CH_DOCL	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.5	Inklusion	CH-EMED-PAT	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.1	Inklusion	CH-EMED-AUTO	DYNAMIC
2.16.756.5.30.1.1.10.2.5	Inklusion	CDAlegalAuthenticator	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.4	Inklusion	CH-EMED-CONT	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Containment	CH-EMED-PrescriptionSectionContentModule	DYNAMIC
2.16.756.5.30.1.1.10.3.2	Containment	CDA-CH-RemarksSection	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.2 (*DYNAMIC*)

Specialization: Template 1.3.6.1.4.1.19376.1.9.1.1.1 (*DYNAMIC*)

Specialization: Template 2.16.756.5.30.1.1.1.1 (*DYNAMIC*)

Beispiel

Beispiel

```
<cda:ClinicalDocument>
  <cda:realmCode code="CHE"/>
  <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
```

```
  <!-- IHE PCC -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/>

  <!-- IHE PHARM PRE -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.9.1.1.1"/>

  <!-- CDA-CH -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/>

  <!-- CDA-CH-EMED-eRezept-V1 -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.2"/>

  <!-- id of this eRezept -->

  <cda:id root="2.16.756.5.30.1.1.1.1" extension="d41d72ba-2100-11e6-b67b-9e71128cae77"/>

  <!-- IHE PHARM PRE -->

  <cda:code code="57833-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Prescription for
medication"/>

  <cda:title>eRezept</cda:title>
  <cda:effectiveTime value="20120204140000+0100"/>

  <cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>

  <!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-eRezept-V1)
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.25 *<CDA-CH-RELM>* (DYNAMIC)	
hl7:realmCode	**CS**	**1 ... 1**	**M**		(CDA-CH-EMED-

Item	DT	Kard	Konf	Beschreibung	Label
					eRezept-V1)
`@code`		**1 ... 1**	F	CHE	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.24 *CDA TypeId* (DYNAMIC)	
`hl7:typeId`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`@root`	uid	**1 ... 1**	F	2.16.840.1.113883.1.3	
`@extension`	st	**1 ... 1**	F	POCD_HD000040	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.127.77.4.10.2 CD-EMED eRezept	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.1.1 IHE PCC	
Eingefügt				von 2.16.756.5.30.1.1.10.2.18 *<CDA-CH-TPLT>* (DYNAMIC)	
`hl7:templateId`	**II**	**1 ... 1**	**R**		(CDA-CH-EMED-

Item	DT	Kard	Konf	Beschreibung	Label
					eRezept-V1)
`@extension`	st	**1 ... 1**	F	CDA-CH	
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2 CDA-CH-EMED-eRezept-V1	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.1.1 IHE PHARM PRE	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.9.3 *CDA Document Id* (DYNAMIC)	
`hl7:id`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-59		Referenz-ID des Dokuments	Parameter eMedikation
`hl7:code`	**CE**	**1 ... 1**	**M**		(CDA-CH-EMED-

Item	DT	Kard	Konf	Beschreibung	Label
					eRezept-V1)
`@code`		**1 ... 1**	F	57833-6	
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
`@displayName`		**1 ... 1**	F	LOINC	
`@codeSystemName`		**1 ... 1**	F	Prescription for medication	
`hl7:title`	**ST**	**0 ... 1**		eRezept	(CDA-CH-EMED-eRezept-V1)
`hl7:effectiveTime`	**TS.CH.TZ**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-60		Ausstelldatum (Erstellungsdatum) Parameter eMedikation	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.19 *<CDA-CH-CONF>* (DYNAMIC)	
`hl7:confidentialityCode`	**CE** CNE	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 *Swiss Confidentiality Codes* (DYNAMIC)	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.22 *<CDA-CH-DOCL>* (DYNAMIC)	
`hl7:languageCode`	**CS**	**1 ... 1**	**M**		(CDA-CH-

Item	DT	Kard	Konf	Beschreibung	Label
					EMED-eRezept-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 *HumanLanguage* (DYNAMIC)			
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.5 *<CH-EMED-PAT>* (DYNAMIC)	
`hl7:recordTarget`		**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-3 Patient Parameter eMedikation			
`hl7:patientRole`		**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`hl7:id`	**II**	**1 ... ***	**R**	Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-eRezept-V1)
	Beispiel	`<id extension="80756999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>`			
`hl7:addr`	**AD**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:streetAddressLine`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:postalCode`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:city`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:country`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:patient`		**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-eRezept-V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eRezept-V1)
	◎	Ziel der Konzept Id(s):			

Item	DT	Kard	Konf	Beschreibung	Label
		cdachemed-dataelement-24		Vorname Parameter eMedikation	
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-23		Name Parameter eMedikation	
`hl7:administrativeGenderCode`	**CE**	**0 ... 1**			(CDA-CH-EMED-eRezept-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 *AdministrativeGender* (DYNAMIC)			
`hl7:birthTime`	**TS**	**1 ... 1**	**M**	The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-25		Geburtsjahr Parameter eMedikation	
		cdachemed-dataelement-26		Geburtsdatum Parameter eMedikation	
Eingefügt		**1 ... ***	**R**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.1 *<CH-EMED-AUTO>* (DYNAMIC)	
`hl7:author`		**1 ... ***	**R**		(CDA-CH-EMED-eRezept-V1)

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-2 Dokumentersteller Parameter eMedikation			
`hl7:time`	**TS**	**1 ... 1**	**R**		(CDA-CH-EMED-eRezept-V1)
`hl7:assignedAuthor`		**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
`@classCode`	cs	**0 ... 1**	F	ASSIGNED	
`hl7:id`	**II**	**1 ... ***	**R**	The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-9 GLN-Nr. Parameter eMedikation			
	Beispiel	`<id root="2.51.1.3" extension="7601000000000"/>`			
`hl7:addr`	**AD**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:assignedPerson`		**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
Eingefügt			**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-eRezept-V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-8		Vorname Parameter eMedikation	
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-7		Name Parameter eMedikation	
`hl7:representedOrganization`		**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-12		Organisation Parameter eMedikation	

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 *<CH-EMED-RORG>* (DYNAMIC)	
`hl7:id`	**II**	**0 ... ***	**R**		(CDA-CH-EMED-eRezept-V1)
`hl7:name`	**ON**	**0 ... ***	**R**		(CDA-CH-EMED-eRezept-V1)
`hl7:addr`	**AD**	**0 ... 1**			(CDA-CH-EMED-eRezept-V1)
`hl7:streetAddressLine`	**ADXP**	**1 ... ***	**M**		(CDA-CH-EMED-eRezept-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-16 Adresse Parameter eMedikation			
`hl7:postalCode`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-17 PLZ Parameter eMedikation			
`hl7:city`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-

Item	DT	Kard	Konf	Beschreibung	Label
					eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-18 Ort Parameter eMedikation			
Eingefügt		**0 ... 1**		von 2.16.756.5.30.1.1.10.2.5 *CDA legalAuthenticator* (DYNAMIC)	
`hl7:legalAuthenticator`		**0 ... 1**			(CDA-CH-EMED-eRezept-V1)
`@typeCode`	cs	**0 ... 1**	F	LA	
`@contextControlCode`	cs	**0 ... 1**	F	OP	
		Ziel der Konzept Id(s): cdachemed-dataelement-37 Signatur des Erstellers Parameter eMedikation			
`hl7:time`	**TS**	**1 ... 1**	**R**		(CDA-CH-EMED-eRezept-V1)
`hl7:signatureCode`	**CS**	**1 ... 1**	**R**		(CDA-CH-EMED-eRezept-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10282 *ParticipationSignature* (DYNAMIC)			
`hl7:assignedEntity`		**1 ... 1**	**R**	Beinhaltet 2.16.756.5.30.1.1.10.9.12 *CDA AssignedEntity* (DYNAMIC)	(CDA-CH-EMED-

Item	DT	Kard	Konf	Beschreibung	Label
					eRezept-V1)
Eingefügt		**0 ... ***		von 2.16.756.5.30.1.1.1.1.3.10.10.2.4 <*CH-EMED-CONT*> (DYNAMIC)	
`hl7:participant`		**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`@typeCode`	cs	**1 ... 1**	F	CALLBCK	
`hl7:templateId`		**1 ... 1**	**R**		(CDA-CH-EMED-eRezept-V1)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.10.2.4	
`hl7:associatedEntity`		**1 ... 1**	**R**		(CDA-CH-EMED-eRezept-V1)
`@classCode`	cs	**1 ... 1**	F	PROV	
`hl7:id`	**II**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eRezept-V1)
`hl7:associatedPerson`		**0 ... 1**			(CDA-CH-

Item	DT	Kard	Konf	Beschreibung	Label
					EMED-eRezept-V1)
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
hl7:name	**PN**	**1 ... ***	**R**		(CDA-CH-EMED-eRezept-V1)
hl7:given	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eRezept-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-8		Vorname Parameter eMedikation	
hl7:family	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eRezept-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-7		Name Parameter eMedikation	
hl7:component		**1 ... 1**	**R**		(CDA-CH-EMED-eRezept-V1)
@contextConductionInd	bl	**1 ... 1**	R		
hl7:structuredBody		**1 ... 1**	**M**		(CDA-CH-EMED-

Item	DT	Kard	Konf	Beschreibung	Label
					eRezept-V1)
`hl7:component`		**1 ... 1**	**M**	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1 *Prescription Section Content Module* (DYNAMIC)	(CDA-CH-EMED-eRezept-V1)
wo *[hl7:section [hl7:code [(@code='57828-6' and @codeSystem='2.16.840.1.113883.6.1')] [not(@nullFlavor)]]]*					
`hl7:component`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.3.2 *CDA-CH Remarks Section* (DYNAMIC)	(CDA-CH-EMED-eRezept-V1)
wo *[hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]*					

4.1.4 eCurrentMedication V1 2.16.756.5.30.1.1.1.1.3.10.1 - 2016-05-13

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
→ initial	POCD_MT000040DE	eCurrentMedication	cdachemed-eCurrentMedication.sch

Id	2.16.756.5.30.1.1.1.1.3.10.1	**Gültigkeit**	gültig ab 2016-05-13
Status	Draft	**Versions-Label**	
Name	CDA-CH-EMED-eCurrentMedication-V1	**Anzeigename**	eCurrentMedication V1
Beschreibung	The **eCurrentMedication** aims to fully comprise the current medication of a patient. *Information in eCurrentMedication* ▪ Identification of the healthcare professional who created the current eCurrentMedication and his signature and the date of creation. ▪ Patient for whom the treatment is intended. ▪ For each listed medication, the following should be entered: the Medication Brand Name (proprietary name) and/or the corresponding active substance (DCI), the dose per unit, the dose quantity, the pharmaceutical dose form, the route of administration, the method of administration, the		

duration of treatment, the treatment reason, general information, as well as information provided by the health care professional in charge of the indication.

- Parts of this information or additional information should be enterable in free text form.

Changing the eCurrentMedication

A change in the medication of a patient should, if necessary, be justified by the healthcare professional by use of the eMedicationComment. This will generally lead to a new version of the eCurrentMedication.

eCurrentMedication Parameters

Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the ART-DECOR Dataset they are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will continue to revise these.

Source: IPAG eMedikation, 10.8.2016

Relation to IHE Pharmacy

The eCurrentMedication ist not derived from an IHE Pharmacy document. IHE developed the IHE Pharmacy PML Supplement (Pharmacy Medication List) and the IHE Pharmacy MTP Supplement (Medication Treatment Plan). The PML Dokument is a "On Demand Document" and not intended to persist in a record. The IHE MTP document contains only one entry for a medication. However the medication entries in the eCurrentMedication follow the contraints of the IHE MTP entries.

Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.1
Klassifikation	CDA Document Level Template
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-60	Ausstelldatum (Erstellungsdatum)	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 0 Templates, Benutzt 14 Templates

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.2.25	Inklusion	CDA_CH_RELM	DYNAMIC

2.16.756.5.30.1.1.10.2.24	Inklusion	CDAtypeId	DYNAMIC
2.16.756.5.30.1.1.10.2.18	Inklusion	CDA-CH-TPLT	DYNAMIC
2.16.756.5.30.1.1.10.9.3	Inklusion	CDAid	DYNAMIC
2.16.756.5.30.1.1.10.2.19	Inklusion	CDA_CH_CONF	DYNAMIC
2.16.756.5.30.1.1.10.2.22	Inklusion	CDA_CH_DOCL	DYNAMIC
2.16.756.5.30.1.1.10.9.7	Inklusion	CDAsetIdversionNumber	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.5	Inklusion	CH-EMED-PAT	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.1	Inklusion	CH-EMED-AUTO	DYNAMIC
2.16.756.5.30.1.1.10.2.5	Inklusion	CDAlegalAuthenticator	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.4	Inklusion	CH-EMED-CONT	DYNAMIC
2.16.756.5.30.1.1.10.2.13	Inklusion	CDA_CH_REPL	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	Containment	CH-EMED-MedicationTreatmentPlanSectionContentModule	DYNAMIC
2.16.756.5.30.1.1.10.3.2	Containment	CDA-CH-RemarksSection	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.2 (*DYNAMIC*)

Specialization: Template 2.16.756.5.30.1.1.1.1 (*DYNAMIC*)

Beispiel

header

```
<cda:ClinicalDocument>
  <cda:realmCode code="CHE"/>
  <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <!-- IHE PCC -->
  <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/>
  <!-- CDA-CH -->
  <cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/>
  <!-- CDA-CH-EMED-eCurrentMedication-V1 -->
  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.1"/>
  <!-- id of this eCurrentMedication -->
```

```
  <cda:id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/>

  <!-- Coding equivalent IHE PHARM MTP -->

  <cda:code code="77603-9" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medication treatment
plan.extended"/>

  <cda:title>eCurrentMedication</cda:title>
  <cda:effectiveTime value="20111129110000+0100"/>

  <cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>

  <cda:languageCode code="de-CH"/>

  <!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-eCurrentMedication-V1)
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.25 *<CDA-CH-RELM>* (DYNAMIC)	
hl7:realmCode	**CS**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
@code		**1 ... 1**	F	CHE	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.24 *CDA TypeId* (DYNAMIC)	
hl7:typeId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
@root	uid	**1 ... 1**	F	2.16.840.1.113883.1.3	
@extension	st	**1 ... 1**	F	POCD_HD000040	
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.1.1 IHE PCC	
Eingefügt				von 2.16.756.5.30.1.1.10.2.18 *<CDA-CH-TPLT>* (DYNAMIC)	
`hl7:templateId`	**II**	**1 ... 1**	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
`@extension`	st	**1 ... 1**	F	CDA-CH	
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.1 CDA-CH-EMED-eCurrentMedication-V1	
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.9.3 *CDA Document Id* (DYNAMIC)	
`hl7:id`	**II**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-59 Referenz-ID des Dokuments Parameter eMedikation			
`hl7:code`	**CE**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
`@code`		**1 ... 1**	F	77603-9	
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
`@displayName`		**1 ... 1**	F	LOINC	

Item	DT	Kard	Konf	Beschreibung	Label
`@codeSystemName`		**1 ... 1**	F	Medication treatment plan.extended	
`hl7:title`	**ST**	**0 ... 1**		eCurrentMedication	(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:effectiveTime`	**TS.CH.TZ**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-60 Ausstelldatum (Erstellungsdatum) Parameter eMedikation			
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.10.2.19 *<CDA-CH-CONF>* (DYNAMIC)	
`hl7:confidentialityCode`	**CE** CNE	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 *Swiss Confidentiality Codes* (DYNAMIC)			
Eingefügt		**1 ... ***	**M**	von 2.16.756.5.30.1.1.10.2.22 *<CDA-CH-DOCL>* (DYNAMIC)	
`hl7:languageCode`	**CS**	**1 ... ***	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 *HumanLanguage* (DYNAMIC)			
Eingefügt		**0 ... 1**		von 2.16.756.5.30.1.1.10.9.7 *CDA SetId VersionNumber* (DYNAMIC)	
`hl7:setId`	**II**	**0 ... 1**	**R**	Die setId wird als Globally Unique Identifier (GUID) angegeben. Die GUID entspricht der Dokumenten-Id der ersten Version des Dokuments	(CDA-CH-EMED-eCurrentMedication-V1)
	Beispiel	`<setId extension="807563C2-5146-11D5-A672-00B0D022E945" root="2.16.756.5.30.1.1.1.1"/>`			
`hl7:versionNumber`	**INT.NONNEG**	**0 ... 1**	**R**	Wenn dieses Feld nicht angegeben wird, impliziert das die Versionsnummer 1. Ab der zweiten Versionsnummer ist die Angabe von setId und versionNumber zwingend.	(CDA-CH-EMED-eCurrentMedication-V1)
	Beispiel	`<versionNumber value="1"/>`			

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt		**1 ... 1**	**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.5 *<CH-EMED-PAT>* (DYNAMIC)	
`hl7:recordTarget`		**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-3 Patient Parameter eMedikation			
`hl7:patientRole`		**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:id`	**II**	**1 ... ***	**R**	Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-eCurrentMedication-V1)
	Beispiel	`<id extension="80756999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>`			
`hl7:addr`	**AD**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:streetAddressLine`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:postalCode`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:city`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:country`	**ADXP**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:patient`		**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-24 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-23 Name Parameter eMedikation			
`hl7:administrativeGenderCode`	**CE**	**0 ... 1**			(CDA-CH-EMED-eCurrentMedication-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 *AdministrativeGender* (DYNAMIC)			
`hl7:birthTime`	**TS**	**1 ... 1**	**M**	The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-eCurrentMedication-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-25 Geburtsjahr Parameter eMedikation cdachemed-dataelement-26 Geburtsdatum Parameter eMedikation			
Eingefügt		**1 ... ***	**R**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.1 *<CH-EMED-AUTO>* (DYNAMIC)	
`hl7:author`		**1 ... ***	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-2 Dokumentersteller Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:time`	**TS**	**1 ... 1**	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:assignedAuthor`		**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
`@classCode`	cs	**0 ... 1**	F	ASSIGNED	
`hl7:id`	**II**	**1 ... ***	**R**	The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-9 GLN-Nr. Parameter eMedikation			
	Beispiel	`<id root="2.51.1.3" extension="7601000000000"/>`			
`hl7:addr`	**AD**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:assignedPerson`		**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
Eingefügt			**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
`hl7:name`	**PN**	**1 ... ***	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			
`hl7:representedOrganization`		**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-12 Organisation Parameter eMedikation			
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 *<CH-EMED-RORG>* (DYNAMIC)	
`hl7:id`	**II**	**0 ... ***	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:name`	**ON**	**0 ... ***	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:addr`	**AD**	**0 ... 1**			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:streetAddressLine`	**ADXP**	**1 ... ***	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-16 Adresse Parameter eMedikation			
`hl7:postalCode`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-17 PLZ Parameter eMedikation			
`hl7:city`	**ADXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)

Item	DT	Kard	Konf	Beschreibung	Label
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-18 Ort Parameter eMedikation			
Eingefügt		**0 ... 1**		von 2.16.756.5.30.1.1.10.2.5 *CDA legalAuthenticator* (DYNAMIC)	
hl7:legalAuthenticator		**0 ... 1**			(CDA-CH-EMED-eCurrentMedication-V1)
@typeCode	cs	**0 ... 1**	F	LA	
@contextControlCode	cs	**0 ... 1**	F	OP	
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-37 Signatur des Erstellers Parameter eMedikation			
hl7:time	**TS**	**1 ... 1**	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
hl7:signatureCode	**CS**	**1 ... 1**	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10282 *ParticipationSignature* (DYNAMIC)			
hl7:assignedEntity		**1 ... 1**	**R**	Beinhaltet 2.16.756.5.30.1.1.10.9.12 *CDA AssignedEntity* (DYNAMIC)	(CDA-CH-EMED-eCurrentMedication-V1)
Eingefügt		**0 ... ***		von 2.16.756.5.30.1.1.1.1.3.10.10.2.4 *<CH-EMED-CONT>* (DYNAMIC)	
hl7:participant		**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
@typeCode	cs	**1 ... 1**	F	CALLBCK	
hl7:templateId		**1 ... 1**	**R**		(CDA-CH-EMED-eCurrentMedication-V1)

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.10.2.4	
`hl7:associatedEntity`		**1 ... 1**	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
`@classCode`	cs	**1 ... 1**	F	PROV	
`hl7:id`	**II**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:telecom`	**TEL**	**0 ... ***			(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:associatedPerson`		**0 ... 1**			(CDA-CH-EMED-eCurrentMedication-V1)
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
`hl7:name`	**PN**	**1 ... ***	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			
Eingefügt		**0 ... 1**		von 2.16.756.5.30.1.1.10.2.13 *<CDA-CH-REPL>* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:relatedDocument		**0 ... 1**		Beziehung zu einem anderen Dokument.	(CDA-CH-EMED-eCurrentMedication-V1)
@typeCode	cs	**1 ... 1**	F	RPLC Gibt an, dass es sich um eine Beziehung zu einem anderen Dokument handelt, welches ersetzt werden soll.	
hl7:parentDocument		**1 ... 1**	**R**	Beziehung zum Dokument, dass ersetzt werden soll.	(CDA-CH-EMED-eCurrentMedication-V1)
hl7:id	**II**	**1 ... 1**	**M**	Die Dokumenten-Id des zu ersetzenden Dokuments MUSS angegeben werden.	(CDA-CH-EMED-eCurrentMedication-V1)
@extension	st	**1 ... 1**	R	MUSS die Dokumenten-Id des zu ersetzenden Dokuments enthalten.	
@root	uid	**1 ... 1**	R	MUSS die gleiche OID wie bei der Dokumenten-Id im zu ersetzenden Dokument enthalten.	
hl7:setId	**II**	**1 ... 1**	**M**	MUSS die Set-Id des zu ersetzenden Dokuments enthalten.	(CDA-CH-EMED-eCurrentMedication-V1)
@extension	st	**1 ... 1**	R	MUSS die Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der Set-Id des aktuellen Dokuments.	
@root	uid	**1 ... 1**	R	MUSS die OID der Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der OID bei der Set-Id des aktuellen Dokuments.	
	Schematron assert	role	error		
		test	(@root=/ClinicalDocument/id/@root) and (@extension=/ClinicalDocument/id/@extension)		
		Meldung	ClinicalDocument/setId: MUST be identical to the one of the replaced document		
hl7:versionNumber	**INT**	**1 ... 1**	**M**	MUSS die Versionsnummer des zu ersetzenden Dokuments enthalten.	(CDA-CH-EMED-eCurrentMedication-V1)
	Schematron assert	role	error		
		test	@value > /ClinicalDocument/versionNumber/@value		

Item	DT	Kard	Konf	Beschreibung	Label
		Meldung	ClinicalDocument/versionNumber: MUST be higher than the one of the replaced document		
`hl7:component`		**1 ... 1**	**R**		(CDA-CH-EMED-eCurrentMedication-V1)
`@contextConductionInd`	bl	**1 ... 1**	R		
`hl7:structuredBody`		**1 ... 1**	**M**		(CDA-CH-EMED-eCurrentMedication-V1)
`hl7:component`		**1 ... 1**	**M**	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1 *eCurrentMedication Section Content Module* (DYNAMIC)	(CDA-CH-EMED-eCurrentMedication-V1)
wo *[hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1' and hl7:templateId/@root='2.16.840.1.113883.10.20.1.8']]*					
`hl7:component`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.3.2 *CDA-CH Remarks Section* (DYNAMIC)	(CDA-CH-EMED-eCurrentMedication-V1)
wo *[hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]*					

4.2 Templates

4.2.1 CDA-CH Remarks Section 2.16.756.5.30.1.1.10.3.2 - 2016-03-17 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.3.2 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2016-03-17
Status	Draft	**Versions-Label**	
Name	CDA-CH-RemarksSection	**Anzeigename**	CDA-CH Remarks Section
Beschreibung	Mit diesem Element können Bemerkungen und weitere Informationen angegeben werden, die in keinem anderen Kapitel deklariert werden können.		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-61	Allgemeine Bemerkungen	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 1 Template

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1	Containment	eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2	Containment	eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3	Containment	eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4	Containment	eMedicationComment V1	2016-05-21
Benutzt Template-Id	**als**	**Name**	**Version**
2.16.756.5.30.1.1.10.4.2	Containment	CDACH-RemarksEntry	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.201 (*DYNAMIC*)

Beispiel

Beispiel

```
<component>

  <section>

    <templateId root="2.16.756.5.30.1.1.1.1.1" extension="CDA-CH.Body.Rem"/>

    <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="ANNOTATION COMMENT"/>

    <title>Kommentar</title>
    <text>

      <content ID="comment1"> Es handelt sich beim vorliegenden Dokument um ein Muster zur Illustration. </content>
    </text>
    <entry>

      <act classCode="ACT" moodCode="EVN">

        <templateId root="2.16.840.1.113883.10.20.1.40"/>

        <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>
```

```
        <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation
comment"/>

        <text>

          <reference value="#comment1"/>

        </text>
        <statusCode code="completed"/>

      </act>
    </entry>
  </section>
</component>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CDA-CH-RemarksSection)
hl7:templateId	**II**	**1 ... 1**	**R**		(CDA-CH-RemarksSection)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.10.3.2	
hl7:code	**CE**	**1 ... 1**	**R**		(CDA-CH-RemarksSection)
@code		**1 ... 1**	F	48767-8	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		**1 ... 1**	F	ANNOTATION COMMENT	
@codeSystemName		**1 ... 1**	F	LOINC	
hl7:title	**ST**	**0 ... 1**			(CDA-CH-RemarksSection)
hl7:text	**SD.TEXT**	**1 ... 1**	**M**		(CDA-CH-RemarksSection)

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Elementinhalt muss "Kommentar" sein -oder- Elementinhalt muss "Comment" sein -oder- Elementinhalt muss "Commentaire" sein -oder- Elementinhalt muss "Osservazione" sein	
				Ziel der Konzept Id(s): cdachemed-dataelement-61 Allgemeine Bemerkungen Parameter eMedikation	
`hl7:entry`		**0 ... ***		Beinhaltet 2.16.756.5.30.1.1.10.4.2 *CDA-CH Remarks Entry* (DYNAMIC)	(CDA-CH-RemarksSection)
wo *[hl7:act [hl7:templateId/@root='2.16.840.1.113883.10.20.1.40' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.2']]*					

4.2.2 <CDA-CH-TPLT> 2.16.756.5.30.1.1.10.2.18 - 2016-06-06 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.18 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2016-06-06
Status	Draft	**Versions-Label**	
Name	CDA-CH-TPLT	**Anzeigename**	<CDA-CH-TPLT>
Beschreibung	CDA-CH Header Template für templateId CDA-CH V2		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Beziehung	Specialization: Template 2.16.840.1.113883.10.12.102 (*2005-09-07*) Specialization: Template 2.16.756.5.30.1.1.10.2.2 (*2009-01-27*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**1 ... 1**	**M**		(CDA-CH-TPLT)
@extension	st	**1 ... 1**	F	CDA-CH	
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1	

4.2.3 CDA AssignedEntity 2.16.756.5.30.1.1.10.9.12 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.12 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDAAssignedEntity	**Anzeigename**	CDA AssignedEntity
Beschreibung			
Klassifikation	Template type not specified		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 3 Templates, Benutzt 2 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.2.5	Containment	CDA legalAuthenticator	2009-01-27
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.9.10	Inklusion	CDAPerson	DYNAMIC
2.16.756.5.30.1.1.10.9.11	Inklusion	CDAOrganization	DYNAMIC

Beziehung	Specialization: Template 2.16.840.1.113883.10.12.153 (*2005-09-07*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`	cs	**0 ... 1**	F	ASSIGNED	
`hl7:id`	**II**	**1 ... ***	**R**		(CDAAssignedEntity)
`hl7:code`	**CE**	**0 ... 1**			(CDAAssignedEntity)
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.5.111	
`hl7:addr`	**AD**	**0 ... ***			(CDAAssignedEntity)
`hl7:telecom`	**TEL**	**0 ... ***			(CDAAssignedEntity)
`hl7:assignedPerson`		**0 ... 1**			(CDAAssignedEntity)
Eingefügt				von 2.16.756.5.30.1.1.10.9.10 *CDA Person* (DYNAMIC)	
`@classCode`	cs	**0 ... 1**	F	PSN	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:name`	**PN**	**1 ... ***	**R**		(CDAAssignedEntity)
`hl7:representedOrganization`		**0 ... 1**			(CDAAssignedEntity)
Eingefügt				von 2.16.756.5.30.1.1.10.9.11 *CDA Organization* (DYNAMIC)	
`@classCode`	cs	**0 ... 1**	F	ORG	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	**II**	**0 ... ***			(CDAAssignedEntity)
hl7:name	**ON**	**1 ... 1**			(CDAAssignedEntity)
hl7:telecom	**TEL**	**0 ... ***			(CDAAssignedEntity)
hl7:addr	**AD**	**0 ... 1**			(CDAAssignedEntity)

4.2.4 CDA-CH Remarks Entry 2.16.756.5.30.1.1.10.4.2 - 2016-03-17 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.4.2 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2016-03-17
Status	Draft	**Versions-Label**	
Name	CDACH-RemarksEntry	**Anzeigename**	CDA-CH Remarks Entry
Beschreibung	Dieses Element ermöglicht zu jedem Entry einen Kommentar anzugeben.		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-71	Bemerkungen zum Arzneimittel	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 13 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	Medication Treatment Plan Item Entry Content Module	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13

2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1		Dispense Item Entry Content Module	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.10.3.2	Containment	CDA-CH Remarks Section	2016-03-17

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.301 (*2005-09-07*)

Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.2 (*2009-12-04*)

Beispiel

Beispiel

```
<act classCode="ACT" moodCode="EVN">

  <templateId root="2.16.840.1.113883.10.20.1.40"/>

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>

  <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation comment"/>

  <text>

    <reference value="#comment1"/>

  </text>
  <statusCode code="completed"/>

</act>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:act					(CDACH-RemarksEntry)
@classCode	cs	**1 ... 1**	F	ACT	
@moodCode	cs	**1 ... 1**	F	EVN	
hl7:templateId	**II**	**1 ... 1**	**R**		(CDACH-RemarksEntry)
@root	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.40	
hl7:templateId	**II**	**1 ... 1**	**R**		(CDACH-RemarksEntry)
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.2	
hl7:code	**CD**	**1 ... 1**	**M**		(CDACH-RemarksEntry)
@code		**1 ... 1**	F	48767-8	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		**1 ... 1**	F	Annotation Comment	
@codeSystemName		**1 ... 1**	F	LOINC	
hl7:text	**ED**	**1 ... 1**	**M**	Referenz auf Status im narrativen Teil der Section	(CDACH-RemarksEntry)
		Ziel der Konzept Id(s): cdachemed-dataelement-71 Bemerkungen zum Arzneimittel Parameter eMedikation			
hl7:statusCode	**CS**	**1 ... 1**	**M**		(CDACH-RemarksEntry)
@code		**1 ... 1**	F	completed	

4.2.5 CDA Organization 2.16.756.5.30.1.1.10.9.11 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.11 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDAOrganization	**Anzeigename**	CDA Organization
Beschreibung			
Klassifikation	Template type not specified		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.2.1		CDA recordTarget Person	2015-12-14
2.16.756.5.30.1.1.10.2.2		CDA author	2009-01-27
2.16.756.5.30.1.1.10.9.12		CDA AssignedEntity	2015-12-18
2.16.756.5.30.1.1.10.2.5		CDA legalAuthenticator	2009-01-27
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21

Beziehung Specialization: Template 2.16.840.1.113883.10.12.151 (*2005-09-07*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`	cs	**0 ... 1**	F	ORG	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:id`	**II**	**0 ... ***			(CDAOrganization)
`hl7:name`	**ON**	**1 ... 1**	**M**		(CDAOrganization)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:telecom`	**TEL**	**0 ... ***			(CDAOrganization)
`hl7:addr`	**AD**	**0 ... 1**			(CDAOrganization)

4.2.6 CDA Person 2.16.756.5.30.1.1.10.9.10 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.10 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDAPerson	**Anzeigename**	CDA Person
Beschreibung			
Klassifikation	Template type not specified		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.2.1		CDA recordTarget Person	2015-12-14
2.16.756.5.30.1.1.10.2.2		CDA author	2009-01-27
2.16.756.5.30.1.1.10.9.12		CDA AssignedEntity	2015-12-18
2.16.756.5.30.1.1.10.2.5		CDA legalAuthenticator	2009-01-27
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21

Beziehung	Specialization: Template 2.16.840.1.113883.10.12.152 (*2005-09-07*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`	cs	**0 ... 1**	F	PSN	

Item	DT	Kard	Konf	Beschreibung	Label
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:name`	**PN**	**1 ... ***	**R**		(CDAPerson)

4.2.7 CDA Person 2.16.840.1.113883.10.12.152 - 2005-09-07 ref (aus Repository: ad1bbr-)

Id	2.16.840.1.113883.10.12.152 ref (aus Repository: ad1bbr-)	**Gültigkeit**	gültig ab 2005-09-07
Status	Active	**Versions-Label**	
Name	CDAPerson	**Anzeigename**	CDA Person
Beschreibung	Template CDA Person (prototype, directly derived from POCD_RM000040 MIF)		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 0 Templates		

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.10.2.6	Containment	<CH-EMED-REC3>	2016-09-15 12:43:44

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`		**0 ... 1**	F	PSN	
`@determinerCode`		**0 ... 1**	F	INSTANCE	
`hl7:name`	**PN**	**0 ... ***			(CDAPerson)

4.2.8 CDA recordTarget Person 2.16.756.5.30.1.1.10.2.1 - 2015-12-14 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.1 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-14
Status	Draft	**Versions-Label**	
Name	CDARecordTargetPerson	**Anzeigename**	CDA recordTarget Person
Beschreibung	Im Element recordTarget wird der Patient bezeichnet. Es wird genau ein Patient angegeben. Behandlung von Spezialfällen: Spezialfall 1: Einem neugeborenen Kind mit einem Neugeborenen- Ikterus werden Blutgruppen-Dokumente seiner Mutter zugeordnet. Patient ist dabei zwar die Mutter, im recordTarget wird aber das Kind angegeben. Spezialfall 2: In anderen Fällen, auch wenn das Kind noch ungeboren ist, ist das Kind participant mit dem entsprechenden ParticipationType Code IND (indirect target).		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Templates, Benutzt 2 Templates		

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.9.10	Inklusion	CDAPerson	DYNAMIC
2.16.756.5.30.1.1.10.9.11	Inklusion	CDAOrganization	DYNAMIC

Beziehung	Specialization: Template 2.16.840.1.113883.10.12.101 (*2005-09-07*)

Beispiel

Beispiel

```
<recordTarget>

  <patientRole>

    <id extension="898989" root="2.16.756.5.30.999999999999"/>

    <addr use="HP">

      <streetName>Leidensweg</streetName>
      <houseNumber>10</houseNumber>
      <postalCode>9876</postalCode>
      <city>Specimendorf</city>
      <country>CH</country>
    </addr>
```

```
    <telecom nullFlavor="MSK"/>

    <patient>

      <name>

        <given>Sesuna</given>
        <family>Tigrinja</family>
      </name>
      <administrativeGenderCode code="F" codeSystem="2.16.840.1.113883.5.1"/>

      <birthTime value="20000404"/>

    </patient>
    <providerOrganization>

      <id extension="7608888888888" root="1.3.88"/>

      <name>Gruppenpraxis CH, Dr. med. Allzeit Bereit</name>
    </providerOrganization>
  </patientRole>
</recordTarget>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:recordTarget		**1 ... ***	**R**	Der Patient kann gemäss Arztbrief mehrmals angegeben werden. Damit die Informationen in einem CDA Dokument unmissverständlich dem richtigen Patienten zugeordnet werden können, legen wir für den Einsatz in der Schweiz fest, dass pro CDA Dokument genau ein Patient angegeben werden muss. Spezialfälle: Gemäss CDA könnte sich das gleiche Dokument auf mehrere Personen beziehen (z.B. bei Zwillingen, die die Neugeborenen-Gelbsucht haben). Da es sich hier um Ausnahmefälle handelt, die nicht mit der Regel <CH-PATC> vereinbar sind, müssen in solchen Fällen mehrere Dokumente erstellt werden (alle mit demselben Inhalt, aber jedes mit einem eindeutigen Patienten).	(CDARecordTargetPerson)
@typeCode	cs	**0 ... 1**	F	RCT	
@contextControlCode	cs	**0 ... 1**	F	OP	
hl7:patientRole		**1 ... 1**	**R**	Enthält die Patientenidentifikationen. Es werden nur OIDs von Codesystemen verwendet, welche im öffentlichen OID Register für das schweizerische	(CDARecordTargetPerson)

Item	DT	Kard	Konf	Beschreibung	Label
				Gesundheitswesen (oid.refdata.ch) publiziert sind. Folgende OIDs sollen eingesetzt werden: ▪ Unique Patient Identifier (UPID) ▪ Master Patient Index (MPI) ▪ eue Sozialversicherungsnummer (AHV/AVS 13-digit) (sofern diese dazu gesetzlich zugelassen wird) ▪ Bisherige AHV-Nr (AHV/AVS 11-digit) in Kombination mit: ▪ Proprietäre Nummern publizierter Institutionen inkl. Mandanten (z.B. Patienten- / Fallnummer der behandelnden Institution) Wichtig: ▪ PatientRole erlaubt es, mehrere Patientenidentifikationen anzugeben. Das Element id (Patienten-Identifikationsnummer) kann also n mal vorkommen. ▪ Wenn mehrere Identifikationen im erstellenden System bekannt sind, sollen alle bekannten IDs angegeben werden. ▪ Bei Antworten auf eine Anfrage sollen die, vom anfragenden System angegebenen IDs wieder zurückgegeben werden. Damit wird ermöglicht, dass der Empfänger die Zuordnung zur internen Patientenidentifikation mit dem von ihm bevorzugten System und nicht mit dem, vom Sender bevorzugten System vorgenommen werden kann.	
`@classCode`	cs	**0 ... 1**	F	PAT	
`hl7:id`	**II**	**1 ... ***	**R**		(CDARecordTargetPerson)
	Beispiel	`<id extension="123.71.332.115" root="2.16.756.5.31"/>`			
	Beispiel	`<id extension="65465" root=" 2.16.756.5.30.1.199.2.9"/>`			
`hl7:addr`	**AD**	**0 ... ***			(CDARecordTargetPerson)
`hl7:telecom`	**TEL**	**0 ... ***			(CDARecordTargetPerson)
`hl7:patient`		**0 ... 1**			(CDARecordTargetPerson)

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`	cs	**0 ... 1**	F	PSN	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:name`	**PN**	**0 ... ***			(CDARecordTargetPerson)
`hl7:administrativeGenderCode`	**CE**	**0 ... 1**			(CDARecordTargetPerson)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 *AdministrativeGender* (DYNAMIC)			
`hl7:birthTime`	**TS**	**0 ... 1**		Die Angabe des Geburtsortes ist optional. Wenn er aber angegeben wird, ist das Land zwingend anzugeben.	(CDARecordTargetPerson)
`hl7:maritalStatusCode`	**CE**	**0 ... 1**			(CDARecordTargetPerson)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.12212 *MaritalStatus* (DYNAMIC)			
`hl7:religiousAffiliationCode`	**CE**	**0 ... 1**			(CDARecordTargetPerson)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.19185 *ReligiousAffiliation* (DYNAMIC)			
`hl7:guardian`		**0 ... ***			(CDARecordTargetPerson)
`@classCode`	cs	**1 ... 1**	F	GUARD	
`hl7:id`	**II**	**0 ... ***			(CDARecordTargetPerson)
`hl7:code`	**CE**	**0 ... 1**			(CDARecordTargetPerson)
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.5.111	
`hl7:addr`	**AD**	**0 ... ***			(CDARecordTargetPerson)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:telecom	**TEL**	**0 ... ***			(CDARecordTargetPerson)
Auswahl		**1 ... 1**		Elemente in der Auswahl: ▪ hl7:guardianPerson ▪ hl7:guardianOrganization	
hl7:guardianPerson					(CDARecordTargetPerson)
Eingefügt				von 2.16.756.5.30.1.1.10.9.10 *CDA Person* (DYNAMIC)	
@classCode	cs	**0 ... 1**	F	PSN	
@determinerCode	cs	**0 ... 1**	F	INSTANCE	
hl7:name	**PN**	**1 ... ***	**R**		(CDARecordTargetPerson)
hl7:guardianOrganization					(CDARecordTargetPerson)
Eingefügt				von 2.16.756.5.30.1.1.10.9.11 *CDA Organization* (DYNAMIC)	
@classCode	cs	**0 ... 1**	F	ORG	
@determinerCode	cs	**0 ... 1**	F	INSTANCE	
hl7:id	**II**	**0 ... ***			(CDARecordTargetPerson)
hl7:name	**ON**	**1 ... 1**			(CDARecordTargetPerson)
hl7:telecom	**TEL**	**0 ... ***			(CDARecordTargetPerson)
hl7:addr	**AD**	**0 ... 1**			(CDARecordTargetPerson)
hl7:birthplace		**0 ... 1**			(CDARecordTargetPerson)

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`	cs	**0 ... 1**	F	BIRTHPL	
`hl7:place`		**1 ... 1**	**R**		(CDARecordTargetPerson)
`@classCode`	cs	**0 ... 1**	F	PLC	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:addr`	**AD**	**0 ... 1**			(CDARecordTargetPerson)
`hl7:languageCommunication`		**0 ... ***			(CDARecordTargetPerson)
`hl7:languageCode`	**CS**	**0 ... 1**			(CDARecordTargetPerson)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 *HumanLanguage* (DYNAMIC)			
`hl7:modeCode`	**CE**	**0 ... 1**			(CDARecordTargetPerson)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.12249 *LanguageAbilityMode* (DYNAMIC)			
`hl7:proficiencyLevelCode`	**CE**	**0 ... 1**			(CDARecordTargetPerson)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.12199 *LanguageAbilityProficiency* (DYNAMIC)			
`hl7:preferenceInd`	**BL**	**0 ... 1**			(CDARecordTargetPerson)
`hl7:providerOrganization`		**0 ... 1**		Hier wird die EAN/GLN Nummer des Leistungserbringers gemäss FMH Index angegeben, der den Patienten im Zusammenhang mit dem aktuellen medizinischen Dokument betreut hat.	(CDARecordTargetPerson)
	Beispiel	`<id extension="7601234567890" root="1.3.88"/>`			
Eingefügt				von 2.16.756.5.30.1.1.10.9.11 *CDA Organization* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`	cs	**0 ... 1**	F	ORG	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:id`	**II**	**0 ... ***			(CDARecordTargetPerson)
`hl7:name`	**ON**	**1 ... 1**			(CDARecordTargetPerson)
`hl7:telecom`	**TEL**	**0 ... ***			(CDARecordTargetPerson)
`hl7:addr`	**AD**	**0 ... 1**			(CDARecordTargetPerson)

4.2.9 <CDA-CH-CONF> 2.16.756.5.30.1.1.10.2.19 - 2016-06-06 (2016) ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.19 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2016-06-06
Status	Draft	**Versions-Label**	2016
Name	CDA_CH_CONF	**Anzeigename**	<CDA-CH-CONF>
Beschreibung	Der Confidentialy Code MUSS aus dem Schweizer Confidentiality Valueset angegeben werden.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:confidentialityCode`	**CE** CNE	**1 ... 1**	**M**		(CDA_CH_CONF)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 *Swiss Confidentiality Codes* (DYNAMIC)			

4.2.10 <CDA-CH-DOCL> 2.16.756.5.30.1.1.10.2.22 - 2015-12-18 (2016) ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.22 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	2016
Name	CDA_CH_DOCL	**Anzeigename**	<CDA-CH-DOCL>
Beschreibung	Die Sprache, in welcher das Dokument geschrieben ist, MUSS angegeben werden. Als Vereinfachung für den Leser geben wir hier die, in der Schweiz gebräuchlichen Language Codes gemäss RFC 1766 (ISO-639-1 und ISO 3166) an: ▪ de-CH ▪ fr-CH ▪ it-CH		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:languageCode`	**CS**	**0 ... 1**			(CDA_CH_DOCL)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 *HumanLanguage* (DYNAMIC)			

4.2.11 <CDA-CH-RELM> 2.16.756.5.30.1.1.10.2.25 - 2015-12-18 (2016) ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.25 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	2016
Name	CDA_CH_RELM	**Anzeigename**	<CDA-CH-RELM>
Beschreibung	Der realmCode MUSS folgendermassen deklariert werden: code='CHE'.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates		

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:realmCode`	**CS**	**1 ... 1**	**M**		(CDA_CH_RELM)
`@code`		**1 ... 1**	F	CHE	

4.2.12 <CDA-CH-REPL> 2.16.756.5.30.1.1.10.2.13 - 2016-05-18 (2016) ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.13 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2016-05-18
Status	Draft	**Versions-Label**	2016
Name	CDA_CH_REPL	**Anzeigename**	<CDA-CH-REPL>
Beschreibung	Für die Korrektur falsch übermittelter Werte MUSS ein neues Dokument erstellt werden, welches das frühere Dokument ersetzt. Dies gilt ebenfalls für den Fall, dass Daten im CDA Header korrigiert wurden (z.B. wenn das ursprüngliche Dokument für den falschen Patienten ausgestellt worden ist). Beim Verarbeiten des neuen Dokuments MÜSSEN beim Empfänger sämtliche Werte aus dem zu ersetzenden Dokument als veraltet interpretiert (gelöscht oder als gelöscht resp. veraltet markiert) und alle Werte im neuen Dokument als gültig markiert werden. ▪ Werte, die nur im alten Dokument enthalten waren, gelten als gelöscht. ▪ Werte, die in beiden Dokumenten vorhanden sind, werden mit dem Inhalt des neuen Dokuments überschrieben. ▪ Werte, die nur im neuen Dokument enthalten sind, werden neu erfasst.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 0 Templates		

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13

Beziehung	Specialization: Template 2.16.840.1.113883.10.12.111 (*2005-09-07*) Specialization: Template 2.16.756.5.30.1.1.10.2.9 (*2009-01-27*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:relatedDocument`		**0 ... ***		Beziehung zu einem anderen Dokument.	(CDA_CH_REPL)
`@typeCode`	cs	**1 ... 1**	F	RPLC Gibt an, dass es sich um eine Beziehung zu einem anderen Dokument handelt, welches ersetzt werden soll.	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:parentDocument		**1 ... 1**	**R**	Beziehung zum Dokument, dass ersetzt werden soll.	(CDA_CH_REPL)
hl7:id	**II**	**1 ... 1**	**M**	Die Dokumenten-Id des zu ersetzenden Dokuments MUSS angegeben werden.	(CDA_CH_REPL)
@extension	st	**1 ... 1**	R	MUSS die Dokumenten-Id des zu ersetzenden Dokuments enthalten.	
@root	uid	**1 ... 1**	R	MUSS die gleiche OID wie bei der Dokumenten-Id im zu ersetzenden Dokument enthalten.	
hl7:setId	**II**	**1 ... 1**	**M**	MUSS die Set-Id des zu ersetzenden Dokuments enthalten.	(CDA_CH_REPL)
@extension	st	**1 ... 1**	R	MUSS die Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der Set-Id des aktuellen Dokuments.	
@root	uid	**1 ... 1**	R	MUSS die OID der Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der OID bei der Set-Id des aktuellen Dokuments.	
	Schematron assert	role	error		
		test	(@root=/ClinicalDocument/id/@root) and (@extension=/ClinicalDocument/id/@extension)		
		Meldung	ClinicalDocument/setId: MUST be identical to the one of the replaced document		
hl7:versionNumber	**INT**	**1 ... 1**	**M**	MUSS die Versionsnummer des zu ersetzenden Dokuments enthalten.	(CDA_CH_REPL)
	Schematron assert	role	error		
		test	@value > /ClinicalDocument/versionNumber/@value		
		Meldung	ClinicalDocument/versionNumber: MUST be higher than the one of the replaced document		

4.2.13 CDA author 2.16.756.5.30.1.1.10.2.2 - 2009-01-27 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.2 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2009-01-27
Status	Draft	**Versions-Label**	
Name	CDAauthor	**Anzeigename**	CDA author

Beschreibung

Diese Relation gibt Erstellungszeitpunkt und Urheberschaft des Dokuments an. Gemäss CDA können sowohl Personen, als auch Geräte als Autor auftreten. In der ersten Etappe der vorliegenden Spezifikation werden nur Personen als Autoren unterstützt.

Es werden nur OIDs von Codesystem verwendet, welche im öffentlichen OID Register für das schweizerische Gesundheitswesen (oid-register.ch – coming soon) publiziert sind. Folgende OIDs sollen eingesetzt werden:

- Health Professional Card (HPC)
- EAN/GLN Nummer
- Neue Sozialversicherungsnummer (AHV/AVS 13-digit), sofern diese dazu gesetzlich zugelassen wird
- Bisherige AHV-Nr (AHV/AVS 11-digit) in Kombination mit:
- Proprietäre Nummern publizierter Institutionen inkl. Mandanten (z.B. interne Mitarbeiternummer der behandelnden Institution)

Wichtig:

- author erlaubt es, mehrere Identifikationen anzugeben. Das Element id kann also n mal vorkommen.
- Wenn mehrere Identifikationen im erstellenden System bekannt sind, sollen alle bekannten IDs angegeben werden.
- Bei Antworten auf eine Anfrage sollen die, vom anfragenden System angegebenen IDs wieder zurückgegeben werden.

Damit wird ermöglicht, dass der Empfänger die Zuordnung zur internen Personenidentifikation mit dem von ihm bevorzugten System und nicht mit dem, vom Sender bevorzugten System vorgenommen werden kann.

Klassifikation

CDA Header Level Template

Offen/Geschlossen

Offen (auch andere als die definierten Elemente sind erlaubt)

Benutzt von / Benutzt

Benutzt von 0 Templates, Benutzt 2 Templates

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.9.10	Inklusion	CDAPerson	DYNAMIC
2.16.756.5.30.1.1.10.9.11	Inklusion	CDAOrganization	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.102 (*2005-09-07*)

Beispiel

Beispiel

```
<author>

  <functionCode code="221" codeSystem="2.16.840.1.113883.2.9.6.2.7" codeSystemName="ISCO-08" displayName="Medical
doctors"/>

  <time value="20150604"/>

  <assignedAuthor>

    <id root="1.3.88" extension="7608888888888"/>
```

```
    <assignedPerson>

      <name>

        <given>Allzeit</given>
        <family>Bereit</family>
        <prefix>Dr. med.</prefix>
      </name>
    </assignedPerson>
    <representedOrganization>

      <id root="1.3.88" extension="7608888888888"/>

      <name>Gruppenpraxis CH</name>
      <telecom value="tel:+41.32.234.55.66" use="WP"/>

      <telecom value="fax:+41.32.234.55.67" use="WP"/>

      <telecom value="mailto:bereit@gruppenpraxis.ch" use="WP"/>

      <telecom value="http://www.gruppenpraxis.ch" use="WP"/>

      <addr use="WP">

        <streetName>Doktorgasse</streetName>
        <houseNumber>2</houseNumber>
        <city>Musterhausen</city>
        <postalCode>8888</postalCode>
        <country>CHE</country>
      </addr>
    </representedOrganization>
  </assignedAuthor>
</author>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:author		**1 ... ***	**R**		(CDAauthor)
@typeCode	cs	**0 ... 1**	F	AUT	
@contextControlCode	cs	**0 ... 1**	F	OP	
hl7:functionCode	**CE**	**0 ... 1**		Die Codes aus der Tabelle ParticipationFunction ermöglichen die Beschreibung der genauen Funktion, welche ein Akteur bei der Ausübung der damit beschriebenen Tätigkeit ausgeübt hat. Diese Tabelle enthält die Werte, welche im Original HL7	(CDAauthor)

Item	DT	Kard	Konf	Beschreibung	Label
				Standard verfügbar sind. In weiteren Releases dieser Spezifikation wird die Tabelle den schweizerischen Gegebenheiten angepasst. Grundsätzlich soll der treffendste Code eingesetzt werden. Trifft keiner der aufgelisteten Codes zu, muss der Freitext der Rollenbezeichnung verwendet werden. Der Freitext darf nur verwendet werden, wenn keiner der obigen Codes zutrifft. Bei der Angabe Freitextes ist die Angabe der Wertes originalText im Datentyp Coded Element (CE) zwingend. Das Feld originalText soll die Funktionsbezeichnung im Klartext beinhalten und das code-Attribut des Code-Elements ist mit einem NULL Flavor zu bestücken.	
	Constraint	Die medizinische Rolle des Autors muss mittels functionCode zwingend angegeben werden.			
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10267 *ParticipationFunction* (DYNAMIC) oder Der Wert von @code muss gewählt werden aus dem Value Set 1.3.6.1.4.1.12559.11.10.1.3.1.42.1 *epSOSHealthcareProfessionalRoles* (DYNAMIC)			

	Beispiel	`<code nullFlavor="OTH">`
		`  <originalText> SPITEX Haushaltshilfe</originalText>`
		`</code>`			

hl7:time	**TS**	**1 ... 1**	**R**		(CDAauthor)
hl7:assignedAuthor		**1 ... 1**	**R**		(CDAauthor)
@classCode	cs	**0 ... 1**	F	ASSIGNED	
hl7:id	**II**	**1 ... ***	**R**		(CDAauthor)
	Beispiel	`<id extension="123.71.332.115" root="2.16.756.5.31"/>`			
	Beispiel	`<id extension="123456" root=" 2.16.756.5.30.1.399.2.8"/>`			
hl7:code	**CE**	**0 ... 1**			(CDAauthor)

Item	DT	Kard	Konf	Beschreibung	Label
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.5.111	
`hl7:addr`	**AD**	**0 ... ***			(CDAauthor)
`hl7:telecom`	**TEL**	**0 ... ***			(CDAauthor)
Auswahl		**0 ... 1**		Elemente in der Auswahl: ▪ hl7:assignedPerson	
`hl7:assignedPerson`					(CDAauthor)
Eingefügt				von 2.16.756.5.30.1.1.10.9.10 *CDA Person* (DYNAMIC)	
`@classCode`	cs	**0 ... 1**	F	PSN	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:name`	**PN**	**1 ... ***	**R**		(CDAauthor)
`hl7:representedOrganization`		**0 ... 1**			(CDAauthor)
Eingefügt				von 2.16.756.5.30.1.1.10.9.11 *CDA Organization* (DYNAMIC)	
`@classCode`	cs	**0 ... 1**	F	ORG	
`@determinerCode`	cs	**0 ... 1**	F	INSTANCE	
`hl7:id`	**II**	**0 ... ***			(CDAauthor)
`hl7:name`	**ON**	**1 ... 1**			(CDAauthor)
`hl7:telecom`	**TEL**	**0 ... ***			(CDAauthor)
`hl7:addr`	**AD**	**0 ... 1**			(CDAauthor)

4.2.14 CDA Document Id 2.16.756.5.30.1.1.10.9.3 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.3 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDAid	**Anzeigename**	CDA Document Id
Beschreibung	Die Dokumenten-Id wird als Globally Unique Identifier (GUID) angegeben.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-59	Referenz-ID des Dokuments	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Beispiel

Beispiel

```
<id root="2.16.756.5.30.1.1.1.1" extension="807563C2-5146-11D5-A672-00B0D022E945"/>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... 1	M		(CDAid)

Ziel der Konzept Id(s):

cdachemed-dataelement-59	Referenz-ID des Dokuments	Parameter eMedikation

4.2.15 CDA Document Language Code 2.16.756.5.30.1.1.10.9.5 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.5 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDAlanguageCode	**Anzeigename**	CDA Document Language Code
Beschreibung	Als Vereinfachung für den Leser geben wir hier die, in der Schweiz gebräuchlichen Language Codes gemäss RFC 1766 (ISO-639-1 und ISO 3166) an: de-CH, fr-CH, it-CH		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:languageCode`	**CS**	**0 ... 1**			(CDAlanguageCode)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 *HumanLanguage* (DYNAMIC)			

4.2.16 CDA legalAuthenticator 2.16.756.5.30.1.1.10.2.5 - 2009-01-27 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.5 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2009-01-27
Status	Draft	**Versions-Label**	
Name	CDAlegalAuthenticator	**Anzeigename**	CDA legalAuthenticator
Beschreibung	Der rechtsgültige Unterzeichner soll ein Arzt sein, der über eine EAN/GLN Nummer verfügt (OID 1.3.88 für EAN angeben) oder im Medizinalberuferegister geführt wird (OID für MedBG angeben). Sobald weitere Register für andere Leistungserbringer existieren, sollen die entsprechenden Teilnehmer (betrifft alle Participants) mit der entsprechenden OID angegeben werden.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		

Id	Name	Datensatz
cdachemed-dataelement-37	Signatur des Erstellers	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 2 Templates, Benutzt 1 Template

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.10.9.12	Containment	CDAAssignedEntity	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.106 (*2005-09-07*)

Beispiel

Beispiel

```
<legalAuthenticator>

  <time value="20120204140000+0100"/>

  <signatureCode code="S"/>

  <assignedEntity>

    <id nullFlavor="NI"/>

    <assignedPerson>

      <name>

        <family>Hausarzt</family>
      </name>
    </assignedPerson>
  </assignedEntity>
</legalAuthenticator>
```

Beispiel

Beispiel

```
<legalAuthenticator>

  <time value="20150604"/>

  <signatureCode code="S"/>
```

```
  <assignedEntity>

    <id extension="7601234567890" root="1.3.88"/>

    <assignedPerson>

      <name>

        <given>Allzeit</given>
        <family>Bereit</family>
        <prefix>Dr. med.</prefix>
      </name>
    </assignedPerson>
    <representedOrganization>

      <id root="1.3.88" extension="7608888888888"/>

      <name>Gruppenpraxis CH</name>
      <telecom value="tel:+41.32.234.55.66" use="WP"/>

      <telecom value="fax:+41.32.234.55.67" use="WP"/>

      <telecom value="mailto:bereit@gruppenpraxis.ch" use="WP"/>

      <telecom value="http://www.gruppenpraxis.ch" use="WP"/>

      <addr use="WP">

        <streetName>Doktorgasse</streetName>
        <houseNumber>2</houseNumber>
        <city>Musterhausen</city>
        <postalCode>8888</postalCode>
        <country>CHE</country>
      </addr>
    </representedOrganization>
  </assignedEntity>
</legalAuthenticator>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:legalAuthenticator		**0 ... 1**			(CDAlegalAuthenticator)
@typeCode	cs	**0 ... 1**	F	LA	
@contextControlCode	cs	**0 ... 1**	F	OP	

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-37 Signatur des Erstellers Parameter eMedikation			
`hl7:time`	**TS**	**1 ... 1**	**R**		(CDAlegalAuthenticator)
`hl7:signatureCode`	**CS**	**1 ... 1**	**R**		(CDAlegalAuthenticator)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10282 *ParticipationSignature* (DYNAMIC)			
`hl7:assignedEntity`		**1 ... 1**	**R**	Beinhaltet 2.16.756.5.30.1.1.10.9.12 *CDA AssignedEntity* (DYNAMIC)	(CDAlegalAuthenticator)

4.2.17 CDA RealmCode 2.16.756.5.30.1.1.10.9.1 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.1 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDArealmCode	**Anzeigename**	CDA RealmCode
Beschreibung	Der realmCode MUSS folgendermassen deklariert werden: code="CHE"		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:realmCode`	**CS**	**1 ... 1**	**M**		(CDArealmCode)
`@code`		**1 ... 1**	F	CHE	

4.2.18 CDA relatedDocument 2.16.756.5.30.1.127.77.4.10.6 - 2016-06-06

Id	2.16.756.5.30.1.127.77.4.10.6	**Gültigkeit**	gültig ab 2016-06-06
Status	Draft	**Versions-Label**	
Name	CDArelatedDocument	**Anzeigename**	CDA relatedDocument
Beschreibung			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Keine Elemente, Attribute, Includes oder Choices in dieser Template-Definition.

4.2.19 CDA SetId VersionNumber 2.16.756.5.30.1.1.10.9.7 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.7 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDAsetIdversionNumber	**Anzeigename**	CDA SetId VersionNumber
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 1 Template, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:setId`	**II**	**1 ... 1**	**R**	Die setId wird als Globally Unique Identifier (GUID) angegeben. Die GUID entspricht der Dokumenten-Id der ersten Version des Dokuments	(CDAsetIdversionNumber)
	Beispiel	`<setId extension="807563C2-5146-11D5-A672-00B0D022E945" root="2.16.756.5.30.1.1.1.1"/>`			
`hl7:versionNumber`	**INT.NONNEG**	**1 ... 1**	**R**	Wenn dieses Feld nicht angegeben wird, impliziert das die Versionsnummer 1. Ab der zweiten Versionsnummer ist die Angabe von setId und versionNumber zwingend.	(CDAsetIdversionNumber)

Item	DT	Kard	Konf	Beschreibung	Label
	Beispiel	`<versionNumber value="1"/>`			

4.2.20 CDA TypeId 2.16.756.5.30.1.1.10.2.24 - 2015-12-18 ref (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.24 ref (aus Repository: hl7chcda-)	**Gültigkeit**	gültig ab 2015-12-18
Status	Draft	**Versions-Label**	
Name	CDAtypeId	**Anzeigename**	CDA TypeId
Beschreibung			
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:typeId`	**II**	**1 ... 1**	**M**		(CDAtypeId)
`@root`	uid	**1 ... 1**	F	2.16.840.1.113883.1.3	
`@extension`	st	**1 ... 1**	F	POCD_HD000040	

4.2.21 <CH-EMED-AUTO> 2.16.756.5.30.1.1.1.1.3.10.10.2.1 - 2016-06-09

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.1	**Gültigkeit**	gültig ab 2016-06-09
Status	Draft	**Versions-Label**	
Name	CH-EMED-AUTO	**Anzeigename**	<CH-EMED-AUTO>
Beschreibung	Author information. The author SHALL have a given name, familiy name. The GLN identifier for the health care professional SHOULD be provided. For the organization of the health care professional the adress including city and zip SHALL be provided.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 3 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-9	GLN-Nr.	Parameter eMedikation
cdachemed-dataelement-2	Dokumentersteller	Parameter eMedikation
cdachemed-dataelement-12	Organisation	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 2 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
Benutzt Template-Id	**als**	**Name**	**Version**
2.16.756.5.30.1.1.1.1.3.10.10.2.2	Inklusion	CH-EMED-NAME	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.10.2.3	Inklusion	CH-EMED-RORG	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.102 (*2005-09-07*)

Specialization: Template 2.16.756.5.30.1.1.10.2.2 (*2009-01-27*)

Beispiel	Beispiel
	`<author>`
	`  <time value="20111129110000+0100"/>`
	`  <assignedAuthor>`
	`  <id nullFlavor="NI"/>`
	`  <assignedPerson>`
	`  <name>`
	`  <given>Familien</given>`
	`  <family>Hausarzt</family>`
	`  </name>`
	`  </assignedPerson>`
	`  <representedOrganization>`
	`  <addr>`
	`  <streetAddressLine>Krankenstrasse 2</streetAddressLine>`
	`  <postalCode>8005</postalCode>`
	`  <city>Zürich</city>`
	`  </addr>`
	`  </representedOrganization>`
	`  </assignedAuthor>`
	`</author>`

Beispiel	Beispiel
	`<author>`
	`  <time value="20111129110000+0100"/>`
	`  <assignedAuthor>`
	`  <!-- GS1 GLN ex 1.3.88-->`
	`  <id root="2.51.1.3" extension="7601000000000"/>`
	`  <assignedPerson>`
	`  <name>`
	`  <prefix>Dr.</prefix>`
	`  <given>Familien</given>`
	`  <family>Hausarzt</family>`
	`  </name>`
	`  </assignedPerson>`

```
    <representedOrganization>

      <addr>

        <streetAddressLine>Krankenstrasse 2</streetAddressLine>
        <postalCode>8005</postalCode>
        <city>Zürich</city>
      </addr>
    </representedOrganization>
  </assignedAuthor>
</author>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:author		**1 ... 1**	**M**		(CH-EMED-AUTO)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-2 Dokumentersteller Parameter eMedikation			
hl7:time	**TS**	**1 ... 1**	**R**		(CH-EMED-AUTO)
hl7:assignedAuthor		**1 ... 1**	**M**		(CH-EMED-AUTO)
@classCode	cs	**0 ... 1**	F	ASSIGNED	
hl7:id	**II**	**1 ... ***	**R**	The GLN identifier for the health care professional SHOULD be provided.	(CH-EMED-AUTO)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-9 GLN-Nr. Parameter eMedikation			
	Beispiel	`<id root="2.51.1.3" extension="7601000000000"/>`			
hl7:addr	**AD**	**0 ... ***			(CH-EMED-AUTO)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:telecom`	**TEL**	**0 ... ***			(CH-EMED-AUTO)
`hl7:assignedPerson`		**1 ... 1**	**M**		(CH-EMED-AUTO)
Eingefügt			**M**	von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
`hl7:name`	**PN**	**1 ... ***	**M**		(CH-EMED-AUTO)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CH-EMED-AUTO)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CH-EMED-AUTO)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			
`hl7:representedOrganization`		**1 ... 1**	**M**		(CH-EMED-AUTO)
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-12 Organisation Parameter eMedikation			
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 *<CH-EMED-RORG>* (DYNAMIC)	
`hl7:id`	**II**	**0 ... ***	**R**		(CH-EMED-AUTO)
`hl7:name`	**ON**	**0 ... ***	**R**		(CH-EMED-AUTO)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:addr`	**AD**	**0 ... 1**			(CH-EMED-AUTO)
`hl7:streetAddressLine`	**ADXP**	**1 ... ***	**M**		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-16 Adresse Parameter eMedikation			
`hl7:postalCode`	**ADXP**	**1 ... 1**	**M**		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-17 PLZ Parameter eMedikation			
`hl7:city`	**ADXP**	**1 ... 1**	**M**		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-18 Ort Parameter eMedikation			

4.2.22 <CH-EMED-CONT> 2.16.756.5.30.1.1.1.1.3.10.10.2.4 - 2016-06-09

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.4	**Gültigkeit**	gültig ab 2016-06-09
Status	Draft	**Versions-Label**	
Name	CH-EMED-CONT	**Anzeigename**	<CH-EMED-CONT>
Beschreibung	A contact MAY be added where the patient can get in contact by phone.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 1 Template		

Benutzt von Template-Id	als	Name	Version

2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
Benutzt Template-Id	**als**	**Name**	**Version**
2.16.756.5.30.1.1.1.1.3.10.10.2.2	Inklusion	CH-EMED-NAME	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.108 (*2005-09-07*)

Specialization: Template 2.16.756.5.30.1.1.10.2.8 (*2009-01-27*)

Beispiel

Beispiel

```
<participant typeCode="CALLBCK">

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.10.2.4"/>

  <associatedEntity classCode="PROV">

    <telecom use="WP" value="tel:+41.44.000.00.00"/>

    <associatedPerson>

      <name>

        <given>Kontakt</given>
        <family>Hausarzt</family>
      </name>
    </associatedPerson>
  </associatedEntity>
</participant>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:participant		**0 ... ***			(CH-EMED-CONT)
@typeCode	cs	**1 ... 1**	F	CALLBCK	
hl7:templateId		**1 ... 1**	**R**		(CH-EMED-CONT)

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.10.2.4	
`hl7:associatedEntity`		**1 ... 1**	**R**		(CH-EMED-CONT)
`@classCode`	cs	**1 ... 1**	F	PROV	
`hl7:id`	**II**	**0 ... ***			(CH-EMED-CONT)
`hl7:telecom`	**TEL**	**0 ... ***			(CH-EMED-CONT)
`hl7:associatedPerson`		**0 ... 1**			(CH-EMED-CONT)
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.2 *<CH-EMED-NAME>* (DYNAMIC)	
`hl7:name`	**PN**	**1 ... ***	**R**		(CH-EMED-CONT)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CH-EMED-CONT)
		Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CH-EMED-CONT)
		Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			

4.2.23 Dispense Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 - 2016-06-17

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	**Gültigkeit**	gültig ab 2016-06-17
Status	Draft	**Versions-Label**	
Name	CH-EMED-DispenseItemEntryContentModule	**Anzeigename**	Dispense Item Entry Content Module

Beschreibung	A Dispense Item belongs to one Dispensation and represents one dispensed medication. It contains the dispensed medicinal product including information s product code, brand name and packaging information.
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1
Klassifikation	CDA Entry Level Template
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)

Benutzt von / Benutzt

Benutzt von 5 Templates, Benutzt 6 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Containment	Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Containment	CH-EMED-ManufacturedMaterialEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	Containment	CH-EMED-MTPReferenceEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	CH-EMED-MedicationTreatmentPlanEntryContentModule	DYNAMIC
1.3.6.1.4.1.19376.1.5.3.1.4.3	Containment	epsosPatientMedicationInstructions	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	CH-EMED-DosageInstructionsEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.10.4.2	Containment	CDACH-RemarksEntry	DYNAMIC

Beziehung

Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.4 (*2016-01-08 11:13:04*)

Beispiel

Beispiel

```
<supply classCode="SPLY" moodCode="EVN">
  <!-- CH-EMED-DispenseItemEntryContentModule -->
  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1"/>
  <!-- IHE PARM DIS 6.3.4.5.1 -->
  <templateId root="2.16.840.1.113883.10.20.1.34"/>
```

```
<templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.3"/>

<templateId root="1.3.6.1.4.1.19376.1.9.1.3.4"/>

<!-- ID of dis item, IHE PARM DIS 6.3.4.5.3.3 -->

<id root="2.16.756.5.30.1.1.1.1" extension="5712fffe-20c6-11e6-b67b-9e71128cae77"/>

<text>

  <reference value="#dis.1"/>

</text>
<quantity unit="1" value="1"/>

<product>

  <manufacturedProduct classCode="MANU">

    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.2"/>

    <templateId root="2.16.840.1.113883.10.20.1.53"/>

    <manufacturedMaterial classCode="MMAT" determinerCode="KIND">

      <!-- CDACH-EMED Manufactured Material Content Module -->

      <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/>

      <!-- http://compendium.ch/prod/triatec-tabl-2-5-mg/de -->

      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/>

      <code code="C09AA05" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="ramipril">

        <originalText>

          <reference value="#dis.1.ingredient"/>

        </originalText>
      </code>
      <name>TRIATEC Tabl 2.5 mg</name>
      <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

      <pharm:asContent classCode="CONT">

        <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE">

          <!-- National medicinal product code (package-level) -->
```

```
            <pharm:code code="7680538751228" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="TRIATEC Tabl 2.5 mg 100 Stk"/>

            <!-- Brand name (package) -->

            <pharm:name>TRIATEC Tabl 2.5 mg</pharm:name>
            <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

            <pharm:capacityQuantity value="20"/>

          </pharm:containerPackagedMedicine>
        </pharm:asContent>
        <pharm:ingredient classCode="ACTI">

          <pharm:quantity>

            <pharm:numerator unit="mg" value="2.5" xsi:type="pharm:PQ"/>

            <pharm:denominator value="1" xsi:type="pharm:PQ"/>

          </pharm:quantity>
          <pharm:ingredient classCode="MMAT" determinerCode="KIND">

            <pharm:code code="C09AA05" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="ramipril"/>

            <pharm:name>Ramipril</pharm:name>
          </pharm:ingredient>
        </pharm:ingredient>
      </manufacturedMaterial>
    </manufacturedProduct>
  </product>
  <entryRelationship typeCode="REFR">

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>

      <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item" codeSystemName="IHE P
Item Type List"/>

      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
        <reference typeCode="XCRPT">

          <externalDocument>
```

```
            <id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/>

          </externalDocument>
        </reference>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <!-- dosage insruction -->

  <entryRelationship typeCode="COMP">

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.6"/>

      <!-- A normal substanceAdministration act that may not contain any

subordinate substanceAdministration acts. -->

      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/>

      <effectiveTime xsi:type="IVL_TS">

        <low value="20111129"/>

      </effectiveTime>
      <effectiveTime xsi:type="EIVL_TS" operator="A">

        <event code="ACM"/>

      </effectiveTime>
      <routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/>

      <doseQuantity>

        <center value="0.5"/>

      </doseQuantity>
      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <entryRelationship typeCode="COMP">
```

```
    <substanceAdministration moodCode="INT" classCode="SBADM">

      <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11"/>

      <text>

        <reference value="#dis.1.dosageintakemode"/>

      </text>
      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <entryRelationship typeCode="COMP">

    <act classCode="ACT" moodCode="EVN">

      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>

      <templateId root="2.16.840.1.113883.10.20.1.40"/>

      <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation comment"/>

      <text>

        <reference value="#dis.1.note"/>

      </text>
      <statusCode code="completed"/>

    </act>
  </entryRelationship>
</supply>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:supply					(CH-EMED-DispenseItemEntryContentModul
hl7:templateId	**II**	**1 ... 1**	**M**		CH-EMED-DispenseItemEntryCon

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	
`hl7:templateId`	**II**	**1 ... 1**	**M**		IHE PARM DIS 6.3.4.5.1
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.4	
`hl7:templateId`	**II**	**1 ... 1**	**M**		IHE PARM DIS 6.3.4.5.1
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.3	
`hl7:templateId`	**II**	**1 ... 1**	**M**		IHE PARM DIS 6.3.4.5.1
`@root`	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.34	
`hl7:id`	**II**	**1 ... 1**	**M**	This ID represents the Supply Item ID and SHALL be present. ID created by the software which created it or @root='2.16.756.5.30.1.1.3.5.1' with a GUID as @extension	IHE PARM DIS 6.3.4.5.3.3
`hl7:code`	**CD**	**0 ... 1**	**R**		IHE PARM DIS 6.3.4.5.3.4
`hl7:text`		**1 ... 1**	**M**	This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication dispensed.	IHE PARM DIS 6.3.4.5.3.5
`hl7:reference`		**1 ... 1**	**M**		IHE PARM DIS 6.3.4.5.3.5
`hl7:quantity`		**1 ... 1**	**M**	The supply entry SHALL be present and indicate the quantity supplied, see IHE PARM DIS 6.3.4.5.3.7 for the different cases.	IHE PARM DIS 6.3.4.5.3.7
`hl7:product`		**1 ...**	**R**		(CH-EMED-DispenseItemEntryContentModul
`hl7:manufacturedProduct`		**1 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2 *Manufactured Material Entry Content Module* (DYNAMIC)	(CH-EMED-DispenseItemEntryContentModul
wo *[hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.2' and hl7:templateId/@root='2.16.840.1.113883.10.20.1.53']*					
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.2	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
`@root`	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.53	
Auswahl		**0 ... 1**		If the dispense is related to a Medication Treatment Plan Item, the reference to it SHALL be present. Elemente in der Auswahl: ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *MT Reference Entry Content Module* (DYNAMIC)	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *MTP Reference Entry Content Module* (DYNAMIC)	(CH-EMED-DispenseItemEntryContentModul
wo *[@typeCode='REFR']*					
`@typeCode`	cs	**1 ... 1**	F	REFR	
Auswahl		**0 ... 1**		The reference to the Prescription Item this dispense is related to SHALL be present, containing either the Id of the Prescription Item referenced or a whole Prescription Item Entry described in the Pharmacy Prescription (PRE) Co Profile. Elemente in der Auswahl: ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *MT Reference Entry Content Module* (DYNAMIC) ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 *Medication Treatment Plan Item Entry Content Module* (DYNAMIC)	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *MTP Reference Entry Content Module* (DYNAMIC)	(CH-EMED-DispenseItemEntryContentModul
wo *[@typeCode='REFR']*					
`@typeCode`	cs	**1 ... 1**	F	REFR	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 *Medication Treatment Plan Item Entry Content Module* (DYNAMIC)	(CH-EMED-DispenseItemEntryContentModul
wo *[@typeCode='REFR']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@typeCode`	cs	**1 ... 1**	F	REFR	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.3 *epSOS Patient Medication Instructions* (DYNAMIC)	(CH-EMED-DispenseItemEntryContentModul
wo *[@typeCode='SUBJ']*					
`@typeCode`	cs	**1 ... 1**	F	SUBJ	
`@inversionInd`	bl	**1 ... 1**	F	true	
`hl7:entryRelationship`		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
wo *[hl7:substanceAdministration [hl7:templateId [@root='1.3.6.1.4.1.19376.1.9.1.3.6']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:substanceAdministration`					(CH-EMED-DispenseItemEntryContentModul
`@moodCode`	cs	**1 ... 1**	F	INT	
`hl7:id`		**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.127.77.4.10.21	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.6	
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 *Dosage Instructions Entry Content Module* (DYNAMIC)	
`hl7:effectiveTime`	**IVL_TS**	**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
wo *[@xsi:type='IVL_TS']*					

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-55 Behandlungsdauer Parameter eMedikation			
hl7:low	**TS**	**0 ... 1**		Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DispenseItemEntryContentModul
hl7:high	**TS**	**0 ... 1**		End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DispenseItemEntryContentModul
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-DispenseItemEntryContentModul
wo *[@operator='A' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	A	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:effectiveTime	**SXPR_TS**	**0 ... 1**		Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-DispenseItemEntryContentModul
wo *[@operator='A' and @xsi:type='SXPR_TS']*					
@operator	cs	**1 ... 1**	F	A	
@xsi:type	cs	**1 ... 1**	F	SXPR_TS	
		Ziel der Konzept Id(s): cdachemed-dataelement-50 Dosierung Parameter eMedikation			
hl7:comp		**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
wo *[@xsi:type='EIVL_TS']*					
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:comp		**1 ... ***	**M**		(CH-EMED-DispenseItemEntryContentModul
wo *[@operator='I' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	I	
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:routeCode		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 *RouteOfAdministration* (DYNAMIC			
		Ziel der Konzept Id(s): cdachemed-dataelement-52 Verabreichungsweg Parameter eMedikation			
hl7:doseQuantity		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
hl7:rateQuantity		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
hl7:entryRelationship		**0 ... ***		Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-DispenseItemEntryContentModul
wo *[@typeCode='COMP' and hl7:substanceAdministration]*					

Item	DT	Kard	Konf	Beschreibung	Label
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:sequenceNumber`	**INT**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
`hl7:substanceAdministration`		**0 ... 1**	**R**		(CH-EMED-DispenseItemEntryContentModul
`hl7:effectiveTime`	**EIVL_TS**	**0 ... 1**		timing purpose	(CH-EMED-DispenseItemEntryContentModul
wo *[@xsi:type='EIVL_TS']*					
`@xsi:type`	cs	**1 ... 1**	F	EIVL_TS	
`hl7:event`	**CS**	**1 ... 1**	**M**		(CH-EMED-DispenseItemEntryContentModul
`@code`	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
`hl7:doseQuantity`		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
`hl7:rateQuantity`		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
`hl7:consumable`		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
`hl7:manufacturedProduct`		**0 ... 1**	**R**		(CH-EMED-DispenseItemEntryContentModul
`hl7:manufacturedMaterial`		**0 ... 1**			(CH-EMED-DispenseItemEntryContentModul
`@nullFlavor`	cs	**1 ... 1**	F	NA	
`hl7:consumable`		**1 ... 1**	**R**		(CH-EMED-DispenseItemEntryContentModul

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:manufacturedProduct`		**1 ... 1**	**R**		(CH-EMED-DispenseItemEntryContentModul
`hl7:manufacturedMaterial`		**1 ... 1**	**R**		(CH-EMED-DispenseItemEntryContentModul
`@nullFlavor`	cs	**1 ... 1**	F	NA	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.4.2 *CDA-CH Remarks Entry* (DYNAMIC)	(CH-EMED-DispenseItemEntryContentModul
wo *[hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	

4.2.24 Dispense Section Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1 - 2016-06-06

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	**Gültigkeit**	gültig ab 2016-06-06
Status	Draft	**Versions-Label**	
Name	CH-EMED-DispenseSectionContentModule	**Anzeigename**	Dispense Section Content Module
Beschreibung	The Dispense Section contains a description of a medication dispensed for the patient. It includes exactly one Dispense Item entry as described in the Dispense Item Entry Content Module. See also IHE Pharmacy DIS Suppl		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 1 Template		

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.3	Containment	eAbgabeAnwendung V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	CH-EMED-DispenseItemEntryContentModule	DYNAMIC

Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.2.3 (*2016-01-08 11:13:04*)

Beispiel	Beispiel

```
<section>

  <!-- DIS -->

  <templateId root="2.16.840.1.113883.10.20.1.8"/>

  <templateId root="1.3.6.1.4.1.19376.1.9.1.2.3"/>

  <!-- CH-EMED-DispenseSectionContentModule -->

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.3"/>

  <!-- id of the eAbgabeAwendung -->

  <id root="2.16.756.5.30.1.1.1.1" extension="488bd23a-20c6-11e6-b67b-9e71128cae77"/>

  <code code="60590-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="MEDICATION DISPENSED.BRIEF"/>

  <title>Abgabe von Medikamenten</title>
  <text>

    <table>

      <thead>

        <tr>

          <th>Präpartename</th>
          <th>Wirkstoffname</th>
          <th>Dosis pro Einheit</th>
          <th>Galenische Form</th>
          <th>Anzahl Packungen</th>
          <th>Packungsgrösse</th>
          <th>Verabreichungsweg</th>
          <th>Anwendungsschema (Einnahmemodus)</th>
          <th>Dos.Morgen</th>
          <th>Dos.Mittag</th>
          <th>Dos.Abend</th>
          <th>Dos.Nacht</th>
          <th>Anwendungsdauer</th>
          <th>Abgabe an</th>
          <th>Hinweis</th>
        </tr>
      </thead>
      <tbody>

        <tr ID="dis.1">

          <td ID="dis.1.brandedmedication">Triatec</td>
```

```
          <td ID="dis.1.ingredient">Ramipril</td>
          <td ID="dis.1.dosequantity">2.5 mg</td>
          <td ID="dis.1.packageform">Tbl</td>
          <td ID="dis.1.nopackages">1</td>
          <td ID="dis.1.packagesize">20</td>
          <td ID="dis.1.routecode">oral</td>
          <td ID="dis.1.dosageintakemode">Morgens 1/2 Tablette nehmen</td>
          <td ID="dis.1.dosagemorning">0.5</td>
          <td ID="dis.1.dosagelunch">0</td>
          <td ID="dis.1.dosageevening">0</td>
          <td ID="dis.1.dosagenight">0</td>
          <td ID="dis.1.datefromto"/>

          <td ID="dis.1.dipsenseto">Patient</td>
          <td ID="dis.1.note"/>

        </tr>
      </tbody>
    </table>
  </text>
  <entry>

    <!-- .. -->

  </entry>
</section>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CH-EMED-DispenseSectionContentModule)
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM DIS 6.3.3.3
wo *[@root='1.3.6.1.4.1.19376.1.9.1.2.3']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.2.3	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM DIS 6.3.3.3
wo *[@root='2.16.840.1.113883.10.20.1.8']*					
@root	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.8	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**1 ... 1**	**M**		CH-EMED DIS
wo *[@root='2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1']*					
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	
hl7:id	**II**	**1 ... 1**	**R**		IHE PHARM DIS 6.3.3.3.2
hl7:code	**CE**	**1 ... 1**	**M**		IHE PHARM DIS 6.3.3.3
@code		**1 ... 1**	F	60590-7	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
hl7:title	**ST**	**1 ... 1**	**M**		CH-EMED DIS
	CONF	Elementinhalt muss "Abgabe von Medikamenten" sein -oder- Elementinhalt muss "Dispensation" sein -oder- Elementinhalt muss "Dispensa" sein -oder- Elementinhalt muss "Pharmacy Dispense" sein			
hl7:text	**SD.TEXT**	**1 ... 1**	**M**		(CH-EMED-DispenseSectionContentModule)
hl7:entry		**1 ... 1**	**R**	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 *Dispense Item Entry Content Module* (DYNAMIC)	(CH-EMED-DispenseSectionContentModule)
wo *[hl7:supply [hl7:templateId/@root='2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.3' and hl7:templateId/@root='2.16.840.1.113883.10.20.1.34']]*					

4.2.25 Dosage Instructions Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	**Gültigkeit**	gültig ab 2016-06-13
Status	Draft	**Versions-Label**	
Name	CH-EMED-DosageInstructionsEntryContentModule	**Anzeigename**	Dosage Instructions Entry Content Module
Beschreibung	Dosage Instructions are a set of data elements which together represent the dosage instructions to a medication such as duration of treatment, medication frequency, dose quantity, route of administration, etc. Dosage Instructions may be provided structured and/or narrative. This entry describes structured dosage instructions.		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 3 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-52	Verabreichungsweg	Parameter eMedikation
cdachemed-dataelement-55	Behandlungsdauer	Parameter eMedikation
cdachemed-dataelement-50	Dosierung	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 12 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1		Medication Treatment Plan Item Entry Content Module	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Dispense Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.3	eAbgabeAnwendung V1	2016-05-21

Beispiel

Dosis Option 1

```
<!-- 0.5x morgens ab 20111129 -->

<snip>

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/>

  <!-- ... -->

  <effectiveTime xsi:type="IVL_TS">

    <low value="20111129"/>

  </effectiveTime>
  <effectiveTime operator="A" xsi:type="EIVL_TS">

    <event code="ACM"/>

  </effectiveTime>
  <!-- ... -->

  <doseQuantity>

    <center value="0.5"/>

  </doseQuantity>
</snip>
```

Beispiel

Dosage Option 2

```
<!-- 1 morgens, 1 abends ab 20120204 -->

<snip>

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/>

  <!-- ... -->

  <effectiveTime xsi:type="IVL_TS">
```

```
    <low value="20120204"/>

  </effectiveTime>
  <effectiveTime xsi:type="SXPR_TS" operator="A">

    <comp xsi:type="EIVL_TS">

      <event code="ACM"/>

    </comp>
    <comp xsi:type="EIVL_TS" operator="I">

      <event code="ACV"/>

    </comp>
  </effectiveTime>
</snip>
```

Beispiel

Dosage Option 3

```
<!-- 1 morgens, 0.5 abends ab 20120204 -->

<snip>

  <!-- Split dosing -->

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.9"/>

  <effectiveTime xsi:type="IVL_TS">

    <low value="20120204"/>

  </effectiveTime>
  <routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/>

  <consumable>

    <manufacturedProduct>

      <manufacturedMaterial nullFlavor="NA"/>

    </manufacturedProduct>
  </consumable>
  <entryRelationship typeCode="COMP">

    <!-- morgens 1 stück -->

    <sequenceNumber value="1"/>

    <substanceAdministration classCode="SBADM" moodCode="INT">
```

```
      <effectiveTime xsi:type="EIVL_TS">

        <event code="ACM"/>

      </effectiveTime>
      <doseQuantity>

        <center value="1"/>

      </doseQuantity>
      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <entryRelationship typeCode="COMP">

    <!-- abends 0.5 stück -->

    <sequenceNumber value="2"/>

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <effectiveTime xsi:type="EIVL_TS">

        <event code="ACV"/>

      </effectiveTime>
      <doseQuantity>

        <center value="0.5"/>

      </doseQuantity>
      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
</snip>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	**IVL_TS**	**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)
wo *[@xsi:type='IVL_TS']*					
		Ziel der Konzept Id(s): cdachemed-dataelement-55 Behandlungsdauer Parameter eMedikation			
hl7:low	**TS**	**0 ... 1**		Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DosageInstructionsEntryContentModule)
hl7:high	**TS**	**0 ... 1**		End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DosageInstructionsEntryContentModule)
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-DosageInstructionsEntryContentModule)
wo *[@operator='A' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	A	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-DosageInstructionsEntryContentModule)
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:effectiveTime	**SXPR_TS**	**0 ... 1**		Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-DosageInstructionsEntryContentModule)
wo *[@operator='A' and @xsi:type='SXPR_TS']*					
@operator	cs	**1 ... 1**	F	A	
@xsi:type	cs	**1 ... 1**	F	SXPR_TS	
		Ziel der Konzept Id(s): cdachemed-dataelement-50 Dosierung Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:comp		**1 ... 1**	**M**		(CH-EMED-DosageInstructionsEntryContentModule)
wo *[@xsi:type='EIVL_TS']*					
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-DosageInstructionsEntryContentModule)
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:comp		**1 ... ***	**M**		(CH-EMED-DosageInstructionsEntryContentModule)
wo *[@operator='I' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	I	
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-DosageInstructionsEntryContentModule)
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:routeCode		**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 *RouteOfAdministration* (DYNAMIC)			
		Ziel der Konzept Id(s): cdachemed-dataelement-52 Verabreichungsweg Parameter eMedikation			
hl7:doseQuantity		**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:rateQuantity		**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)
hl7:entryRelationship		**0 ... ***		Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-DosageInstructionsEntryContentModule)
wo *[@typeCode='COMP' and hl7:substanceAdministration]*					
@typeCode	cs	**1 ... 1**	F	COMP	
hl7:sequenceNumber	**INT**	**1 ... 1**	**M**		(CH-EMED-DosageInstructionsEntryContentModule)
hl7:substanceAdministration		**0 ... 1**	**R**		(CH-EMED-DosageInstructionsEntryContentModule)
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		timing purpose	(CH-EMED-DosageInstructionsEntryContentModule)
wo *[@xsi:type='EIVL_TS']*					
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-DosageInstructionsEntryContentModule)
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:doseQuantity		**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)
hl7:rateQuantity		**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)
hl7:consumable		**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)
hl7:manufacturedProduct		**0 ... 1**	**R**		(CH-EMED-DosageInstructionsEntryContentModule)
hl7:manufacturedMaterial		**0 ... 1**			(CH-EMED-DosageInstructionsEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
`@nullFlavor`	cs	**1 ... 1**	F	NA	

4.2.26 Dosage Instructions Non Structured Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10 - 2016-09-13 15:33:18

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	**Gültigkeit**	gültig ab 2016-09-13 15:33:18
Status	Draft	**Versions-Label**	
Name	CH-EMED-DosageInstructionsNonStructuredEntryContentModule	**Anzeigename**	Dosage Instructions Non Structured Entry Content Module
Beschreibung	Dosage Instructions reference to free text (non structured) in narrative part.		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-50	Dosierung	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 12 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	Medication Treatment Plan Item Entry Content Module	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21

2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Dispense Item Entry Content Module	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3	eAbgabeAnwendung V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:substanceAdministration`					(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
`@classCode`	cs	**1 ... 1**	F	SBADM	
`@moodCode`	cs	**1 ... 1**	F	INT	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	
`hl7:text`		**1 ... 1**	**M**	This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the non strutured dosage instructions.	(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
`hl7:reference`		**1 ... 1**	**M**		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
		Ziel der Konzept Id(s): cdachemed-dataelement-50 Dosierung		Parameter eMedikation	
`hl7:consumable`		**1 ... 1**	**R**		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:manufacturedProduct`		**1 ... 1**	**R**		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
`hl7:manufacturedMaterial`		**1 ... 1**	**R**		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
`@nullFlavor`	cs	**1 ... 1**	F	NA	

4.2.27 Dosage Intake Mode Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11 - 2016-09-13 16:06:07

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11	**Gültigkeit**	gültig ab 2016-09-13 16:06:07
Status	Draft	**Versions-Label**	
Name	CH-EMED-DosageIntakeModeEntryContentModule	**Anzeigename**	Dosage Intake Mode Entry Content Module
Beschreibung	Dosage intake mode reference to free text (non structured) in narrative part.		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-51	Einnahmemodus	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 12 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	Medication Treatment Plan Item Entry Content Module	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13

2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2	eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Dispense Item Entry Content Module	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3	eAbgabeAnwendung V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-DosageIntakeModeEntryContentModule)
@classCode	cs	**1 ... 1**	F	SBADM	
@moodCode	cs	**1 ... 1**	F	INT	
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-DosageIntakeModeEntryContentModule)
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11	
hl7:text		**1 ... 1**	**M**	This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the dosage intake mode.	(CH-EMED-DosageIntakeModeEntryContentModule)
hl7:reference		**1 ... 1**	**M**		(CH-EMED-DosageIntakeModeEntryContentModule)
		Ziel der Konzept Id(s):			

Item	DT	Kard	Konf	Beschreibung	Label
		cdachemed-dataelement-51		Einnahmemodus	Parameter eMedikation
`hl7:consumable`		**1 ... 1**	**R**		(CH-EMED-DosageIntakeModeEntryContentModule)
`hl7:manufacturedProduct`		**1 ... 1**	**R**		(CH-EMED-DosageIntakeModeEntryContentModule)
`hl7:manufacturedMaterial`		**1 ... 1**	**R**		(CH-EMED-DosageIntakeModeEntryContentModule)
`@nullFlavor`	cs	**1 ... 1**	F	NA	

4.2.28 MTP Reference Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 - 2016-07-07

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	**Gültigkeit**	gültig ab 2016-07-07
Status	Draft	**Versions-Label**	
Name	CH-EMED-MTPReferenceEntryContentModule	**Anzeigename**	MTP Reference Entry Content Module
Beschreibung	Reference to a Medication Treatment Plan Entry		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 9 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Dispense Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21

Beispiel

Beispiel

```
<substanceAdministration classCode="SBADM" moodCode="INT">

  <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>

  <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item"
codeSystemName="IHE Pharmacy Item Type List"/>

  <consumable>

    <manufacturedProduct>

      <manufacturedMaterial nullFlavor="NA"/>

    </manufacturedProduct>
  </consumable>
</substanceAdministration>
```

Beispiel

Beispiel

```
<substanceAdministration classCode="SBADM" moodCode="INT">

  <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>

  <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item"
codeSystemName="IHE Pharmacy Item Type List"/>

  <consumable>

    <manufacturedProduct>

      <manufacturedMaterial nullFlavor="NA"/>

    </manufacturedProduct>
  </consumable>
  <!-- reference to eCurrentMedication document -->

  <reference typeCode="XCRPT">

    <externalDocument>
```

```
      <id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/>

    </externalDocument>
  </reference>
</substanceAdministration>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-MTPReferenceEntryContentModule)
@classCode	cs	**1 ... 1**	F	SBADM	
@moodCode	cs	**1 ... 1**	F	INT	
hl7:id		**1 ... 1**	**M**	Id of the Medication Treatmen Plan Item referenced	(CH-EMED-MTPReferenceEntryContentModule)
hl7:code	**CD**	**1 ... 1**	**M**		(CH-EMED-MTPReferenceEntryContentModule)
@code		**1 ... 1**	F	MTPItem	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		**1 ... 1**	**R**		(CH-EMED-MTPReferenceEntryContentModule)
hl7:manufacturedProduct		**1 ... 1**	**R**		(CH-EMED-MTPReferenceEntryContentModule)
hl7:manufacturedMaterial		**1 ... 1**	**R**		(CH-EMED-MTPReferenceEntryContentModule)
@nullFlavor	cs	**1 ... 1**	F	NA	
hl7:reference		**0 ... 1**	**R**		(CH-EMED-MTPReferenceEntryContentModule)
@tpyeCode	cs	**1 ... 1**	F	XCRPT	

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:externalDocument`		**0 ... 1**	**R**		(CH-EMED-MTPReferenceEntryContentModule)
`hl7:id`		**1 ... 1**	**M**		(CH-EMED-MTPReferenceEntryContentModule)

4.2.29 Manufactured Material Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	**Gültigkeit**	gültig ab 2016-06-13
Status	Draft	**Versions-Label**	
Name	CH-EMED-ManufacturedMaterialEntryContentModule	**Anzeigename**	Manufactured Material Entry Content Module
Beschreibung	A Medicine entry describes a medicine and is used within Medication Treatment- Prescription- or Dispensation Items. It describes either a medicinal produc generic/scientific name or a magistral preparation/compound medicine and contains information such as name, medication form, packaging information an active ingredients.		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 7 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-38	Präparatename	Parameter eMedikation
cdachemed-dataelement-39	Wirkstoffname	Parameter eMedikation
cdachemed-dataelement-40	Dosis pro Wirkstoff	Parameter eMedikation
cdachemed-dataelement-41	Dosis pro Einheit	Parameter eMedikation
cdachemed-dataelement-43	Packungsgrösse	Parameter eMedikation
cdachemed-dataelement-47	GTIN	Parameter eMedikation
cdachemed-dataelement-62	Galenische Form	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 12 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version

2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	Medication Treatment Plan Item Entry Content Module	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1		Dispense Item Entry Content Module	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.311 (*2005-09-07*)

Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.1 (*2016-01-08 13:04:49*)

Beispiel

Beispiel

```
<manufacturedMaterial classCode="MMAT" determinerCode="KIND">

  <!-- CDACH-EMED Manufactured Material Content Module -->

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/>

  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/>

  <code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol">

    <originalText>

      <reference value="#mtp.1.ingredient"/>

    </originalText>
  </code>
  <name>BELOC ZOK Ret Tabl 50 mg</name>
```

```
  <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

  <pharm:asContent classCode="CONT">

    <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE">

      <!-- National medicinal product code (package-level) -->

      <pharm:code code="7680521101306" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="BELOC ZOK Ret Tabl 50 mg 30 Stk"/>

      <!-- Brand name (package) -->

      <pharm:name>BELOC ZOK Ret Tabl 50 mg</pharm:name>
      <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

      <pharm:capacityQuantity value="30"/>

    </pharm:containerPackagedMedicine>
  </pharm:asContent>
  <pharm:ingredient classCode="ACTI">

    <pharm:quantity>

      <pharm:numerator unit="mg" value="50" xsi:type="pharm:PQ"/>

      <pharm:denominator value="1" xsi:type="pharm:PQ"/>

    </pharm:quantity>
    <pharm:ingredient classCode="MMAT" determinerCode="KIND">

      <pharm:code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol"/>

      <pharm:name>Metoprolol</pharm:name>
    </pharm:ingredient>
  </pharm:ingredient>
</manufacturedMaterial>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedMaterial					(CH-EMED-ManufacturedMaterialEntryContentMod
@classCode	cs	**0 ... 1**	F	MMAT	
@determinerCode	cs	**0 ... 1**	F	KIND	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**1 ... 1**	**M**	CDACH-EMED Manufactured Material Content Module	(CH-EMED-ManufacturedMaterialEntryContentMod
wo *[@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2']*					
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-ManufacturedMaterialEntryContentMod
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.1']*					
@root	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.1	
hl7:code	**CE**	**1 ... 1**	**R**	ATC Code of the medicine, if it as magistral preparation/compound medicin nullFlavor SHALL be NA	(CH-EMED-ManufacturedMaterialEntryContentMod
@codeSystem	oid	**0 ... 1**	F	2.16.840.1.113883.6.73	
hl7:originalText	**ED**	**0 ... 1**			(CH-EMED-ManufacturedMaterialEntryContentMod
hl7:reference	**TEL**	**1 ... 1**	**R**		(CH-EMED-ManufacturedMaterialEntryContentMod
@nullFlavor	cs	**0 ... 1**	F	NA	
hl7:name	**EN**	**1 ... 1**	**R**	The element SHALL contain the name of the medication.	IHE PHARM PRE 6.3.4.1.3.4
@nullFlavor	cs	**0 ... 1**	F	NA	
		Ziel der Konzept Id(s): cdachemed-dataelement-38 Präparatename Parameter eMedikation			
pharm:formCode	**CE**	**0 ... 1**		This code represents the pharmaceutical dose form (e.g., tablet, capsule, liquid) and SHOULD be present, if not implied by the product.	(CH-EMED-ManufacturedMaterialEntryContentMod
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14411 *OrderableDrugForm* (DYNAMIC)			
		Ziel der Konzept Id(s):			

Item	DT	Kard	Konf	Beschreibung	Label
		cdachemed-dataelement-62		Galenische Form	Parameter eMedikation
`hl7:lotNumberText`	**ST**	**0 ... 1**			IHE PHARM PRE 6.3.4.1.3.6
`pharm:expirationTime`	**CE**	**0 ... ***			IHE PHARM PRE 6.3.4.1.3.7
`@value`		**1 ... 1**	R		
`pharm:asContent`		**0 ... ***			IHE PHARM PRE 6.3.4.1.3.8
`@classCode`	cs	**1 ... 1**	F	CONT	
`pharm:containerPackagedMedicine`		**1 ... ***	**R**	packaging of the medication	IHE PHARM PRE 6.3.4.1.3.8
`@classCode`	cs	**1 ... 1**	F	CONT	
`@determinerCode`	cs	**1 ... 1**	F	INSTANCE	
`pharm:code`		**0 ... 1**		In case the medicine describes a product, the GTIN code of the medication package SHOULD be specified.	IHE PHARM PRE 6.3.4.1.3.8
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-47		GTIN	Parameter eMedikation
`pharm:name`		**0 ... 1**		In case the package describes a product, and the package has a brand name, it SHOULD be described.	IHE PHARM PRE 6.3.4.1.3.8
`pharm:formCode`		**0 ... 1**			IHE PHARM PRE 6.3.4.1.3.8
`pharm:capacityQuantity`	**PQ**	**1 ... 1**	**R**	The element SHALL be present and describes the capacity of the packaging.	IHE PHARM PRE 6.3.4.1.3.8
`@unit`	cs	**0 ... 1**			
`@value`		**1 ... 1**	R		

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-43 Packungsgrösse Parameter eMedikation			
pharm:ingredient		**0 ... ***		One or more active ingredients SHOULD be represented with this structure.	(CH-EMED-ManufacturedMaterialEntryContentMod
@classCode	cs	**1 ... 1**	F	ACTI	
pharm:quantity		**0 ... 1**		The medication strength is represented as the ratio of the active ingredient(s) to a unit of medication	(CH-EMED-ManufacturedMaterialEntryContentMod
		Ziel der Konzept Id(s): cdachemed-dataelement-40 Dosis pro Wirkstoff Parameter eMedikation cdachemed-dataelement-41 Dosis pro Einheit Parameter eMedikation			
pharm:numerator		**0 ... 1**			(CH-EMED-ManufacturedMaterialEntryContentMod
pharm:denominator		**0 ... 1**			(CH-EMED-ManufacturedMaterialEntryContentMod
pharm:ingredient		**0 ... ***			(CH-EMED-ManufacturedMaterialEntryContentMod
@classCode	cs	**1 ... 1**	F	MMAT	
@determinerCode	cs	**1 ... 1**	F	KIND	
pharm:code		**0 ... 1**			(CH-EMED-ManufacturedMaterialEntryContentMod
pharm:name		**1 ... 1**	**R**		(CH-EMED-ManufacturedMaterialEntryContentMod
		Ziel der Konzept Id(s): cdachemed-dataelement-39 Wirkstoffname Parameter eMedikation			

4.2.30 Medication Treatment Plan Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	**Gültigkeit**	gültig ab 2016-06-13
Status	Draft	**Versions-Label**	
Name	CH-EMED-MedicationTreatmentPlanEntryContentModule	**Anzeigename**	Medication Treatment Plan Item Entry Cont
Beschreibung	A medication treatment plan item is an entity describing a medication included in the medication treatment plan of the patient. See also IHE Pharmacy MTP		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 2 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-4	Arzneimittel/Herstellung	Parameter eMedik
cdachemed-dataelement-44	Wiederholter Bezug pro Arzneimittel	Parameter eMedik

Benutzt von / Benutzt

Benutzt von 11 Templates, Benutzt 7 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	Containment	eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	Dispense Item Entry Content Module	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Dispense Section Content Module	2016-06-06

2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
Benutzt Template-Id	**als**	**Name**	**Version**
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	CH-EMED-DosageInstructionsEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Containment	CH-EMED-ManufacturedMaterialEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	Containment	CH-EMED-TreatmentReasonEntryContentModule	DYNAMIC
1.3.6.1.4.1.19376.1.5.3.1.4.3	Containment	epsosPatientMedicationInstructions	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	Containment	CH-EMED-DosageInstructionsNonStructuredEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11	Containment	CH-EMED-DosageIntakeModeEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.10.4.2	Containment	CDACH-RemarksEntry	DYNAMIC

Beziehung

Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.7 (*2005-09-07*)

Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.7 (*DYNAMIC*)

Specialization: Template 2.16.840.1.113883.10.20.1.24 (*DYNAMIC*)

Beispiel

Beispiel

```
<substanceAdministration classCode="SBADM" moodCode="INT">
  <!-- IHE PHARM MTP Required element indicating the Medication Treatment
Plan entry content module -->
  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.7"/>
  <!-- CCD -->
  <templateId root="2.16.840.1.113883.10.20.1.24"/>
  <!-- PCC Medication Entry Content Module -->
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7"/>
  <!-- CH-EMED Medication Treatment Plan Item Entry Content Module -->
  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1"/>
  <!-- Split dosing -->
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.9"/>
```

```
<!-- ID of mtp item, PCC TF2 6.3.4.16.6 -->

<id root="2.16.756.5.30.1.1.1.1" extension="bcdc9970-4778-11e6-beb8-9e71128cae77"/>

<text>

  <reference value="#mtp.1"/>

</text>
<statusCode code="completed"/>

<effectiveTime xsi:type="IVL_TS">

  <low value="20120204"/>

</effectiveTime>
<routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/>

<consumable>

  <manufacturedProduct classCode="MANU">

    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.2"/>

    <templateId root="2.16.840.1.113883.10.20.1.53"/>

    <manufacturedMaterial classCode="MMAT" determinerCode="KIND">

      <!-- CDACH-EMED Manufactured Material Content Module -->

      <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/>

      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/>

      <code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol">

        <originalText>

          <reference value="#mtp.1.ingredient"/>

        </originalText>
      </code>
      <name>BELOC ZOK Ret Tabl 50 mg</name>
      <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

      <pharm:asContent classCode="CONT">

        <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE">

          <!-- National medicinal product code (package-level) -->
```

```
            <pharm:code code="7680521101306" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="BELOC ZOK Ret Tabl 50 mg 30 St

            <!-- Brand name (package) -->

            <pharm:name>BELOC ZOK Ret Tabl 50 mg</pharm:name>
            <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

            <pharm:capacityQuantity value="30"/>

          </pharm:containerPackagedMedicine>
        </pharm:asContent>
        <pharm:ingredient classCode="ACTI">

          <pharm:quantity>

            <pharm:numerator unit="mg" value="50" xsi:type="pharm:PQ"/>

            <pharm:denominator value="1" xsi:type="pharm:PQ"/>

          </pharm:quantity>
          <pharm:ingredient classCode="MMAT" determinerCode="KIND">

            <pharm:code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol"/>

            <pharm:name>Metoprolol</pharm:name>
          </pharm:ingredient>
        </pharm:ingredient>
      </manufacturedMaterial>
    </manufacturedProduct>
  </consumable>
  <entryRelationship typeCode="COMP">

    <!-- morgens 1 stück -->

    <sequenceNumber value="1"/>

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <effectiveTime xsi:type="EIVL_TS">

        <event code="ACM"/>

      </effectiveTime>
      <doseQuantity>

        <center value="1"/>

      </doseQuantity>
      <consumable>
```

```
      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>

      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">

  <!-- abends 0.5 stück -->

  <sequenceNumber value="2"/>

  <substanceAdministration classCode="SBADM" moodCode="INT">

    <effectiveTime xsi:type="EIVL_TS">

      <event code="ACV"/>

    </effectiveTime>
    <doseQuantity>

      <center value="0.5"/>

    </doseQuantity>
    <consumable>

      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>

      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="RSON">

  <observation classCode="OBS" moodCode="EVN">

    <templateId root="2.16.756.5.30.1.127.77.4.10.20"/>

    <code code="75326-9" codeSystem="2.16.840.1.113883.6.1" displayName="Problem"/>

    <statusCode code="completed"/>

    <value xsi:type="CD" nullFlavor="OTH">

      <originalText>
```

```
        <reference value="#mtp.1.reason"/>

      </originalText>
    </value>
  </observation>
</entryRelationship>
<entryRelationship typeCode="SUBJ" inversionInd="true">

  <act classCode="ACT" moodCode="INT">

    <templateId root="2.16.840.1.113883.10.20.1.49"/>

    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.3"/>

    <code code="PINSTRUCT" codeSystem="1.3.6.1.4.1.19376.1.5.3.2" codeSystemName="IHEActCode"/>

    <text>

      <reference value="#mtp.1.pinstruct"/>

    </text>
    <statusCode code="completed"/>

  </act>
</entryRelationship>
<entryRelationship typeCode="COMP">

  <!-- CH-EMED-DosageIntakeModeEntryContentModule -->

  <substanceAdministration moodCode="INT" classCode="SBADM">

    <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11"/>

    <text>

      <reference value="#mtp.1.dosageintakemode"/>

    </text>
    <consumable>

      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>

      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">
```

```
    <act classCode="ACT" moodCode="EVN">

      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>

      <templateId root="2.16.840.1.113883.10.20.1.40"/>

      <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation comment"/>

      <text>

        <reference value="#mtp.1.note"/>

      </text>
      <statusCode code="completed"/>

    </act>
  </entryRelationship>
</substanceAdministration>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-MedicationTreatmentPlanEntryC
@classCode	cs	**1 ... 1**	F	SBADM	
@moodCode	cs	**1 ... 1**	F	INT	
		Ziel der Konzept Id(s): cdachemed-dataelement-4		Arzneimittel/Herstellung	Parameter eMedikation
hl7:templateId	**II**	**1 ... 1**	**M**	IHE PHARM MTP	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.7']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.7	
hl7:templateId	**II**	**1 ... 1**	**M**	CCD	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@root='2.16.840.1.113883.10.20.1.24']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.24	
`hl7:templateId`	**II**	**1 ... 1**	**M**	PCC Medication Entry Content Module	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7']*					
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7	
`hl7:templateId`	**II**	**1 ... 1**	**M**	CH-EMED Medication Treatment Plan Item Entry Content Module	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@root='2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1']*					
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	
Auswahl		**1 ...**		Elemente in der Auswahl: ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1'] ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']	
`hl7:templateId`	**II**	**0 ... 1**		A normal substanceAdministration act that may not contain any subordinate substanceAdministration acts.	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1']*					
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.1	
`hl7:templateId`	**II**	**0 ... 1**		A substanceAdministration act that records split dose information in subordinate substanceAdministration acts.	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']*					
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.9	
`hl7:id`		**1 ... 1**	**M**	This ID represents the Medication Treatment Plan Item ID and SHALL be present. ID created by the software which created it or @root='2.16.756.5.30.1.1.3.5.1' with a GUID as @extension	(CH-EMED-MedicationTreatmentPlanEntryC
`hl7:code`		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC

Item	DT	Kard	Konf	Beschreibung	Label
hl7:originalText	**ED**	**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
hl7:text		**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
hl7:reference		**1 ... 1**	**M**	This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication included in the plan.	(CH-EMED-MedicationTreatmentPlanEntryC
hl7:statusCode		**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
@code		**1 ... 1**	F	completed	
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 *Dosage Instructions Entry Content Module* (DYNAMIC)	
hl7:effectiveTime	**IVL_TS**	**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@xsi:type='IVL_TS']*					
		Ziel der Konzept Id(s): cdachemed-dataelement-55		Behandlungsdauer	Parameter eMedikation
hl7:low	**TS**	**0 ... 1**		Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-MedicationTreatmentPlanEntryC
hl7:high	**TS**	**0 ... 1**		End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-MedicationTreatmentPlanEntryC
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@operator='A' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	A	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
@code	cs	**1 ... 1**	R		

Item	DT	Kard	Konf	Beschreibung	Label
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:effectiveTime	**SXPR_TS**	**0 ... 1**		Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@operator='A' and @xsi:type='SXPR_TS']*					
@operator	cs	**1 ... 1**	F	A	
@xsi:type	cs	**1 ... 1**	F	SXPR_TS	
		Ziel der Konzept Id(s): cdachemed-dataelement-50		Dosierung	Parameter eMedikation
hl7:comp		**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@xsi:type='EIVL_TS']*					
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:comp		**1 ... ***	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@operator='I' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	I	
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC

Item	DT	Kard	Konf	Beschreibung	Label
`@code`	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
`hl7:routeCode`		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 *RouteOfAdministration* (DYNAMI			
		Ziel der Konzept Id(s): cdachemed-dataelement-52 Verabreichungsweg Parameter eMedikation			
`hl7:doseQuantity`		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
`hl7:rateQuantity`		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
`hl7:entryRelationship`		**0 ... ***		Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@typeCode='COMP' and hl7:substanceAdministration]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:sequenceNumber`	**INT**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
`hl7:substanceAdministration`		**0 ... 1**	**R**		(CH-EMED-MedicationTreatmentPlanEntryC
`hl7:effectiveTime`	**EIVL_TS**	**0 ... 1**		timing purpose	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[@xsi:type='EIVL_TS']*					
`@xsi:type`	cs	**1 ... 1**	F	EIVL_TS	
`hl7:event`	**CS**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
`@code`	cs	**1 ... 1**	R		

Item	DT	Kard	Konf	Beschreibung	Label
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:doseQuantity		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
hl7:rateQuantity		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
hl7:consumable		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
hl7:manufacturedProduct		**0 ... 1**	**R**		(CH-EMED-MedicationTreatmentPlanEntryC
hl7:manufacturedMaterial		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
@nullFlavor	cs	**1 ... 1**	F	NA	
hl7:repeatNumber		**0 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
		Ziel der Konzept Id(s): cdachemed-dataelement-44		Wiederholter Bezug pro Arzneimittel	Parameter eMedikation
hl7:consumable		**1 ... 1**			(CH-EMED-MedicationTreatmentPlanEntryC
hl7:manufacturedProduct		**1 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2 *Manufactured Material Entry Content Module* (DYNAMIC)	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.2' and hl7:templateId/@root='2.16.840.1.113883.10.20.1.53']*					
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.2	
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanEntryC
@root	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.53	

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4 *Treatment Reason Entry Content Module* (DYNAMIC)	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[hl7:observation]*					
`@typeCode`	cs	**1 ... 1**	F	RSON	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.3 *epSOS Patient Medication Instructions* (DYNAMIC)	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[hl7:act [hl7:templateId [@root='1.3.6.1.4.1.19376.1.5.3.1.4.3']]]*					
`@typeCode`	cs	**1 ... 1**	F	SUBJ	
`@inversionInd`	bl	**1 ... 1**	F	true	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10 *Dosage Instructions Non Structured Entry Content Module* (DYNAMIC)	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11 *Dosage Intake Mode Entry Content Module* (DYNAMIC)	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.4.2 *CDA-CH Remarks Entry* (DYNAMIC)	(CH-EMED-MedicationTreatmentPlanEntryC
wo *[hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	

4.2.31 eCurrentMedication Section Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1 - 2016-05-21

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	**Gültigkeit**	gültig ab 2016-05-21

Status	Draft	**Versions-Label**	
Name	CH-EMED-MedicationTreatmentPlanSectionContentModule	**Anzeigename**	eCurrentMedication Section Content M
Beschreibung	The eCurrentMedication Section Section includes the current medication of a patient as complete as possible. It includes entries for Medication Treatment Pl described in the Medication Treatment Plan Item Entry Content Module. See also IHE Pharmacy MTP Suppl		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 1 Template, Benutzt 1 Template

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1	Containment	eCurrentMedication V1	2016-05-13

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	CH-EMED-MedicationTreatmentPlanEntryContentModule	DYNAMIC

Beziehung: Specialization: Template 2.16.840.1.113883.10.12.201 (*2005-09-07*)

Beispiel

Beispiel

```
<section>

  <!-- CDA-CH EMED eCurrentMedication Section -->

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1"/>

  <!-- CCD -->

  <templateId root="2.16.840.1.113883.10.20.1.8"/>

  <code code="77604-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medication treatment plan.brief"/>

  <title>eCurrentMedication</title>
  <text>

    <!-- ... -->

  </text>
  <entry>

    <!-- ... -->

  </entry>
</section>
```

Beispiel

Beispiel

```
<section>

  <!-- CDA-CH EMED eCurrentMedication Section-->

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1"/>

  <!-- CCD -->

  <templateId root="2.16.840.1.113883.10.20.1.8"/>

  <code code="77604-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medication treatment plan.brief"/>

  <title>eCurrentMedication</title>
  <text>

    <table>

      <thead>

        <tr>

          <th>Präpartename</th>
          <th>Wirkstoffname</th>
          <th>Dosis pro Einheit</th>
          <th>Galenische Form</th>
          <th>Verabreichungsweg</th>
          <th>Anwendungsschema (Einnahmemodus)</th>
          <th>Dos.Morgen</th>
          <th>Dos.Mittag</th>
          <th>Dos.Abend</th>
          <th>Dos.Nacht</th>
          <th>Anwendungsdauer (Behandlungsdauer)</th>
          <th>Behandlungsgrund</th>
          <th>Status</th>
          <th>Hinweis</th>
        </tr>
      </thead>
      <tbody>

        <tr ID="mtp.1">

          <td ID="mtp.1.brandedmedication">Triatec</td>
          <td ID="mtp.1.ingredient">Ramipril</td>
          <td ID="mtp.1.dosequantity">2.5 mg</td>
          <td ID="mtp.1.packageform">Tbl</td>
          <td ID="mtp.1.routecode">oral</td>
          <td ID="mtp.1.dosageintakemode">Morgens 1/2 Tablette nehmen</td>
          <td ID="mtp.1.dosagemorning">0.5</td>
          <td ID="mtp.1.dosagelunch">0</td>
```

```
          <td ID="mtp.1.dosageevening">0</td>
          <td ID="mtp.1.dosagenight">0</td>
          <td ID="mtp.1.datefromto"/>

          <td ID="mtp.1.reason">Bluthochdruck</td>
          <td ID="mtp.1.status">abgegeben</td>
          <td ID="mtp.1.note"/>

        </tr>
      </tbody>
    </table>
  </text>
  <!-- Initial Planning of Triatec -->

  <entry>

    <!-- ... -->

  </entry>
</section>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CH-EMED-MedicationTreatmentPlanSectionConte
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanSectionConte
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1 CDA-CH EMED eCurrentMedication	
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanSectionConte
@root	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.8 CCD	
hl7:id	**II**	**0 ... 1**			(CH-EMED-MedicationTreatmentPlanSectionConte
hl7:code	**CE**	**0 ... 1**			(CH-EMED-MedicationTreatmentPlanSectionConte

Item	DT	Kard	Konf	Beschreibung	Label
`@code`		**1 ... 1**	F	77604-7	
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
`@displayName`		**1 ... 1**	F	Medication treatment plan.brief	
`@codeSystemName`		**1 ... 1**	F	LOINC	
`hl7:title`	**ST**	**0 ... 1**			(CH-EMED-MedicationTreatmentPlanSectionConte
	CONF	Elementinhalt muss "eCurrentMedication" sein			
`hl7:text`	**SD.TEXT**	**1 ... 1**	**M**		(CH-EMED-MedicationTreatmentPlanSectionConte
`hl7:entry`		**0 ... ***		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 *Medication Treatment Plan Item Entry Content Module* (DYNAMIC)	(CH-EMED-MedicationTreatmentPlanSectionConte

4.2.32 <CH-EMED-NAME> 2.16.756.5.30.1.1.1.1.3.10.10.2.2 - 2016-06-09

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.2	**Gültigkeit**	gültig ab 2016-06-09
Status	Draft	**Versions-Label**	
Name	CH-EMED-NAME	**Anzeigename**	<CH-EMED-NAME>
Beschreibung	The name SHALL have a family name and given names.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 2 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-7	Name	Parameter eMedikation

	cdachemed-dataelement-8	Vorname	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.10.2.1		<CH-EMED-AUTO>	2016-06-09
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.10.2.4		<CH-EMED-CONT>	2016-06-09

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.152 (*2005-09-07*)

Specialization: Template 2.16.756.5.30.1.1.10.9.10 (*2015-12-18*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:name`	**PN**	**1 ... ***	**M**		(CH-EMED-NAME)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CH-EMED-NAME)
		Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CH-EMED-NAME)
		Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			

4.2.33 <CH-EMED-PAT> 2.16.756.5.30.1.1.1.1.3.10.10.2.5 - 2016-06-08

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.5	**Gültigkeit**	gültig ab 2016-06-08
Status	Draft	**Versions-Label**	
Name	CH-EMED-PAT	**Anzeigename**	<CH-EMED-PAT>
Beschreibung	Patient Information. The patient SHALL have a given name, familiy name and the birthTime SHALL be provided at least to the birth year.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 5 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-3	Patient	Parameter eMedikation
cdachemed-dataelement-25	Geburtsjahr	Parameter eMedikation
cdachemed-dataelement-26	Geburtsdatum	Parameter eMedikation
cdachemed-dataelement-23	Name	Parameter eMedikation
cdachemed-dataelement-24	Vorname	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 4 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.101 (*2005-09-07*)

Specialization: Template 2.16.756.5.30.1.1.10.2.1 (*2015-12-14*)

Beispiel	Beispiel
	`<recordTarget>`
	`  <patientRole>`
	`  <id nullFlavor="NI"/>`
	`  <patient>`
	`  <name>`
	`  <family>Wegmüller</family>`
	`  <given>Monika</given>`
	`  </name>`
	`  <birthTime value="1943"/>`
	`  </patient>`
	`  </patientRole>`
	`</recordTarget>`

Beispiel	Beispiel
	`<recordTarget>`
	`  <patientRole>`
	`  <id extension="80756999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>`
	`  <addr>`
	`  <streetAddressLine>Idastrasse 50</streetAddressLine>`
	`  <city>Zürich</city>`
	`  <postalCode>8003</postalCode>`
	`  <country>CH</country>`
	`  </addr>`
	`  <telecom value="tel:+41.44.300.00.00" use="HP"/>`
	`  <telecom value="tel:+41.44.300.00.00" use="MC"/>`
	`  <telecom value="tel:+41.44.300.00.00" use="WP"/>`
	`  <patient>`
	`  <name>`
	`  <family>Wegmüller</family>`
	`  <given>Monika</given>`
	`  </name>`
	`  <administrativeGenderCode code="F" codeSystem="2.16.840.1.113883.5.1" displayName="Female"/>`

```
      <birthTime value="19430515"/>

    </patient>
  </patientRole>
</recordTarget>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:recordTarget		**1 ... ***	**M**		(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-3 Patient Parameter eMedikation			
hl7:patientRole		**1 ... 1**	**M**		(CH-EMED-PAT)
hl7:id	**II**	**1 ... ***	**R**	Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CH-EMED-PAT)
	Beispiel	`<id extension="80756999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>`			
hl7:addr	**AD**	**0 ... ***			(CH-EMED-PAT)
hl7:streetAddressLine	**ADXP**	**0 ... ***			(CH-EMED-PAT)
hl7:postalCode	**ADXP**	**0 ... ***			(CH-EMED-PAT)
hl7:city	**ADXP**	**0 ... ***			(CH-EMED-PAT)
hl7:country	**ADXP**	**0 ... ***			(CH-EMED-PAT)

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:telecom`	**TEL**	**0 ... ***			(CH-EMED-PAT)
`hl7:patient`		**1 ... 1**	**M**		(CH-EMED-PAT)
`hl7:name`	**PN**	**1 ... ***	**M**		(CH-EMED-PAT)
`hl7:given`	**ENXP**	**1 ... ***	**M**		(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-24		Vorname Parameter eMedikation	
`hl7:family`	**ENXP**	**1 ... 1**	**M**		(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-23		Name Parameter eMedikation	
`hl7:administrativeGenderCode`	**CE**	**0 ... 1**			(CH-EMED-PAT)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 *AdministrativeGender* (DYNAMIC)			
`hl7:birthTime`	**TS**	**1 ... 1**	**M**	The birthday SHALL be provided at least to the birth year.	(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-25		Geburtsjahr Parameter eMedikation	

Item	DT	Kard	Konf	Beschreibung		Label
		cdachemed-dataelement-26		Geburtsdatum	Parameter eMedikation	

4.2.34 Pharmaceutical Advice Concern Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2 - 2016-07-12

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2	**Gültigkeit**	gültig ab 2016-07-12
Status	Draft	**Versions-Label**	
Name	CH-EMED-PharmaceuticalAdviceConcernItemEntryContentModule	**Anzeigename**	Pharmaceutical Advice Concern It
Beschreibung	A Pharmaceutical Advice Concern Item belongs to one Pharmaceutical Advice Item and represents the information to concerns (e.g., problems, allergies, etc.) Treatment Plan-, Prescription- or Dispense Item referenced by the underlying Pharmaceutical Advice Item causes.		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Daten
cdachemed-dataelement-67	Typ des Kommentars	Param

Benutzt von / Benutzt

Benutzt von 3 Templates, Benutzt 4 Templates

Benutzt von Template-Id	als	Name	V
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	Pharmaceutical Advice Item Entry Content Module	2
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2

Benutzt Template-Id	als	Name	V
1.3.6.1.4.1.12559.11.22.1.50	Inklusion	MedicationTreatmentPlanItem	D
1.3.6.1.4.1.12559.11.22.1.51	Inklusion	PrescriptionItem	D
1.3.6.1.4.1.12559.11.22.1.52	Inklusion	DispenseItem	D

	1.3.6.1.4.1.19376.1.9.1.3.2	Containment	PrescriptionItemEntry	D
Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.5 (*DYNAMIC*)			

Beispiel

Beispiel

```
<entryRelationship typeCode="REFR" inversionInd="false">

  <act classCode="ACT" moodCode="EVN">

    <templateId root="2.16.840.1.113883.10.20.1.27"/>

    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5.1"/>

    <templateId root="1.3.6.1.4.1.19376.1.9.1.3.5"/>

    <id root="2.16.756.5.30.1.1.1.1" extension="9cdbaef6-2971-11e6-b67b-9e71128cae77"/>

    <code nullFlavor="NA"/>

    <text>

      <reference value="#padv1.comment"/>

    </text>
    <statusCode code="completed"/>

    <effectiveTime>

      <low value="20120204140000+0100"/>

    </effectiveTime>
    <entryRelationship typeCode="SUBJ" inversionInd="false">

      <observation classCode="OBS" moodCode="EVN" negationInd=" false">

        <templateId root="2.16.840.1.113883.10.20.1.28"/>

        <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5"/>

        <code code="282291009" displayName="Diagnosis" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"/>

        <text>

          <reference value="#padv.1.typ"/>

        </text>
        <statusCode code="completed"/>
```

```
        <effectiveTime>

          <low value="20120204140000+0100"/>

        </effectiveTime>
        <value xsi:type="CD">

          <originalText>

            <reference value="#padv.1.typ"/>

          </originalText>
        </value>
        <!-- Typ -->

        <interpretationCode code="2" codeSystem="2.16.756.5.30.1.127.77.4.11.3" displayName="Intervention"/>

      </observation>
    </entryRelationship>
  </act>
</entryRelationship>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:act					(CH-EMED-PharmaceuticalAdviceConcernItemEr
@classCode		**1 ... 1**	F	ACT	
@moodCode		**1 ... 1**	F	EVN	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.2
wo *[@root='2.16.840.1.113883.10.20.1.27']*					
@root		**1 ... 1**	F	2.16.840.1.113883.10.20.1.27	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.2
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.5.1']*					
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.5.1	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.2
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.5']*					
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.5	
hl7:templateId	**II**	**1 ... 1**	**M**		CH-EMED-PharmaceuticalAdviceCon
wo *[@root='2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2']*					
@root		**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2	
hl7:id	**II**	**1 ... 1**	**R**		IHE PHARM PADV 6.3.4.4.3.3
hl7:code	**CD**	**1 ... 1**	**R**		IHE PHARM PADV 6.3.4.4.3.4
@nullFlavor		**1 ... 1**	F	NA	
hl7:text		**0 ... 1**			IHE PHARM PADV 6.3.4.4.3.5
hl7:reference		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.5
hl7:statusCode	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.6
@code		**1 ... 1**	F	active	
hl7:effectiveTime		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.7
Auswahl		**1 ... ***		Elemente in der Auswahl: ▪ hl7:entryRelationship[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.5'] ▪ hl7:entryRelationship[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.6']	
hl7:entryRelationship					IHE PHARM PADV 6.3.4.4.3.8

Item	DT	Kard	Konf	Beschreibung	Label
wo *[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.5']*					
`@typeCode`		**1 ... 1**	F	SUBJ	
`hl7:observation`					IHE PHARM PADV 6.3.4.4.3.8
`hl7:templateId`	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.5	
`hl7:code`	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.4 *ProblemType* (DYNAMIC)			
`hl7:text`		**0 ... 1**			IHE PHARM PADV 6.3.4.4.3.8
`hl7:reference`		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
`hl7:statusCode`	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
`@code`		**1 ... 1**	F	completed	
`hl7:effectiveTime`		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
`hl7:low`	**TS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
`hl7:high`	**TS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
`hl7:value`	**CD**	**1 ... ***	**M**		IHE PHARM PADV 6.3.4.4.3.8
`hl7:originalText`			**R**		IHE PHARM PADV 6.3.4.4.3.8

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:reference`		**0 ... 1**	**R**		IHE PHARM PADV 6.3.4.4.3.8
`hl7:interpretationCode`	**CS**	**0 ... 1**			IHE PHARM PADV 6.3.4.4.3.8
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.3 *eMedicationCommentType* (DYNA			
		Ziel der Konzept Id(s): cdachemed-dataelement-67		Typ des Kommentars	Parameter eMedikation
`hl7:entryRelationship`					IHE PHARM PADV 6.3.4.4.3.8
wo *[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.6']*					
`@typeCode`		**1 ... 1**	F	SUBJ	
`hl7:observation`					IHE PHARM PADV 6.3.4.4.3.8
`hl7:templateId`	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.4.3.8
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.6	
Auswahl		**0 ... 1**		Elemente in der Auswahl: ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:code/@code='MTPItem'] eingefügt vom Template 1 *Medication Treatment Plan Item* (DYNAMIC) ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:code/@code='PREItem'] eingefügt vom Template 1. *Prescription Item* (DYNAMIC) ▪ hl7:entryRelationship[hl7:supply/hl7:code/@code='DISItem'] eingefügt vom Template 1.3.6.1.4.1.12559.11. (DYNAMIC) ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.7'] ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2'] we 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC) ▪ hl7:entryRelationship[hl7:supply/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4']	
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.50 *Medication Treatment Plan Item* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
wo *[hl7:substanceAdministration/hl7:code/@code='MTPItem']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:substanceAdministration					(CH-EMED-PharmaceuticalAdviceConcernItemEr
@classCode		**1 ... 1**	F	SBADM	
@moodCode		**1 ... 1**	F	INT	
hl7:id		**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
hl7:code	**CD**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
@code		**1 ... 1**	F	MTPItem	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
hl7:manufacturedProduct		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
hl7:manufacturedMaterial		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
@nullFlavor		**1 ... 1**	F	NA	
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.51 *Prescription Item* (DYNAMIC)	
hl7:entryRelationship		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
wo *[hl7:substanceAdministration/hl7:code/@code='PREItem']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@typeCode`		**1 ... 1**	F	REFR	
`hl7:substanceAdministration`					(CH-EMED-PharmaceuticalAdviceConcernItemEr
`@classCode`		**1 ... 1**	F	SBADM	
`@moodCode`		**1 ... 1**	F	INT	
`hl7:id`		**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
`hl7:code`	**CD**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
`@code`		**1 ... 1**	F	PREItem	
`@codeSystem`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
`hl7:consumable`		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
`hl7:manufacturedProduct`		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
`hl7:manufacturedMaterial`		**1 ... 1**	**R**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
`@nullFlavor`		**1 ... 1**	F	NA	
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.52 *Dispense Item* (DYNAMIC)	
`hl7:entryRelationship`		**0 ... 1**			(CH-EMED-PharmaceuticalAdviceConcernItemEr
wo *[hl7:supply/hl7:code/@code='DISItem']*					
`@typeCode`		**1 ... 1**	F	REFR	
`hl7:supply`					(CH-EMED-PharmaceuticalAdviceConcernItemEr

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`		**1 ... 1**	F	SPLY	
`@moodCode`		**1 ... 1**	F	EVN	
`hl7:id`		**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
`hl7:code`	**CD**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
`@code`		**1 ... 1**	F	DISItem	
`@codeSystem`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
`hl7:entryRelationship`		**0 ... ***			IHE PHARM PADV 6.3.4.3.3.13
wo *[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.7']*					
`@typeCode`		**1 ... 1**	F	REFR	
`@inversionInd`		**0 ... 1**	F	false	
`hl7:substanceAdministration`					IHE PHARM PADV 6.3.4.3.3.13
`@classCode`		**1 ... 1**	F	SBADM	
`@moodCode`		**1 ... 1**	F	INT	
`hl7:templateId`	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.13
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.7	
`hl7:entryRelationship`				Beinhaltet 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC)	(CH-EMED-PharmaceuticalAdviceConcernItemEr
wo *[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2']*					

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		**0 ... 1**			(CH-EMED-PharmaceuticalAdviceConcernItemEr
wo *[hl7:supply/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:supply					(CH-EMED-PharmaceuticalAdviceConcernItemEr
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.4	
hl7:entryRelationship		**0 ... 1**			(CH-EMED-PharmaceuticalAdviceConcernItemEr
wo *[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.1']*					
@typeCode		**1 ... 1**	F	SUBJ	
@inversionInd		**1 ... 1**	F	true	
hl7:observation					(CH-EMED-PharmaceuticalAdviceConcernItemEr
@classCode		**1 ... 1**	F	OBS	
@moodCode		**1 ... 1**	F	EVN	
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
@root		**1 ... 1**	F	2.16.840.1.113883.10.20.1.55	
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.1	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:code	**CE**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
@code		**1 ... 1**	F	SEV	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	**ED**	**1 ... 1**	**R**	The observation element shall contain a text element that points to the narrative text describing the clinical status.	(CH-EMED-PharmaceuticalAdviceConcernItemEr
hl7:reference	**TEL**	**0 ... 1**			(CH-EMED-PharmaceuticalAdviceConcernItemEr
@value		**1 ... 1**	R		
hl7:statusCode	**CS**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceConcernItemEr
@code		**1 ... 1**	F	completed	
hl7:value	**CE**	**1 ... 1**	**R**	The value element contains the clinical status. It is always represented using the CE datatype (xsi:type='CE'). It shall contain a code from the following set of values from SNOMED CT.	(CH-EMED-PharmaceuticalAdviceConcernItemEr
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16643 *SeverityObservation* (DYNAMIC)			

4.2.35 Pharmaceutical Advice Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1 - 2016-06-25

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	**Gültigkeit**	gültig ab 2016-06-25
Status	Draft	**Versions-Label**	
Name	CH-EMED-PharmaceuticalAdviceItemEntryContentModule	**Anzeigename**	Pharmaceutical Advice Item Entry Content Module
Beschreibung	A Pharmaceutical Advice Item belongs to one Pharmaceutical Advice and represents the validation outcome or management command regarding the referenced Medication Treatment Plan-, Prescription- or Dispense Item (e.g., change, cancel, etc.).		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		

Label	IHE PHARM PADV 6.3.4.3
Klassifikation	CDA Entry Level Template
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)

Benutzt von / Benutzt

Benutzt von 2 Templates, Benutzt 9 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Containment	Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	Containment	CH-EMED-MTPReferenceEntryContentModule	DYNAMIC
1.3.6.1.4.1.12559.11.22.1.51	Containment	PrescriptionItem	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	CH-EMED-PrescriptionItemEntryContentModule	DYNAMIC
1.3.6.1.4.1.12559.11.22.1.52	Containment	DispenseItem	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	CH-EMED-DispenseItemEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2	Containment	CH-EMED-PharmaceuticalAdviceConcernItemEntryContentModule	DYNAMIC
1.3.6.1.4.1.19376.1.9.1.3.2	Containment	PrescriptionItemEntry	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	CH-EMED-DosageInstructionsEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.10.4.2	Containment	CDACH-RemarksEntry	DYNAMIC

Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.3 (*DYNAMIC*)

Beispiel

Beispiel

```
<observation classCode="OBS" moodCode="EVN">
  <!-- IHE PHARM PADV -->
  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.3"/>
  <!-- CH-EMED-PharmaceuticalAdviceItemEntryContentModule -->
  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1"/>
  <id root="2.16.756.5.30.1.1.1.1" extension="9cdbaef6-2971-11e6-b67b-9e71128cae77"/>
  <!-- medication will be canceled -->
```

```
  <code code="CANCEL" codeSystem="1.3.6.1.4.1.19376.1.9.2.1" codeSystemName="IHE Pharmaceutical Advice Status List"/>

  <text>

    <reference value="#padv.1"/>

  </text>
  <statusCode code="completed"/>

  <effectiveTime value="20120204140000+0100"/>

  <entryRelationship typeCode="REFR">

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <!-- reference to eCurrent Medication MTP Item Step 1 (not step 2) -->

      <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>

      <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName=" Medication Treatment Plan Item" codeSystemName="IHE
Pharmacy Item Type List"/>

      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <!-- One or more Pharmaceutical Advice Concern entries -->

  <entryRelationship typeCode="REFR" inversionInd="false">

    <act classCode="ACT" moodCode="EVN">

      <templateId root="2.16.840.1.113883.10.20.1.27"/>

      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5.1"/>

      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.5"/>

      <id root="2.16.756.5.30.1.1.1.1" extension="9cdbaef6-2971-11e6-b67b-9e71128cae77"/>

      <code nullFlavor="NA"/>

      <text>
```

```
        <reference value="#padv1.comment"/>

      </text>
      <statusCode code="completed"/>

      <effectiveTime>

        <low value="20120204140000+0100"/>

      </effectiveTime>
      <entryRelationship typeCode="SUBJ" inversionInd="false">

        <observation classCode="OBS" moodCode="EVN" negationInd=" false">

          <templateId root="2.16.840.1.113883.10.20.1.28"/>

          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5"/>

          <code code="282291009" displayName="Diagnosis" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"/>

          <text>

            <reference value="#padv.1.typ"/>

          </text>
          <statusCode code="completed"/>

          <effectiveTime>

            <low value="20120204140000+0100"/>

          </effectiveTime>
          <value xsi:type="CD">

            <originalText>

              <reference value="#padv.1.typ"/>

            </originalText>
          </value>
          <!-- Typ -->

          <interpretationCode code="2" codeSystem="2.16.756.5.30.1.127.77.4.11.3" displayName="Intervention"/>

        </observation>
      </entryRelationship>
      <entryRelationship typeCode="SUBJ" inversionInd="true">

        <observation classCode="OBS" moodCode="EVN">
```

```
          <templateId root="2.16.840.1.113883.10.20.1.55"/>

          <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.1"/>

          <code code="SEV" displayName="Severity" codeSystem="2.16.840.1.113883.5.4" codeSystemName="ActCode"/>

          <text>

            <reference value="#padv.1.classificaton"/>

          </text>
          <statusCode code="completed"/>

          <!-- Schweregrad H: kritisch, rot M: gelb, relevant L: grün -->

          <value xsi:type="CD" code="H" codeSystem="2.16.840.1.113883.5.1063" codeSystemName="ObservationValue"/>

        </observation>
      </entryRelationship>
    </act>
  </entryRelationship>
  <!-- reference to eCurrent Medication Step 1 (not step 2) -->

  <reference typeCode="XCRPT">

    <externalDocument>

      <id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/>

    </externalDocument>
  </reference>
</observation>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					IHE PHARM PADV 6.3.4.3
@moodCode	cs	**1 ... 1**	F	EVN	
hl7:templateId	**II**	**1 ... 1**	**M**	IHE PHARM PADV	IHE PHARM PADV 6.3.4.3

Item	DT	Kard	Konf	Beschreibung	Label
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.3']*					
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.3	
`hl7:templateId`	**II**	**1 ... 1**	**M**	CH-EMED-PharmaceuticalAdviceItemEntryContentModule	IHE PHARM PADV 6.3.4.3
wo *[@root='2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1']*					
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	
`hl7:id`	**II**	**1 ... ***	**M**		IHE PHARM PADV 6.3.4.3.3.3
`hl7:code`	**CD**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.3.2
	CONF	@code muss "OK" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "CHANGE" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "CANCEL" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "SUSPEND" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "REFUSE" sein				

Item	DT	Kard	Konf	Beschreibung	Label
		@codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein			
`hl7:text`		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.5
`hl7:reference`		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.5
`hl7:statusCode`	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.6
	CONF	@code muss "active" sein oder @code muss "completed" sein			
`hl7:effectiveTime`		**0 ...**			IHE PHARM PADV 6.3.4.3
`@value`		**1 ... 1**	R		
Auswahl		**0 ... 1**		If the pharmaceutical advice is related to a Medication Treatment Plan Item, the reference to it SHALL be present. Elemente in der Auswahl: ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *MTP Reference Entry Content Module* (DYNAMIC)	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *MTP Reference Entry Content Module* (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.9
wo *[@typeCode='REFR']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@typeCode`	cs	**1 ... 1**	F	REFR	
Auswahl		**0 ... 1**		The reference to the Prescription Item this Pharmaceutical Advice is related to SHALL be present, containing either the Id of the Prescription Item referenced or a whole Prescription Item Entry described in the Pharmacy Prescription (PRE) Content Profile. Elemente in der Auswahl: ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 1.3.6.1.4.1.12559.11.22.1.51 *Prescription Item* (DYNAMIC) ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1 *Prescription Item Entry Content Module* (DYNAMIC)	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 1.3.6.1.4.1.12559.11.22.1.51 *Prescription Item* (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.1
wo *[@typeCode='REFR']*					
`@typeCode`	cs	**1 ... 1**	F	REFR	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1 *Prescription Item Entry Content Module* (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.1
wo *[@typeCode='REFR']*					
`@typeCode`	cs	**1 ... 1**	F	REFR	
Auswahl		**0 ... 1**		The reference to the Dispense Item this Pharmaceutical Advice is related to SHALL be present, containing either the Id of the Dispense Item referenced or a whole Dispense Item Entry described in the Pharmacy Dispense (DIS) Content Profile. Elemente in der Auswahl: ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 1.3.6.1.4.1.12559.11.22.1.52 *Dispense Item* (DYNAMIC) ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 *Dispense Item Entry Content Module* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		**0 ... 1**		Beinhaltet 1.3.6.1.4.1.12559.11.22.1.52 *Dispense Item* (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.1
wo *[@typeCode='REFR']*					
@typeCode	cs	**1 ... 1**	F	REFR	
hl7:entryRelationship		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 *Dispense Item Entry Content Module* (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.1
wo *[@typeCode='REFR']*					
@typeCode	cs	**1 ... 1**	F	REFR	
hl7:entryRelationship		**0 ... ***		One or more Pharmaceutical Advice Concern entries MAY be present in case of validation issues with the objective Medication Treatment Plan-, Prescription- or Dispense Item. Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2 *Pharmaceutical Advice Concern Item Entry Content Module* (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.1
wo *[@typeCode='REFR' and inversionInd [@value='false']]*					
@typeCode	cs	**1 ... 1**	F	REFR	
@inversionInd	bl	**0 ... 1**	F	false	
hl7:entryRelationship		**0 ... ***			IHE PHARM PADV 6.3.4.3.3.1
wo *[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.7']*					
@typeCode	cs	**1 ... 1**	F	REFR	
@inversionInd	bl	**0 ... 1**	F	false	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					IHE PHARM PADV 6.3.4.3.3.1
@classCode	cs	**1 ... 1**	F	SBADM	
@moodCode	cs	**1 ... 1**	F	INT	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.7	
hl7:entryRelationship		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
wo *[hl7:organizer/hl7:component/hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2']*					
@typeCode	cs	**1 ... 1**	F	REFR	
@inversionInd	bl	**0 ... 1**	F	false	
hl7:organizer					IHE PHARM PADV 6.3.4.3.3.1
@classCode	cs	**1 ... 1**	F	CLUSTER	
@moodCode	cs	**1 ... 1**	F	EVN	
hl7:statusCode		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1

Item	DT	Kard	Konf	Beschreibung	Label
`@code`		**1 ... 1**	F	completed	
`hl7:component`		**1 ...**	**R**	Beinhaltet 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.1
`hl7:seperatableInd`		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
`@value`		**1 ... 1**	F	false	
`hl7:entryRelationship`		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
`@typeCode`	cs	**1 ... 1**	F	REFR	
`@inversionInd`	bl	**0 ... 1**	F	false	
`hl7:substanceAdministration`					IHE PHARM PADV 6.3.4.3.3.1
`@classCode`	cs	**1 ... 1**	F	SBADM	
`@moodCode`	cs	**1 ... 1**	F	INT	
`hl7:templateId`	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
`@root`	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.6	
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 *Dosage Instructions Entry Content Module* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	**IVL_TS**	**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
wo *[@xsi:type='IVL_TS']*					
		Ziel der Konzept Id(s): cdachemed-dataelement-55 Behandlungsdauer Parameter eMedikation			
hl7:low	**TS**	**0 ... 1**		Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	IHE PHARM PADV 6.3.4.3.3.1
hl7:high	**TS**	**0 ... 1**		End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	IHE PHARM PADV 6.3.4.3.3.1
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	IHE PHARM PADV 6.3.4.3.3.1
wo *[@operator='A' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	A	
hl7:event	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:effectiveTime	**SXPR_TS**	**0 ... 1**		Dosage Option 2. Multiple events within a day with the same dosage	IHE PHARM PADV 6.3.4.3.3.1
wo *[@operator='A' and @xsi:type='SXPR_TS']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@operator`	cs	**1 ... 1**	F	A	
`@xsi:type`	cs	**1 ... 1**	F	SXPR_TS	
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-50 Dosierung Parameter eMedikation			
`hl7:comp`		**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
wo *[@xsi:type='EIVL_TS']*					
`@xsi:type`	cs	**1 ... 1**	F	EIVL_TS	
`hl7:event`	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
`@code`	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
`hl7:comp`		**1 ... ***	**M**		IHE PHARM PADV 6.3.4.3.3.1
wo *[@operator='I' and @xsi:type='EIVL_TS']*					
`@operator`	cs	**1 ... 1**	F	I	
`@xsi:type`	cs	**1 ... 1**	F	EIVL_TS	
`hl7:event`	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1

Item	DT	Kard	Konf	Beschreibung	Label
`@code`	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
`hl7:routeCode`		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 *RouteOfAdministration* (DYNAMIC)			
		Ziel der Konzept Id(s): cdachemed-dataelement-52 Verabreichungsweg Parameter eMedikation			
`hl7:doseQuantity`		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
`hl7:rateQuantity`		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
`hl7:entryRelationship`		**0 ... ***		Dosage Option 3. Multiple events within a day with different dosage	IHE PHARM PADV 6.3.4.3.3.1
wo *[@typeCode='COMP' and hl7:substanceAdministration]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:sequenceNumber`	**INT**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
`hl7:substanceAdministration`		**0 ... 1**	**R**		IHE PHARM PADV 6.3.4.3.3.1

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		timing purpose	IHE PHARM PADV 6.3.4.3.3.1
wo *[@xsi:type='EIVL_TS']*					
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.4.3.3.1
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:doseQuantity		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
hl7:rateQuantity		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
hl7:consumable		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1
hl7:manufacturedProduct		**0 ... 1**	**R**		IHE PHARM PADV 6.3.4.3.3.1
hl7:manufacturedMaterial		**0 ... 1**			IHE PHARM PADV 6.3.4.3.3.1

Item	DT	Kard	Konf	Beschreibung	Label
`@nullFlavor`	cs	**1 ... 1**	F	NA	
`hl7:consumable`		**1 ... 1**	**R**		IHE PHARM PADV 6.3.4.3.3.1
`hl7:manufacturedProduct`		**1 ... 1**	**R**		IHE PHARM PADV 6.3.4.3.3.1
`hl7:manufacturedMaterial`		**1 ... 1**	**R**		IHE PHARM PADV 6.3.4.3.3.1
`@nullFlavor`	cs	**1 ... 1**	F	NA	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.4.2 *CDA-CH Remarks Entry* (DYNAMIC)	IHE PHARM PADV 6.3.4.3
wo *[hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:reference`		**0 ... ***			IHE PHARM PADV 6.3.4.3.3.1
`@typeCode`	cs	**1 ... 1**	F	XCRPT	
`hl7:externalDocument`		**1 ... 1**	**R**		IHE PHARM PADV 6.3.4.3.3.1
`hl7:id`		**1 ... ***	**M**		IHE PHARM

Item	DT	Kard	Konf	Beschreibung	Label
					PADV 6.3.4.3.3.1

4.2.36 Pharmaceutical Advice Section Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1 - 2016-06-06

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	**Gültigkeit**	gültig ab 2016-06-06
Status	Draft	**Versions-Label**	
Name	CH-EMED-PharmaceuticalAdviceSectionContentModule	**Anzeigename**	Pharmaceutical Advice Section Content Modu
Beschreibung	The Pharmaceutical Advice section contains a pharmaceutical advice to a medication prescribed or dispensed for the patient. It shall include exactly one Pharmaceutical Advice entry as described in the Pharmaceutical Advice Item Entry Content Module. See also IHE Pharmacy PADV Suppl		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 1 Template, Benutzt 1 Template

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.4	Containment	eMedicationComment V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	CH-EMED-PharmaceuticalAdviceItemEntryContentModule	DYNAMIC

Beziehung: Specialization: Template 1.3.6.1.4.1.19376.1.9.1.2.2 (*2016-01-08 11:13:04*)

Beispiel

Beispiel

```
<section>
  <!-- IHE PHARM PADV -->
  <templateId root="1.3.6.1.4.1.19376.1.9.1.2.2"/>
  <templateId root="2.16.756.5.30.1.127.77.4.10.9"/>
  <!-- CH-EMED-PharmaceuticalAdviceSectionContentModule -->
  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1"/>
```

```
<!-- id of this eMedicationComment -->

<id root="2.16.756.5.30.1.1.1.1" extension="8ed02d0a-2971-11e6-b67b-9e71128cae77"/>

<code code="61357-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="MEDICATION PHARMACEUTICAL ADVICE.BRIEF

<title>eMedication Commment</title>
<text>

  <table>

    <thead>

      <tr>

        <th>Klassifizierung</th>
        <th>Typ</th>
        <th>Art der Intervention</th>
        <th>Referenz-eDokument</th>
        <th>Alter Präparatename</th>
        <th>Neuer Präparatename</th>
        <th>Wirkstoffname</th>
        <th>Dosis pro Einheit </th>
        <th>Galenische Form</th>
        <th>Begründung</th>
        <th>Status</th>
      </tr>
    </thead>
    <tbody>

      <tr ID="padv.1">

        <td ID="padv.1.classificaton">Relevant</td>
        <td ID="padv.1.typ">Intervention</td>
        <td ID="padv.1.subytpe">Therapeutische Substitution</td>
        <td ID="padv.1.referencedoc">eCurrent Medication vom 29.11.11</td>
        <td ID="padv.1.oldbrandedmedication">Triatec</td>
        <td ID="padv.1.newbrandedmedication"/>

        <td ID="padv.1.ingredient"/>

        <td ID="padv.1.dosequantity"/>

        <td ID="padv.1.packageform"/>

        <td ID="padv.1.reason">UAW Trockener Husten</td>
        <td ID="padv.1.status">definitiv abgesetzt</td>
      </tr>
    </tbody>
  </table>
</text>
```

```
  <entry>

    <!-- .... -->

  </entry>
</section>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CH-EMED-PharmaceuticalAdviceSectionContentM
hl7:templateId	**II**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceSectionContentM
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.127.77.4.10.9	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.3.1
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.2.2	
hl7:templateId	**II**	**1 ... 1**	**M**		CH-EMED
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	
hl7:id	**II**	**1 ... 1**	**R**		IHE PHARM PADV 6.3.3.2.2
hl7:code	**CE**	**1 ... 1**	**M**		IHE PHARM PADV 6.3.3.2
@code		**1 ... 1**	F	61357-0	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
hl7:title	**ST**	**1 ... 1**	**M**		CH-EMED
	CONF	Elementinhalt muss "eMedication Commment" sein			

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:text`	**SD.TEXT**	**1 ... 1**	**M**		(CH-EMED-PharmaceuticalAdviceSectionContentM
`hl7:entry`		**1 ... 1**	**R**	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1 *Pharmaceutical Advice Item Entry Content Module* (DYNAMIC)	(CH-EMED-PharmaceuticalAdviceSectionContentM
wo *[hl7:observation [hl7:code [(@code='OK' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='CHANGE' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='CANCEL' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='SUSPEND' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='REFUSE' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1')] [not(@nullFlavor)]]]*					

4.2.37 Prescribed Quantity Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3	**Gültigkeit**	gültig ab 2016-06-13
Status	Draft	**Versions-Label**	
Name	CH-EMED-PrescribedQuantityEntryContentModule	**Anzeigename**	Prescribed Quantity Entry Content Module
Beschreibung	Amount of units of the consumable to dispense		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-42	Anzahl Packungen	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25

	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	2016-05-21

Beziehung	Specialization: Template 2.16.840.1.113883.10.12.309 (*2005-09-07*)

Beispiel	Beispiel
	`<supply moodCode="RQO" classCode="SPLY">`
	`  <independentInd value="false"/>`
	`  <quantity unit="1" value="1"/>`
	`</supply>`

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:supply					(CH-EMED-PrescribedQuantityEntryContentModule)
@classCode	cs	**1 ... 1**	F	SPLY	
@moodCode	cs	**1 ... 1**	F	RQO	
hl7:independentInd		**1 ... 1**	**M**		(CH-EMED-PrescribedQuantityEntryContentModule)
@value		**1 ... 1**	F	false	
hl7:quantity		**0 ... 1**			(CH-EMED-PrescribedQuantityEntryContentModule)
@value		**0 ... 1**		If the <consumable> - element also contains package information, the <quantity> element SHALL contain the amount of primary packaged items of the medication	
		Ziel der Konzept Id(s): cdachemed-dataelement-42 Anzahl Packungen Parameter eMedikation			
@unit	cs	**0 ... 1**	F	1	

4.2.38 Prescription Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1 - 2016-06-25

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	**Gültigkeit**	gültig ab 2016-06-25
Status	Draft	**Versions-Label**	
Name	CH-EMED-PrescriptionItemEntryContentModule	**Anzeigename**	Prescription Item Entry Content Module
Beschreibung	A Prescription Item belongs to one prescription and represents one prescribed medication. It may be associated with one or more observations. Prescription atomic entity for logistics, distribution and billing. It contains the prescribed medicine and dosage information as well as other information to the prescribed patient- and fulfillment instructions and substitution handling.		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 5 Templates, Benutzt 11 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Containment	Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	CH-EMED-DosageInstructionsEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Containment	CH-EMED-ManufacturedMaterialEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	Containment	CH-EMED-MTPReferenceEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	CH-EMED-MedicationTreatmentPlanEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	Containment	CH-EMED-TreatmentReasonEntryContentModule	DYNAMIC
1.3.6.1.4.1.19376.1.5.3.1.4.3	Containment	epsosPatientMedicationInstructions	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3	Containment	CH-EMED-PrescribedQuantityEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	Containment	CH-EMED-DosageInstructionsNonStructuredEntryContentModule	DYNAMIC
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11	Containment	CH-EMED-DosageIntakeModeEntryContentModule	DYNAMIC

	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2	Containment	CH-EMED-SubstitutionPermissionEntryContentModule	DYNAMIC
	2.16.756.5.30.1.1.10.4.2	Containment	CDACH-RemarksEntry	DYNAMIC

Beziehung

Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.7 (*2005-09-07*)

Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.2 (*2016-01-08 13:04:49*)

Beispiel

Beispiel

```
<substanceAdministration classCode="SBADM" moodCode="INT">
  <!-- IHE PHARM PRE -->
  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.2" assigningAuthorityName="IHE PHARM"/>
  <!-- CCD -->
  <templateId root="2.16.840.1.113883.10.20.1.24" assigningAuthorityName="HL7 CCD"/>
  <!-- PCC Medication Entry Content Module -->
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7" assigningAuthorityName="IHE PCC"/>
  <!-- CH-EMED Prescription Item Entry Content Module- -->
  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1"/>
  <!-- A normal substanceAdministration act that may not contain any
subordinate substanceAdministration acts. -->
  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/>
  <!-- ID of pre item, PCC TF2 6.3.4.16.6 -->
  <id root="2.16.756.5.30.1.1.1.1" extension="6c968b1a-21ee-11e6-b67b-9e71128cae77"/>
  <text>
    <reference value="#pre.1"/>
  </text>
  <statusCode code="completed"/>
  <effectiveTime xsi:type="IVL_TS">
    <low value="20120204"/>
  </effectiveTime>
```

```
  <effectiveTime xsi:type="SXPR_TS" operator="A">

    <comp xsi:type="EIVL_TS">

      <event code="ACM"/>

    </comp>
    <comp xsi:type="EIVL_TS" operator="I">

      <event code="ACV"/>

    </comp>
  </effectiveTime>
  <!-- 3 Monate -> 90 Tage * 1 Tablette / 30 Tablette -> 3 Packungen,

repeatNumber=2 -->

  <repeatNumber value="2"/>

  <routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/>

  <doseQuantity>

    <center value="0.5"/>

  </doseQuantity>
  <consumable>

    <manufacturedProduct classCode="MANU">

      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.2"/>

      <templateId root="2.16.840.1.113883.10.20.1.53"/>

      <manufacturedMaterial classCode="MMAT" determinerCode="KIND">

        <!-- CDACH-EMED Manufactured Material Content Module -->

        <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/>

        <!-- Medicine Entry Module -->

        <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/>

        <code code="C08CA01" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="amlodipine">

          <originalText>

            <reference value="#pre.1.ingredient"/>

          </originalText>
```

```
        </code>
        <name>NORVASC Tabl 10 mg</name>
        <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

        <pharm:asContent classCode="CONT">

          <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE">

            <!-- National medicinal product code (package-level) -->

            <pharm:code code="7680500440334" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="NORVASC Tabl 10 mg"/>

            <!-- Brand name (package) -->

            <pharm:name>NORVASC Tabl 10 mg</pharm:name>
            <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>

            <pharm:capacityQuantity value="30"/>

          </pharm:containerPackagedMedicine>
        </pharm:asContent>
        <pharm:ingredient classCode="ACTI">

          <pharm:quantity>

            <pharm:numerator unit="mg" value="10" xsi:type="pharm:PQ"/>

            <pharm:denominator value="1" xsi:type="pharm:PQ"/>

          </pharm:quantity>
          <pharm:ingredient classCode="MMAT" determinerCode="KIND">

            <pharm:code code="C08CA01" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="amlodipine"/>

            <pharm:name>amlodipine</pharm:name>
          </pharm:ingredient>
        </pharm:ingredient>
      </manufacturedMaterial>
    </manufacturedProduct>
  </consumable>
  <entryRelationship typeCode="COMP">

    <supply moodCode="RQO" classCode="SPLY">

      <independentInd value="false"/>

      <quantity unit="1" value="1"/>

    </supply>
  </entryRelationship>
```

```
  <entryRelationship typeCode="COMP">

    <substanceAdministration moodCode="INT" classCode="SBADM">

      <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11"/>

      <text>

        <reference value="#mtp.1.dosageintakemode"/>

      </text>
      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <entryRelationship typeCode="REFR">

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <id root="2.16.756.5.30.1.1.1.1" extension="068e887c-2270-11e6-b67b-9e71128cae77"/>

      <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item" codeSystemName="IHE P
Item Type List"/>

      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>

        </manufacturedProduct>
      </consumable>
      <reference typeCode="XCRPT">

        <externalDocument>

          <id root="2.16.756.5.30.1.1.1.1" extension="074da900-2103-11e6-b67b-9e71128cae77"/>

        </externalDocument>
      </reference>
    </substanceAdministration>
  </entryRelationship>
</substanceAdministration>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-PrescriptionItemEntryCo
@classCode	cs	**1 ... 1**	F	SBADM	
@moodCode	cs	**1 ... 1**	F	INT	
hl7:templateId	**II**	**1 ... 1**	**M**	IHE PHARM PRE	(CH-EMED-PrescriptionItemEntryCo
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.2']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.2	
hl7:templateId	**II**	**1 ... 1**	**M**	CCD	(CH-EMED-PrescriptionItemEntryCo
wo *[@root='2.16.840.1.113883.10.20.1.24']*					
@root	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.24	
hl7:templateId	**II**	**1 ... 1**	**M**	PCC Medication Entry Content Module	(CH-EMED-PrescriptionItemEntryCo
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7	
hl7:templateId	**II**	**1 ... 1**	**M**	CH-EMED Prescription Item Entry Content Module	(CH-EMED-PrescriptionItemEntryCo
wo *[@root='2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1']*					
@root	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	
Auswahl		**1 ...**		Elemente in der Auswahl: ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1'] ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**0 ... 1**		A normal substanceAdministration act that may not contain any subordinate substanceAdministration acts.	(CH-EMED-PrescriptionItemEntryCo
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.1	
hl7:templateId	**II**	**0 ... 1**		A substanceAdministration act that records split dose information in subordinate substanceAdministration acts.	(CH-EMED-PrescriptionItemEntryCo
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.9	
hl7:id		**1 ... ***	**M**	This ID represents the Prescription Item ID and SHALL be present. ID created by the software which created it or @root='2.16.756.5.30.1.1.3.5.1' with a GUID as @extension	(CH-EMED-PrescriptionItemEntryCo
hl7:code		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
hl7:originalText	**ED**	**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
hl7:text		**1 ... 1**	**M**		IHE PHARM PRE 6.3.4.2.3
hl7:reference		**1 ... 1**	**M**	This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication dispensed.	IHE PHARM PRE 6.3.4.2.3
hl7:statusCode		**1 ... 1**	**M**		IHE PHARM PRE 6.3.4.2.3
@code		**1 ... 1**	F	completed	
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 *Dosage Instructions Entry Content Module* (DYNAMIC)	
hl7:effectiveTime	**IVL_TS**	**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
wo *[@xsi:type='IVL_TS']*					
		Ziel der Konzept Id(s): cdachemed-dataelement-55		Behandlungsdauer	Parameter eMedikation

Item	DT	Kard	Konf	Beschreibung	Label
hl7:low	**TS**	**0 ... 1**		Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-PrescriptionItemEntryCo
hl7:high	**TS**	**0 ... 1**		End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-PrescriptionItemEntryCo
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-PrescriptionItemEntryCo
wo *[@operator='A' and @xsi:type='EIVL_TS']*					
@operator	cs	**1 ... 1**	F	A	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-PrescriptionItemEntryCo
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:effectiveTime	**SXPR_TS**	**0 ... 1**		Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-PrescriptionItemEntryCo
wo *[@operator='A' and @xsi:type='SXPR_TS']*					
@operator	cs	**1 ... 1**	F	A	
@xsi:type	cs	**1 ... 1**	F	SXPR_TS	
	◎	Ziel der Konzept Id(s): cdachemed-dataelement-50 Dosierung Parameter eMedikation			
hl7:comp		**1 ... 1**	**M**		(CH-EMED-PrescriptionItemEntryCo
wo *[@xsi:type='EIVL_TS']*					
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-PrescriptionItemEntryCo

Item	DT	Kard	Konf	Beschreibung	Label
`@code`	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
`hl7:comp`		**1 ... ***	**M**		(CH-EMED-PrescriptionItemEntryCo
wo *[@operator='I' and @xsi:type='EIVL_TS']*					
`@operator`	cs	**1 ... 1**	F	I	
`@xsi:type`	cs	**1 ... 1**	F	EIVL_TS	
`hl7:event`	**CS**	**1 ... 1**	**M**		(CH-EMED-PrescriptionItemEntryCo
`@code`	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
`hl7:routeCode`		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 *RouteOfAdministration* (DYNAMI			
		Ziel der Konzept Id(s): cdachemed-dataelement-52 Verabreichungsweg Parameter eMedikation			
`hl7:doseQuantity`		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
`hl7:rateQuantity`		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
`hl7:entryRelationship`		**0 ... ***		Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-PrescriptionItemEntryCo
wo *[@typeCode='COMP' and hl7:substanceAdministration]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:sequenceNumber	**INT**	**1 ... 1**	**M**		(CH-EMED-PrescriptionItemEntryCo
hl7:substanceAdministration		**0 ... 1**	**R**		(CH-EMED-PrescriptionItemEntryCo
hl7:effectiveTime	**EIVL_TS**	**0 ... 1**		timing purpose	(CH-EMED-PrescriptionItemEntryCo
wo *[@xsi:type='EIVL_TS']*					
@xsi:type	cs	**1 ... 1**	F	EIVL_TS	
hl7:event	**CS**	**1 ... 1**	**M**		(CH-EMED-PrescriptionItemEntryCo
@code	cs	**1 ... 1**	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 *TimingEvent* (DYNAMIC)			
hl7:doseQuantity		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
hl7:rateQuantity		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
hl7:consumable		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
hl7:manufacturedProduct		**0 ... 1**	**R**		(CH-EMED-PrescriptionItemEntryCo
hl7:manufacturedMaterial		**0 ... 1**			(CH-EMED-PrescriptionItemEntryCo
@nullFlavor	cs	**1 ... 1**	F	NA	
hl7:repeatNumber		**1 ... 1**	**M**		IHE PHARM PRE 6.3.4.2.3
hl7:consumable		**1 ... 1**			IHE PHARM PRE 6.3.4.2.3

Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedProduct		**1 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2 *Manufactured Material Entry Content Module* (DYNAMIC)	IHE PHARM PRE 6.3.4.2.3
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PRE 6.3.4.2.3
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.2']*					
@root	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.2	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PRE 6.3.4.2.3
wo *[@root='2.16.840.1.113883.10.20.1.53']*					
@root	uid	**0 ... 1**	F	2.16.840.1.113883.10.20.1.53	
hl7:author		**0 ... ***			IHE PHARM PRE 6.3.4.2.3
hl7:time		**1 ... 1**	**M**		IHE PHARM PRE 6.3.4.2.3
Auswahl		**0 ... 1**		If the Prescription Item is related to a Medication Treatment Plan Item, the reference to it SHALL be present. Elemente in der Auswahl: ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *M Reference Entry Content Module* (DYNAMIC) ▪ hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 *Treatment Plan Item Entry Content Module* (DYNAMIC)	
hl7:entryRelationship		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 *MTP Reference Entry Content Module* (DYNAMIC)	(CH-EMED-PrescriptionItemEntryCo
wo *[@typeCode='REFR']*					
@typeCode	cs	**1 ... 1**	F	REFR	
hl7:entryRelationship		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 *Medication Treatment Plan Item Entry Content Module* (DYNAMIC)	(CH-EMED-PrescriptionItemEntryCo
wo *[@typeCode='REFR']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@typeCode`	cs	**1 ... 1**	F	REFR	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4 *Treatment Reason Entry Content Module* (DYNAMIC)	(CH-EMED-PrescriptionItemEntryCo
wo *[hl7:observation]*					
`@typeCode`	cs	**1 ... 1**	F	RSON	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.3 *epSOS Patient Medication Instructions* (DYNAMIC)	IHE PHARM PRE 6.3.4.2.3
wo *[hl7:act [hl7:templateId [@root='1.3.6.1.4.1.19376.1.5.3.1.4.3']]]*					
`@typeCode`	cs	**1 ... 1**	F	SUBJ	
`@inversionInd`	bl	**1 ... 1**	F	true	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3 *Prescribed Quantity Entry Content Module* (DYNAMIC)	IHE PHARM PRE 6.3.4.2.3
wo *[hl7:supply]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10 *Dosage Instructions Non Structured Entry Content Module* (DYNAMIC)	(CH-EMED-PrescriptionItemEntryCo
wo *[hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11 *Dosage Intake Mode Entry Content Module* (DYNAMIC)	(CH-EMED-PrescriptionItemEntryCo
wo *[hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2 *Substitution Permission Entry Content Module* (DYNAMIC)	(CH-EMED-PrescriptionItemEntryCo

Item	DT	Kard	Konf	Beschreibung	Label
wo *[hl7:supply]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	
`hl7:entryRelationship`		**0 ... 1**		Beinhaltet 2.16.756.5.30.1.1.10.4.2 *CDA-CH Remarks Entry* (DYNAMIC)	(CH-EMED-PrescriptionItemEntryCo
wo *[hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]*					
`@typeCode`	cs	**1 ... 1**	F	COMP	

4.2.39 Prescription Section Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1 - 2016-06-06

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	**Gültigkeit**	gültig ab 2016-06-06
Status	Draft	**Versions-Label**	
Name	CH-EMED-PrescriptionSectionContentModule	**Anzeigename**	Prescription Section Content Module
Beschreibung	The Prescription Section contains a description of the medications in a given prescription for the patient. It includes entries for Prescription Items as described in the Prescription Item Entry Content Module. See also chapter 6.3.3.1 in IHE Pharmacy PRE Suppl		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 1 Template, Benutzt 1 Template

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2	Containment	eRezept V1	2016-05-21

Benutzt Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	CH-EMED-PrescriptionItemEntryContentModule	DYNAMIC

Beziehung

Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.3.19 (*2005-09-07*)

Specialization: Template 1.3.6.1.4.1.19376.1.9.1.2.1 (*2016-01-08 11:13:04*)

Beispiel

Beispiel

```
<section>

  <!-- PRE -->

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.19"/>

  <templateId root="2.16.840.1.113883.10.20.1.8"/>

  <templateId root="1.3.6.1.4.1.19376.1.9.1.2.1"/>

  <!-- CDA-CH EMED RPE -->

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1"/>

  <!-- id of this eRezept -->

  <id root="2.16.756.5.30.1.1.1.1" extension="d41d72ba-2100-11e6-b67b-9e71128cae77"/>

  <code code="57828-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="PRESCRIPTIONS"/>

  <title>Arzneimittelverordnung</title>
  <text>

    <table>

      <thead>

        <tr>

          <th>Präpartename</th>
          <th>Wirkstoffname</th>
          <th>Dosis pro Einheit</th>
          <th>Galenische Form</th>
          <th>Anzahl Packungen</th>
          <th>Packungsgrösse</th>
          <th>Verabreichungsweg</th>
          <th>Anwendungsschema (Einnahmemodus)</th>
          <th>Anwendungsdauer (Behandlungsdauer)</th>
          <th>Dos.Morgen</th>
          <th>Dos.Mittag</th>
          <th>Dos.Abend</th>
          <th>Dos.Nacht</th>
          <th>Status</th>
        </tr>
      </thead>
      <tbody>

        <tr ID="pre.1">

          <td ID="pre.1.brandedmedication">Norvasc</td>
          <td ID="pre.1.ingredient">Amlodipin</td>
```

```
          <td ID="pre.1.dosequantity">10 mg</td>
          <td ID="pre.1.packageform">Tabl</td>
          <td ID="pre.1.nopackages">1</td>
          <td ID="pre.1.routecode">oral</td>
          <td ID="pre.1.packagesize">30</td>
          <td ID="pre.1.dosageintakemode"/>

          <td ID="pre.1.datefromto">Dauerrezept 3 Monate</td>
          <td ID="pre.1.dosagemorning">1</td>
          <td ID="pre.1.dosagelunch">0</td>
          <td ID="pre.1.dosageevening">1</td>
          <td ID="pre.1.dosagenight">0</td>
          <td ID="pre.1.status">verschrieben</td>
        </tr>
      </tbody>
    </table>
  </text>
  <entry>

    <!-- ... -->

  </entry>
</section>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CH-EMED-PrescriptionSectionContentModule)
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PRE 6.3.3.1
wo *[@root='1.3.6.1.4.1.19376.1.9.1.2.1']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.2.1	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PRE 6.3.3.1.1
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.3.19']*					
@root	uid	**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.3.19	
hl7:templateId	**II**	**1 ... 1**	**M**		IHE PHARM PRE 6.3.3.1.1

Item	DT	Kard	Konf	Beschreibung	Label
wo *[@root='2.16.840.1.113883.10.20.1.8']*					
`@root`	uid	**1 ... 1**	F	2.16.840.1.113883.10.20.1.8	
`hl7:templateId`	**II**	**1 ... 1**	**M**		CH-EMED PRE
wo *[@root='2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1']*					
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	
`hl7:id`	**II**	**1 ... 1**	**R**		IHE PHARM PRE 6.3.3.1.2
`hl7:code`	**CE**	**1 ... 1**	**M**		IHE PHARM PRE 6.3.3.1
`@code`		**1 ... 1**	F	57828-6	
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
`hl7:title`	**ST**	**1 ... 1**	**M**		CH-EMED PRE
	CONF	Elementinhalt muss "Arzneimittelverordnung" sein -oder- Elementinhalt muss "Prescription médicamenteuse" sein -oder- Elementinhalt muss "Prescrizione di droga" sein -oder- Elementinhalt muss "Prescription for medication" sein			
`hl7:text`	**SD.TEXT**	**1 ... 1**	**M**		(CH-EMED-PrescriptionSectionContentModule)
`hl7:entry`		**1 ... ***	**R**	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1 *Prescription Item Entry Content Module* (DYNAMIC)	(CH-EMED-PrescriptionSectionContentModule)

4.2.40 <CH-EMED-REC3> 2.16.756.5.30.1.1.1.1.3.10.10.2.6 - 2016-09-15 12:43:44

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.6	**Gültigkeit**	gültig ab 2016-09-15 12:43:44
Status	Draft	**Versions-Label**	
Name	CH-EMED-REC3	**Anzeigename**	<CH-EMED-REC3>
Beschreibung	If the patient is not the receiver of a dispensed medication the 3rd party receiver MAY be added here.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-69	Identifikation des Empfängers	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 0 Templates, Benutzt 1 Template

Benutzt Template-Id	als	Name	Version
2.16.840.1.113883.10.12.152	Containment	CDAPerson	DYNAMIC

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.108 (*2005-09-07*)

Beispiel

Beispiel

```
<participant typeCode="RCV">

  <associatedEntity classCode="CON">

    <associatedPerson>

      <name>name3rdpartyreceiver</name>
    </associatedPerson>
  </associatedEntity>
</participant>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:participant`		**0 ... 1**			(CH-EMED-REC3)
`@typeCode`	cs	**1 ... 1**	F	RCV	
`hl7:associatedEntity`		**1 ... 1**	**R**		(CH-EMED-REC3)
`@classCode`	cs	**1 ... 1**	F	CON	
`hl7:associatedPerson`		**1 ... 1**	**R**	Beinhaltet 2.16.840.1.113883.10.12.152 *CDA Person* (DYNAMIC)	(CH-EMED-REC3)
		Ziel der Konzept Id(s): cdachemed-dataelement-69 Identifikation des Empfängers Parameter eMedikation			

4.2.41 <CH-EMED-RORG> 2.16.756.5.30.1.1.1.1.3.10.10.2.3 - 2016-06-09

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.3	**Gültigkeit**	gültig ab 2016-06-09
Status	Draft	**Versions-Label**	
Name	CH-EMED-RORG	**Anzeigename**	<CH-EMED-RORG>
Beschreibung	The healthcare professional organization SHALL have an adress. The name of the organization and the identifier SHOULD be added.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 3 Konzepte

Id	Name	Datensatz
cdachemed-dataelement-16	Adresse	Parameter eMedikation
cdachemed-dataelement-17	PLZ	Parameter eMedikation

	cdachemed-dataelement-18 Ort Parameter eMedikation
Benutzt von / Benutzt	Benutzt von 5 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.10.2.1		<CH-EMED-AUTO>	2016-06-09
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabeAnwendung V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.151 (*2005-09-07*)

Specialization: Template 2.16.756.5.30.1.1.10.9.11 (*2015-12-18*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:id`	**II**	**0 ... ***	**R**		(CH-EMED-RORG)
`hl7:name`	**ON**	**0 ... ***	**R**		(CH-EMED-RORG)
`hl7:addr`	**AD**	**0 ... 1**			(CH-EMED-RORG)
`hl7:streetAddressLine`	**ADXP**	**1 ... ***	**M**		(CH-EMED-RORG)
		Ziel der Konzept Id(s): cdachemed-dataelement-16 Adresse Parameter eMedikation			
`hl7:postalCode`	**ADXP**	**1 ... 1**	**M**		(CH-EMED-RORG)
		Ziel der Konzept Id(s): cdachemed-dataelement-17 PLZ Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:city	**ADXP**	**1 ... 1**	**M**		(CH-EMED-RORG)
		Ziel der Konzept Id(s): cdachemed-dataelement-18 Ort Parameter eMedikation			

4.2.42 Substitution Permission Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2 - 2016-09-13 17:06:35

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2	**Gültigkeit**	gültig ab 2016-09-13 17:06:35
Status	Draft	**Versions-Label**	
Name	CH-EMED-SubstitutionPermissionEntryContentModule	**Anzeigename**	Substitution Permission Entry Content Module
Beschreibung	Substitution handling for prescriptions		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-1	Substituierbarkeit	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Beispiel

sic!

```
<hl7:supply classCode="SPLY" moodCode="RQO">

  <hl7:independentInd value="false"/>

  <pharm:subjectOf4>

    <pharm:substitutionPermission classCode="SUBST" moodCode="PERM">

      <pharm:code code="N" displayName="none" codeSystem="2.16.840.1.113883.5.1070" codeSystemName="HL7 Substance Admin
Substitution"/>

    </pharm:substitutionPermission>
  </pharm:subjectOf4>
</hl7:supply>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:supply					(CH-EMED-SubstitutionPermissionEntryContentModule)
@classCode	cs	**1 ... 1**	F	SPLY	
@moodCode	cs	**1 ... 1**	F	RQO	
hl7:independentInd		**1 ... 1**	**M**		(CH-EMED-SubstitutionPermissionEntryContentModule)
@value		**1 ... 1**	F	false	
pharm:subjectOf4		**0 ... 1**			IHE PHARM PRE 6.3.4.2.3.17
pharm:substitutionPermission		**0 ... 1**			IHE PHARM PRE 6.3.4.2.3.17
@classCode	cs	**1 ... 1**	F	SUBST	
@moodCode	cs	**1 ... 1**	F	PERM	
pharm:code		**0 ... 1**			IHE PHARM PRE 6.3.4.2.3.17

Item	DT	Kard	Konf	Beschreibung	Label
@code	cs	**1 ... 1**	R		
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16621 *ActSubstanceAdminSubstitutionCode* (DYNAMIC)	
				Ziel der Konzept Id(s): cdachemed-dataelement-1 Substituierbarkeit	Parameter eMedikation

4.2.43 Treatment Reason Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	**Gültigkeit**	gültig ab 2016-06-13
Status	Draft	**Versions-Label**	
Name	CH-EMED-TreatmentReasonEntryContentModule	**Anzeigename**	Treatment Reason Entry Content Module
Beschreibung	Treatment reason		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-56	Behandlungsgrund	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 12 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	Medication Treatment Plan Item Entry Content Module	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13

2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2	eRezept V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Dispense Item Entry Content Module	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3	eAbgabeAnwendung V1	2016-05-21

Beispiel

Beispiel

```
<observation classCode="OBS" moodCode="EVN">
  <templateId root="2.16.756.5.30.1.127.77.4.10.20"/>
  <code code="75326-9" codeSystem="2.16.840.1.113883.6.1" displayName="Problem"/>
  <statusCode code="completed"/>
  <value xsi:type="CD" nullFlavor="OTH">
    <originalText>
      <reference value="#mtp.1.reason"/>
    </originalText>
  </value>
</observation>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(CH-EMED-TreatmentReasonEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`	cs	**0 ... 1**	F	OBS	
`@moodCode`	cs	**0 ... 1**	F	EVN	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CH-EMED-TreatmentReasonEntryContentModule)
`@root`	uid	**1 ... 1**	F	2.16.756.5.30.1.127.77.4.10.20	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(CH-EMED-TreatmentReasonEntryContentModule)
`@root`		**1 ... 1**	F	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	
`hl7:code`	**CD**	**1 ... 1**	**R**		(CH-EMED-TreatmentReasonEntryContentModule)
`@code`		**1 ... 1**	F	75326-9	
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
`@displayName`		**1 ... 1**	F	Problem	
`@codeSystemName`		**1 ... 1**	F	LOINC	
`hl7:text`	**ED**	**1 ... 1**	**M**	The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the treatment reason.	(CH-EMED-TreatmentReasonEntryContentModule)
`hl7:reference`	**TEL**	**1 ... 1**	**M**		(CH-EMED-TreatmentReasonEntryContentModule)
`@value`		**1 ... 1**	R		
		Ziel der Konzept Id(s): cdachemed-dataelement-56 Behandlungsgrund Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:statusCode`	**CS**	**1 ... 1**	**M**		(CH-EMED-TreatmentReasonEntryContentModule)
`@code`		**1 ... 1**	F	completed	

4.2.44 todelte 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10.1 - 2016-09-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10.1	**Gültigkeit**	gültig ab 2016-09-13
Status	Draft	**Versions-Label**	
Name	CH-EMED-todelete	**Anzeigename**	todelte
Beschreibung	todelete		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Keine Elemente, Attribute, Includes oder Choices in dieser Template-Definition.

4.2.45 Dispense Item 1.3.6.1.4.1.12559.11.22.1.52 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.12559.11.22.1.52 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 11:13:04
Status	Draft	**Versions-Label**	PADV2016
Name	DispenseItem	**Anzeigename**	Dispense Item
Beschreibung			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
1.3.6.1.4.1.19376.1.9.1.3.3		Pharmaceutical Advice Item Entry Content Module	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.9.1.3.5		Pharmaceutical Advice Concern Entry Content Module	2016-01-08 11:13:04
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module	2016-07-12

	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:entryRelationship`		**0 ... 1**			(DispenseItem)
wo *[hl7:supply/hl7:code/@code='DISItem']*					
`@typeCode`		**1 ... 1**	F	REFR	
`hl7:supply`					(DispenseItem)
`@classCode`		**1 ... 1**	F	SPLY	
`@moodCode`		**1 ... 1**	F	EVN	
`hl7:id`		**1 ... 1**	**M**		(DispenseItem)
`hl7:code`	**CD**	**1 ... 1**	**M**		(DispenseItem)
`@code`		**1 ... 1**	F	DISItem	
`@codeSystem`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	

4.2.46 Dosage Instruction Content 1.3.6.1.4.1.19376.1.9.1.1.1.1 - 2016-01-08 13:04:49 (PRE2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.19376.1.9.1.1.1.1 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 13:04:49
Status	Draft	**Versions-Label**	PRE2016

Name	DosageInstructionContent	**Anzeigename**	Dosage Instruction Content
Beschreibung			
Label	6.3.4.2.3.8		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 7 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
1.3.6.1.4.1.19376.1.9.1.3.2		Prescription Item Entry Content Module	2016-01-08 13:04:49
1.3.6.1.4.1.19376.1.9.1.3.3		Pharmaceutical Advice Item Entry Content Module	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.9.1.3.5		Pharmaceutical Advice Concern Entry Content Module	2016-01-08 11:13:04
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module	2016-07-12

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:effectiveTime`	**IVL_TS**	**0 ... ***			6.3.4.5.3.4
`hl7:effectiveTime`		**0 ... 1**			6.3.4.5.3.5
wo *[@operator='A']*					
`@operator`		**1 ... 1**	F	A	
`hl7:routeCode`		**0 ... 1**			6.3.4.5.3.6

Item	DT	Kard	Konf	Beschreibung	Label
hl7:approachSiteCode		**0 ... ***			6.3.4.5.3.7
hl7:originalText		**0 ... 1**			6.3.4.5.3.7
hl7:reference	**TEL**	**1 ... 1**	**R**		6.3.4.5.3.7
hl7:doseQuantity		**0 ... 1**			6.3.4.5.3.8
hl7:rateQuantity		**0 ... 1**			6.3.4.5.3.9
hl7:entryRelationship		**0 ... ***			6.3.4.5.3.10
wo *[hl7:substanceAdministration]*					
@typeCode		**1 ... 1**	F	COMP	
hl7:sequenceNumber	**INT**	**1 ... 1**	**M**		6.3.4.5.3.10
hl7:substanceAdministration		**0 ... 1**	**R**		6.3.4.5.3.10
hl7:consumable		**0 ... 1**			6.3.4.5.3.10
hl7:manufacturedProduct		**0 ... 1**	**R**		6.3.4.5.3.10
hl7:manufacturedMaterial		**0 ... 1**			6.3.4.5.3.10
@nullFlavor		**1 ... 1**	F	NA	

4.2.47 ◯ Entry Medication FulFillment Instructions 1.3.6.1.4.1.19376.1.5.3.1.4.3.1 - 2013-12-20 ref (aus Repository: epsos-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.3.1 ref (aus Repository: epsos-)	**Gültigkeit**	gültig ab 2013-12-20

Status	Draft	**Versions-Label**	
Name	EntryMedicationFulFillmentInstructions	**Anzeigename**	Entry Medication FulFillment Instructions
Beschreibung	Any medication may be the subject of further instructions to the pharmacist, for example to indicate that it should be labeled in Spanish, et cetera. This structure is included in the target substance administration or supply act using the <entryRelationship> element defined in the CDA Schema. The figure below is an example of recording an instruction for an <entry>, and is used as context for the sections to follow.		
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.3.1		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Beispiel

Beispiel

```
<act classCode="ACT" moodCode="INT">

  <templateId root="2.16.840.1.113883.10.20.1.43"/>

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.3.1"/>

  <code code="FINSTRUCT" codeSystem="1.3.6.1.4.1.19376.1.5.3.2" codeSystemName="IHEActCode"/>

  <text>

    <reference value="#comment-2"/>

  </text>
  <statusCode code="completed"/>

</act>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:act`					(EntryMedicationFulFillmentInstructions)
`@classCode`		**0 ... 1**	F	SPLY	
`@moodCode`		**0 ... 1**	F	EVN	
`hl7:templateId`	**II.EPSOS**	**1 ... 1**	**M**	(CCD)	(EntryMedicationFulFillmentInstructions)

Item	DT	Kard	Konf	Beschreibung	Label
`@root`		**1 ... 1**	F	2.16.840.1.113883.10.20.1.43	
`hl7:templateId`	**II.EPSOS**	**1 ... 1**	**M**	(IHE PCC)	(EntryMedicationFulFillmentInstructions)
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.3.1	
`hl7:code`	**CD.EPSOS**	**0 ... 1**	**R**	The <code> element indicates that this is a medication fulfilment instruction.	(EntryMedicationFulFillmentInstructions)
`@code`		**1 ... 1**	F	FINSTRUCT	
`@codeSystem`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.2 (IHEActCode Vocabulary)	
`@codeSystemName`		**1 ... 1**	F	IHEActCode	
`hl7:text`	**ED**	**0 ... 1**	**R**	The <text> element contains a free text representation of the instruction. For CDA this SHALL 1520 contain a <reference> element to the link text of the comment in the narrative portion of the document. The comment itself is not the act being coded, so it appears in the <text> of the <observation>, not as part of the <code>.	(EntryMedicationFulFillmentInstructions)
`hl7:reference`		**0 ... 1**	**R**	The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication. In a CDA document, the URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication.	(EntryMedicationFulFillmentInstructions)
	Beispiel	`<reference value="#eP_as_text"/>`			
`hl7:statusCode`	**CS**	**1 ... ***	**M**	The code attribute of <statusCode> for all comments must be completed.	(EntryMedicationFulFillmentInstructions)
`@code`		**1 ... 1**	F	completed	

4.2.48 Severity 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2013-12-20 ref (aus Repository: epsos-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.1 ref (aus Repository: epsos-)	**Gültigkeit**	gültig ab 2013-12-20 Es gibt Versionen von Templates mit dieser Id: ▪ EntrySeverity vom 2013-12-20 ▪ Severity vom 2009-12-04
Status	Draft	**Versions-Label**	
Name	EntrySeverity	**Anzeigename**	Severity
Beschreibung	The <templateId> elements identifies this <observation> as a severity observation, allowing for validation of the content. As a side effect, readers of the CDA can quickly locate and identify severity observations. The templateId elements shown above must be present.		
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.1		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.1 (*DYNAMIC*)		

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:observation`			**R**		(EntrySeverity)
`@classCode`		**0 ... 1**	F	OBS	
`@moodCode`		**1 ... 1**	F	EVN	
`@negationInd`	bl	**0 ... 1**			
`hl7:templateId`	**II.EPSOS**	**1 ... 1**	**R**		(EntrySeverity)
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.1	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II.EPSOS**	**1 ... 1**	**R**		(EntrySeverity)
@root		**1 ... 1**	F	2.16.840.1.113883.10.20.1.55	
hl7:id	**II.EPSOS**	**0 ... ***	**R**		(EntrySeverity)
hl7:code	**CD**	**1 ... 1**	**R**	This observation is of severity, as indicated by the <code> element listed above. This element is required.	(EntrySeverity)
@code		**1 ... 1**	F	SEV	
@codeSystem		**1 ... 1**	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	**ED**	**1 ... 1**	**R**	The <observation> element shall contain a <text> element. The <text> element shall contain a <reference> element pointing to the narrative where the severity is recorded	(EntrySeverity)
hl7:reference	**TEL**	**1 ... 1**	**M**		(EntrySeverity)
@value		**1 ... 1**	R	Reference pointing to the narrative, typically #{label}-{generated-id}, e.g. #xxx-1	
hl7:statusCode	**CS**	**1 ... 1**	**M**	The code attribute of <statusCode> for all severity observations shall be completed. While the <statusCode> element is required in all acts to record the status of the act, the only sensible value of this element in this context is completed.	(EntrySeverity)
@code		**1 ... 1**	F	completed	
hl7:value	**CD.EPSOS**	**0 ... ***	**R**	The <value> element contains the level of severity. It is always represented using the CD datatype (xsi:type='CD') and it shall use the SNOMED codes specified by the epSOSSeverity 1.3.6.1.4.1.12559.11.10.1.3.1.42.13..	(EntrySeverity)

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 1.3.6.1.4.1.12559.11.10.1.3.1.42.13 *epSOSSeverity* (DYNAMIC)	

4.2.49 Medication Treatment Plan Item 1.3.6.1.4.1.12559.11.22.1.50 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.12559.11.22.1.50 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 11:13:04
Status	Draft	**Versions-Label**	PADV2016
Name	MedicationTreatmentPlanItem	**Anzeigename**	Medication Treatment Plan Item
Beschreibung			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
1.3.6.1.4.1.19376.1.9.1.3.3		Pharmaceutical Advice Item Entry Content Module	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.9.1.3.5		Pharmaceutical Advice Concern Entry Content Module	2016-01-08 11:13:04
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module	2016-07-12
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:entryRelationship`		**1 ... 1**	**R**		(MedicationTreatmentPlanItem)
wo *[hl7:substanceAdministration/hl7:code/@code='MTPItem']*					

Item	DT	Kard	Konf	Beschreibung	Label
@typeCode		1 ... 1	F	REFR	
hl7:substanceAdministration					(MedicationTreatmentPlanItem)
@classCode		1 ... 1	F	SBADM	
@moodCode		1 ... 1	F	INT	
hl7:id		1 ... 1	M		(MedicationTreatmentPlanItem)
hl7:code	CD	1 ... 1	M		(MedicationTreatmentPlanItem)
@code		1 ... 1	F	MTPItem	
@codeSystem		1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		1 ... 1	R		(MedicationTreatmentPlanItem)
hl7:manufacturedProduct		1 ... 1	R		(MedicationTreatmentPlanItem)
hl7:manufacturedMaterial		1 ... 1	R		(MedicationTreatmentPlanItem)
@nullFlavor		1 ... 1	F	NA	

4.2.50 Medicine Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.1 - 2016-01-08 13:04:49 (PRE2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.19376.1.9.1.3.1 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 13:04:49
Status	Draft	**Versions-Label**	PRE2016
Name	MedicineEntryContentModule	**Anzeigename**	Medicine Entry Content Module
Beschreibung	Template CDA Material (prototype, directly derived from POCD_RM000040 MIF)		

Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.9.1.3.1
Label	6.3.4.1
Klassifikation	CDA Entry Level Template
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)
Benutzt von / Benutzt	Benutzt von 7 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
1.3.6.1.4.1.19376.1.9.1.3.2	Containment	Prescription Item Entry Content Module	2016-01-08 13:04:49
1.3.6.1.4.1.19376.1.9.1.3.3		Pharmaceutical Advice Item Entry Content Module	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.9.1.3.5		Pharmaceutical Advice Concern Entry Content Module	2016-01-08 11:13:04
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module	2016-07-12

Beziehung	Generalization: Template 2.16.840.1.113883.10.12.311 (*2005-09-07*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:manufacturedMaterial`					6.3.4.1
`@classCode`		**0 ... 1**	F	MMAT	
`@determinerCode`		**0 ... 1**	F	KIND	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.1.3.2
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.1']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.1	
`hl7:code`	**CE**	**1 ... 1**	**R**		6.3.4.1.3.3
`hl7:originalText`	**ED**	**0 ... 1**			6.3.4.1.3.3
`hl7:reference`	**TEL**	**1 ... 1**	**R**		6.3.4.1.3.3
`@nullFlavor`	cs	**0 ... 1**	F	NA	
`hl7:name`	**EN**	**1 ... 1**	**R**		6.3.4.1.3.4
`@nullFlavor`	cs	**0 ... 1**	F	NA	
`pharm:formCode`	**CE**	**0 ... ***			6.3.4.1.3.5
`hl7:lotNumberText`	**ST**	**0 ... 1**			6.3.4.1.3.6
`pharm:expirationTime`	**CE**	**0 ... ***			6.3.4.1.3.7
`@value`		**1 ... 1**	R		
`pharm:asContent`		**0 ... ***			6.3.4.1.3.8
`@classCode`		**1 ... 1**	F	CONT	
`pharm:containerPackagedMedicine`		**1 ... ***	**R**		6.3.4.1.3.8
`@classCode`		**1 ... 1**	F	CONT	
`@determinerCode`		**1 ... 1**	F	INSTANCE	

Item	DT	Kard	Konf	Beschreibung	Label
pharm:code		**0 ... ***			6.3.4.1.3.8
pharm:name		**0 ... ***			6.3.4.1.3.8
pharm:formCode		**0 ... 1**			6.3.4.1.3.8
	Schematron assert	role	error		
		test	not(pharm:capacityQuantity) or pharm:formCode		
		Meldung	pharm:formCode SHALL be present if pharm:asSuperContent present		
pharm:capacityQuantity	**PQ**	**1 ... 1**	**M**		6.3.4.1.3.8
@unit	cs	**0 ... 1**			
@value		**1 ... 1**	R		
pharm:asSuperContent		**0 ... ***			6.3.4.1.3.8
pharm:containerPackagedMedicine		**1 ... ***	**R**		6.3.4.1.3.8
@classCode		**1 ... 1**	F	CONT	
@determinerCode		**1 ... 1**	F	INSTANCE	
pharm:capacityQuantity	**PQ**	**1 ... 1**	**M**		6.3.4.1.3.8
@unit	cs	**0 ... 1**			
@value		**1 ... 1**	R		
pharm:asSpecializedKind		**0 ... ***	**R**		6.3.4.1.3.9

Item	DT	Kard	Konf	Beschreibung	Label
`@classCode`		**1 ... 1**	F	GRIC	
`pharm:generalizedMedicineClass`		**0 ... ***			6.3.4.1.3.9
`@classCode`		**1 ... 1**	F	MMAT	
`pharm:code`		**1 ... 1**	**R**		6.3.4.1.3.9
`pharm:name`		**0 ... ***			6.3.4.1.3.9
`pharm:ingredient`		**0 ... ***			6.3.4.1.3.10
`@classCode`		**1 ... 1**	F	ACTI	
`pharm:quantity`		**0 ... 1**			6.3.4.1.3.10
`pharm:numerator`		**0 ... 1**			6.3.4.1.3.10
`pharm:denominator`		**0 ... 1**			6.3.4.1.3.10
`pharm:ingredient`		**0 ... ***			6.3.4.1.3.10
`@classCode`		**1 ... 1**	F	MMAT	
`@determinerCode`		**1 ... 1**	F	KIND	
`pharm:code`		**0 ... 1**			6.3.4.1.3.10
`pharm:name`		**1 ... 1**	**R**		6.3.4.1.3.10

4.2.51 Pharmaceutical Advice Concern Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.5 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.19376.1.9.1.3.5 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 11:13:04
Status	Draft	**Versions-Label**	PADV2016
Name	PharmaceuticalAdviceConcernEntryContentModule	**Anzeigename**	Pharmaceutical Advice Concern Entry Content Module
Beschreibung			
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.9.1.3.5		
Label	6.3.4.3		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Templates, Benutzt 4 Templates		

Benutzt Template-Id	als	Name	Version
1.3.6.1.4.1.12559.11.22.1.50	Inklusion	MedicationTreatmentPlanItem	DYNAMIC
1.3.6.1.4.1.12559.11.22.1.51	Inklusion	PrescriptionItem	DYNAMIC
1.3.6.1.4.1.12559.11.22.1.52	Inklusion	DispenseItem	DYNAMIC
1.3.6.1.4.1.19376.1.9.1.3.2	Containment	PrescriptionItemEntry	DYNAMIC

Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.5.1 (*DYNAMIC*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:act`					6.3.4.3
`@classCode`		**1 ... 1**	F	ACT	
`@moodCode`		**1 ... 1**	F	EVN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	**II**	**1 ... 1**	**M**		6.3.4.4.3.2
wo *[@root='2.16.840.1.113883.10.20.1.27']*					
@root		**1 ... 1**	F	2.16.840.1.113883.10.20.1.27	
hl7:templateId	**II**	**1 ... 1**	**M**		6.3.4.4.3.2
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.5.1']*					
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.5.1	
hl7:templateId	**II**	**1 ... 1**	**M**		6.3.4.4.3.2
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.5']*					
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.5	
hl7:id	**II**	**1 ... 1**	**R**		6.3.4.4.3.3
hl7:code	**CD**	**1 ... 1**	**R**		6.3.4.4.3.4
@nullFlavor		**1 ... 1**	F	NA	
hl7:text		**0 ... 1**			6.3.4.4.3.5
hl7:reference		**1 ... 1**	**M**		6.3.4.4.3.5
hl7:statusCode	**CS**	**1 ... 1**	**M**		6.3.4.4.3.6
@code		**1 ... 1**	F	active	
hl7:effectiveTime		**1 ... 1**	**M**		6.3.4.4.3.7

Item	DT	Kard	Konf	Beschreibung	Label
Auswahl		**1 ... ***		Elemente in der Auswahl: ▪ hl7:entryRelationship[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.5'] ▪ hl7:entryRelationship[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.6']	
hl7:entryRelationship					6.3.4.4.3.8
wo *[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.5']*					
@typeCode		**1 ... 1**	F	SUBJ	
hl7:observation					6.3.4.4.3.8
hl7:templateId	**II**	**1 ... 1**	**M**		6.3.4.4.3.8
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.5	
hl7:entryRelationship					6.3.4.4.3.8
wo *[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.6']*					
@typeCode		**1 ... 1**	F	SUBJ	
hl7:observation					6.3.4.4.3.8
hl7:templateId	**II**	**1 ... 1**	**M**		6.3.4.4.3.8
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.6	
Auswahl		**0 ... 1**		Elemente in der Auswahl: ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:code/@code='MTPItem'] eingefügt vom Template 1.3.6.1.4.1.12559.11.22.1.50 *Medication Treatment Plan Item* (DYNAMIC) ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:code/@code='PREItem'] eingefügt vom Template 1.3.6.1.4.1.12559.11.22.1.51 *Prescription Item* (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
				▪ hl7:entryRelationship[hl7:supply/hl7:code/@code='DISItem'] eingefügt vom Template 1.3.6.1.4.1.12559.11.22.1.52 *Dispense Item* (DYNAMIC) ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.7'] ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2'] welches enthält Template 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC) ▪ hl7:entryRelationship[hl7:supply/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4']	
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.50 *Medication Treatment Plan Item* (DYNAMIC)	
hl7:entryRelationship		**1 ... 1**	**R**		6.3.4.3
wo *[hl7:substanceAdministration/hl7:code/@code='MTPItem']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:substanceAdministration					6.3.4.3
@classCode		**1 ... 1**	F	SBADM	
@moodCode		**1 ... 1**	F	INT	
hl7:id		**1 ... 1**	**M**		6.3.4.3
hl7:code	**CD**	**1 ... 1**	**M**		6.3.4.3
@code		**1 ... 1**	F	MTPItem	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		**1 ... 1**	**R**		6.3.4.3
hl7:manufacturedProduct		**1 ... 1**	**R**		6.3.4.3

Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedMaterial		**1 ... 1**	**R**		6.3.4.3
@nullFlavor		**1 ... 1**	F	NA	
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.51 *Prescription Item* (DYNAMIC)	
hl7:entryRelationship		**1 ... 1**	**R**		6.3.4.3
wo *[hl7:substanceAdministration/hl7:code/@code='PREItem']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:substanceAdministration					6.3.4.3
@classCode		**1 ... 1**	F	SBADM	
@moodCode		**1 ... 1**	F	INT	
hl7:id		**1 ... 1**	**M**		6.3.4.3
hl7:code	**CD**	**1 ... 1**	**M**		6.3.4.3
@code		**1 ... 1**	F	PREItem	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		**1 ... 1**	**R**		6.3.4.3
hl7:manufacturedProduct		**1 ... 1**	**R**		6.3.4.3
hl7:manufacturedMaterial		**1 ... 1**	**R**		6.3.4.3
@nullFlavor		**1 ... 1**	F	NA	

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.52 *Dispense Item* (DYNAMIC)	
hl7:entryRelationship		**0 ... 1**			6.3.4.3
wo *[hl7:supply/hl7:code/@code='DISItem']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:supply					6.3.4.3
@classCode		**1 ... 1**	F	SPLY	
@moodCode		**1 ... 1**	F	EVN	
hl7:id		**1 ... 1**	**M**		6.3.4.3
hl7:code	**CD**	**1 ... 1**	**M**		6.3.4.3
@code		**1 ... 1**	F	DISItem	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:entryRelationship		**0 ... ***			6.3.4.3.3.13
wo *[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.7']*					
@typeCode		**1 ... 1**	F	REFR	
@inversionInd		**0 ... 1**	F	false	
hl7:substanceAdministration					6.3.4.3.3.13
@classCode		**1 ... 1**	F	SBADM	

Item	DT	Kard	Konf	Beschreibung	Label
`@moodCode`		**1 ... 1**	F	INT	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3.3.13
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.7	
`hl7:entryRelationship`				Beinhaltet 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC)	6.3.4.3
wo *[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2']*					
`hl7:entryRelationship`		**0 ... 1**			6.3.4.3
wo *[hl7:supply/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4']*					
`@typeCode`		**1 ... 1**	F	REFR	
`hl7:supply`					6.3.4.3
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.4	
`hl7:entryRelationship`		**0 ... 1**			6.3.4.3
wo *[hl7:observation/hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.1']*					
`@typeCode`		**1 ... 1**	F	SUBJ	
`@inversionInd`		**1 ... 1**	F	true	
`hl7:observation`					6.3.4.3
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3

Item	DT	Kard	Konf	Beschreibung	Label
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.1	

4.2.52 Pharmaceutical Advice Item Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.3 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.19376.1.9.1.3.3 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 11:13:04
Status	Draft	**Versions-Label**	PADV2016
Name	PharmaceuticalAdviceItemEntryContentModule	**Anzeigename**	Pharmaceutical Advice Item Entry Content Module
Beschreibung			
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.9.1.3.3		
Label	6.3.4.3		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 0 Templates, Benutzt 4 Templates		

Benutzt Template-Id	als	Name	Version
1.3.6.1.4.1.12559.11.22.1.50	Inklusion	MedicationTreatmentPlanItem	DYNAMIC
1.3.6.1.4.1.12559.11.22.1.51	Inklusion	PrescriptionItem	DYNAMIC
1.3.6.1.4.1.19376.1.9.1.3.2	Containment	PrescriptionItemEntry	DYNAMIC
1.3.6.1.4.1.12559.11.22.1.52	Inklusion	DispenseItem	DYNAMIC

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:observation`					6.3.4.3

Item	DT	Kard	Konf	Beschreibung	Label
`@moodCode`		**1 ... 1**	F	EVN	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3.3.2
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.3	
`hl7:id`	**II**	**1 ... ***	**M**		6.3.4.3.3.3
`hl7:code`	**CD**	**1 ... 1**	**M**		6.3.3.2
	CONF	@code muss "OK" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "CHANGE" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "CANCEL" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "SUSPEND" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "REFUSE" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein			
`hl7:text`		**1 ... 1**	**M**		6.3.4.3.3.5
`hl7:reference`		**1 ... 1**	**M**		6.3.4.3.3.5
`hl7:statusCode`	**CS**	**1 ... 1**	**M**		6.3.4.3.3.6

Item	DT	Kard	Konf	Beschreibung	Label
	CONF	@code muss "active" sein oder @code muss "completed" sein			
hl7:effectiveTime		**0 ...**			6.3.4.3
@value		**1 ... 1**	R		
Eingefügt		**0 ... ***		von 1.3.6.1.4.1.12559.11.22.1.50 *Medication Treatment Plan Item* (DYNAMIC)	
hl7:entryRelationship		**0 ... ***	**R**		6.3.4.3.3.9
wo *[hl7:substanceAdministration/hl7:code/@code='MTPItem']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:substanceAdministration					6.3.4.3.3.9
@classCode		**1 ... 1**	F	SBADM	
@moodCode		**1 ... 1**	F	INT	
hl7:id		**1 ... 1**	**M**		6.3.4.3.3.9
hl7:code	**CD**	**1 ... 1**	**M**		6.3.4.3.3.9
@code		**1 ... 1**	F	MTPItem	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		**1 ... 1**	**R**		6.3.4.3.3.9
hl7:manufacturedProduct		**1 ... 1**	**R**		6.3.4.3.3.9

Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedMaterial		**1 ... 1**	**R**		6.3.4.3.3.9
@nullFlavor		**1 ... 1**	F	NA	
Auswahl		**1 ... 1**		Elemente in der Auswahl: ▪ hl7:entryRelationship[hl7:substanceAdministration/hl7:code/@code='PREItem'] eingefügt vom Template 1.3.6.1.4.1.12559.11.22.1.51 *Prescription Item* (DYNAMIC) ▪ hl7:entryRelationship[hl7:substanceAdministration/ hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2'] welches enthält Template 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC)	
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.51 *Prescription Item* (DYNAMIC)	
hl7:entryRelationship		**1 ... 1**	**R**		6.3.4.3.3.10
wo *[hl7:substanceAdministration/hl7:code/@code='PREItem']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:substanceAdministration					6.3.4.3.3.10
@classCode		**1 ... 1**	F	SBADM	
@moodCode		**1 ... 1**	F	INT	
hl7:id		**1 ... 1**	**M**		6.3.4.3.3.10
hl7:code	**CD**	**1 ... 1**	**M**		6.3.4.3.3.10
@code		**1 ... 1**	F	PREItem	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		**1 ... 1**	**R**		6.3.4.3.3.10

Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedProduct		**1 ... 1**	**R**		6.3.4.3.3.10
hl7:manufacturedMaterial		**1 ... 1**	**R**		6.3.4.3.3.10
@nullFlavor		**1 ... 1**	F	NA	
hl7:entryRelationship				Beinhaltet 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC)	6.3.4.3.3.10
wo *[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2']*					
Auswahl		**0 ... 1**		Elemente in der Auswahl: ▪ hl7:entryRelationship[hl7:supply/hl7:code/@code='DISItem'] eingefügt vom Template 1.3.6.1.4.1.12559.11.22.1.52 *Dispense Item* (DYNAMIC) ▪ hl7:entryRelationship[hl7:supply/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4']	
Eingefügt				von 1.3.6.1.4.1.12559.11.22.1.52 *Dispense Item* (DYNAMIC)	
hl7:entryRelationship		**0 ... 1**			6.3.4.3.3.11
wo *[hl7:supply/hl7:code/@code='DISItem']*					
@typeCode		**1 ... 1**	F	REFR	
hl7:supply					6.3.4.3.3.11
@classCode		**1 ... 1**	F	SPLY	
@moodCode		**1 ... 1**	F	EVN	
hl7:id		**1 ... 1**	**M**		6.3.4.3.3.11
hl7:code	**CD**	**1 ... 1**	**M**		6.3.4.3.3.11
@code		**1 ... 1**	F	DISItem	

Item	DT	Kard	Konf	Beschreibung	Label
`@codeSystem`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
`hl7:entryRelationship`		**0 ... 1**			6.3.4.3.3.11
wo *[hl7:supply/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4']*					
`@typeCode`		**1 ... 1**	F	REFR	
`hl7:supply`					6.3.4.3.3.11
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3.3.11
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.4	
`hl7:entryRelationship`		**0 ... ***			6.3.4.3.3.12
wo *[hl7:act/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.5']*					
`@typeCode`		**1 ... 1**	F	REFR	
`@inversionInd`		**0 ... 1**	F	false	
`hl7:act`					6.3.4.3.3.12
`@classCode`		**1 ... 1**	F	ACT	
`@moodCode`		**1 ... 1**	F	EVN	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3.3.12
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.5	
`hl7:entryRelationship`		**0 ... ***			6.3.4.3.3.13

Item	DT	Kard	Konf	Beschreibung	Label
wo *[hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.7']*					
`@typeCode`		**1 ... 1**	F	REFR	
`@inversionInd`		**0 ... 1**	F	false	
`hl7:substanceAdministration`					6.3.4.3.3.13
`@classCode`		**1 ... 1**	F	SBADM	
`@moodCode`		**1 ... 1**	F	INT	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3.3.13
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.7	
`hl7:entryRelationship`		**0 ... 1**			6.3.4.3.3.14
wo *[hl7:organizer/hl7:component/hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2']*					
`@typeCode`		**1 ... 1**	F	REFR	
`@inversionInd`		**0 ... 1**	F	false	
`hl7:organizer`					6.3.4.3.3.14
`@classCode`		**1 ... 1**	F	CLUSTER	
`@moodCode`		**1 ... 1**	F	EVN	
`hl7:statusCode`		**1 ... 1**	**M**		6.3.4.3.3.14
`@code`		**1 ... 1**	F	completed	

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:component`		**1 ...**	**R**	Beinhaltet 1.3.6.1.4.1.19376.1.9.1.3.2 *Prescription Item Entry Content Module* (DYNAMIC)	6.3.4.3.3.14
`hl7:seperatableInd`		**1 ... 1**	**M**		6.3.4.3.3.14
`@value`		**1 ... 1**	F	false	
`hl7:entryRelationship`		**0 ... 1**			6.3.4.3.3.15
`@typeCode`		**1 ... 1**	F	REFR	
`@inversionInd`		**0 ... 1**	F	false	
`hl7:substanceAdministration`					6.3.4.3.3.15
`@classCode`		**1 ... 1**	F	SBADM	
`@moodCode`		**1 ... 1**	F	INT	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.3.3.15
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.6	
`hl7:consumable`		**1 ... 1**	**R**		6.3.4.3.3.15
`hl7:manufacturedProduct`		**1 ... 1**	**R**		6.3.4.3.3.15
`hl7:manufacturedMaterial`		**1 ... 1**	**R**		6.3.4.3.3.15
`@nullFlavor`		**1 ... 1**	F	NA	
`hl7:reference`		**0 ... ***			6.3.4.3.3.16

Item	DT	Kard	Konf	Beschreibung	Label
`@typeCode`		**1 ... 1**	F	XCRPT	
`hl7:externalDocument`		**1 ... 1**	**R**		6.3.4.3.3.16
`hl7:id`		**1 ... ***	**M**		6.3.4.3.3.16

4.2.53 Prescription Item 1.3.6.1.4.1.12559.11.22.1.51 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.12559.11.22.1.51 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 11:13:04
Status	Draft	**Versions-Label**	PADV2016
Name	PrescriptionItem	**Anzeigename**	Prescription Item
Beschreibung			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
1.3.6.1.4.1.19376.1.9.1.3.3		Pharmaceutical Advice Item Entry Content Module	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.9.1.3.5		Pharmaceutical Advice Concern Entry Content Module	2016-01-08 11:13:04
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module	2016-07-12
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:entryRelationship`		**1 ... 1**	**R**		(PrescriptionItem)
wo *[hl7:substanceAdministration/hl7:code/@code='PREItem']*					
`@typeCode`		**1 ... 1**	F	REFR	
`hl7:substanceAdministration`					(PrescriptionItem)
`@classCode`		**1 ... 1**	F	SBADM	
`@moodCode`		**1 ... 1**	F	INT	
`hl7:id`		**1 ... 1**	**M**		(PrescriptionItem)
`hl7:code`	**CD**	**1 ... 1**	**M**		(PrescriptionItem)
`@code`		**1 ... 1**	F	PREItem	
`@codeSystem`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.9.2.2	
`hl7:consumable`		**1 ... 1**	**R**		(PrescriptionItem)
`hl7:manufacturedProduct`		**1 ... 1**	**R**		(PrescriptionItem)
`hl7:manufacturedMaterial`		**1 ... 1**	**R**		(PrescriptionItem)
`@nullFlavor`		**1 ... 1**	F	NA	

4.2.54 ◯ Prescription Item Entry Content Module 1.3.6.1.4.1.19376.1.9.1.3.2 - 2016-01-08 13:04:49 (PRE2016) ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.19376.1.9.1.3.2 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2016-01-08 13:04:49

Status	Draft	**Versions-Label**	PRE2016
Name	PrescriptionItemEntry	**Anzeigename**	Prescription Item Entry Content Module
Beschreibung			
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.9.1.3.2		
Label	6.3.4.2		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt

Benutzt von 6 Templates, Benutzt 2 Templates

Benutzt von Template-Id	als	Name	Version
1.3.6.1.4.1.19376.1.9.1.3.3	Containment	Pharmaceutical Advice Item Entry Content Module	2016-01-08 11:13:04
1.3.6.1.4.1.19376.1.9.1.3.5	Containment	Pharmaceutical Advice Concern Entry Content Module	2016-01-08 11:13:04
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2	Containment	Pharmaceutical Advice Concern Item Entry Content Module	2016-07-12

Benutzt Template-Id	als	Name	Version
1.3.6.1.4.1.19376.1.9.1.1.1.1	Inklusion	DosageInstructionContent	DYNAMIC
1.3.6.1.4.1.19376.1.9.1.3.1	Containment	MedicineEntryContentModule	DYNAMIC

Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.7 (*2005-09-07*)

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:substanceAdministration`					6.3.4.2
`@classCode`		**1 ... 1**	F	SBADM	

Item	DT	Kard	Konf	Beschreibung	Label
`@moodCode`		**1 ... 1**	F	INT	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.2.3.2
wo *[@root='1.3.6.1.4.1.19376.1.9.1.3.2']*					
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.9.1.3.2	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.2.3.2
wo *[@root='2.16.840.1.113883.10.20.1.24']*					
`@root`	uid	**0 ... 1**	F	2.16.840.1.113883.10.20.1.24	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.2.3.2
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7']*					
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7	
Auswahl		**1 ...**		Elemente in der Auswahl: ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1'] ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.8'] ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9'] ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.10'] ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.11']	
`hl7:templateId`	**II**	**0 ... 1**			6.3.4.2.3.3
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1']*					
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.1	
`hl7:templateId`	**II**	**0 ... 1**			6.3.4.2.3.3
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.8']*					

Item	DT	Kard	Konf	Beschreibung	Label
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.8	
`hl7:templateId`	**II**	**0 ... 1**			6.3.4.2.3.3
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']*					
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.9	
`hl7:templateId`	**II**	**0 ... 1**			6.3.4.2.3.3
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.10']*					
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.10	
`hl7:templateId`	**II**	**0 ... 1**			6.3.4.2.3.3
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.11']*					
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.11	
`hl7:id`		**1 ... ***			6.3.4.2.3.4
`hl7:code`		**0 ... 1**			6.3.4.2.3.5
`hl7:text`		**1 ... 1**	**M**		6.3.4.2.3.6
`hl7:reference`		**1 ... 1**	**M**		6.3.4.2.3.6
`hl7:statusCode`		**1 ... 1**	**M**		6.3.4.2.3.7
`@code`		**1 ... 1**	F	completed	
Eingefügt				von 1.3.6.1.4.1.19376.1.9.1.1.1.1 *Dosage Instruction Content* (DYNAMIC)	
`hl7:effectiveTime`	**IVL_TS**	**0 ... ***			6.3.4.5.3.4

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime		**0 ... 1**			6.3.4.5.3.5
wo *[@operator='A']*					
@operator		**1 ... 1**	F	A	
hl7:routeCode		**0 ... 1**			6.3.4.5.3.6
hl7:approachSiteCode		**0 ... ***			6.3.4.5.3.7
hl7:originalText		**0 ... 1**			6.3.4.5.3.7
hl7:reference	**TEL**	**1 ... 1**	**R**		6.3.4.5.3.7
hl7:doseQuantity		**0 ... 1**			6.3.4.5.3.8
hl7:rateQuantity		**0 ... 1**			6.3.4.5.3.9
hl7:entryRelationship		**0 ... ***			6.3.4.5.3.10
wo *[hl7:substanceAdministration]*					
@typeCode		**1 ... 1**	F	COMP	
hl7:sequenceNumber	**INT**	**1 ... 1**	**M**		6.3.4.5.3.10
hl7:substanceAdministration		**0 ... 1**	**R**		6.3.4.5.3.10
hl7:consumable		**0 ... 1**			6.3.4.5.3.10
hl7:manufacturedProduct		**0 ... 1**	**R**		6.3.4.5.3.10
hl7:manufacturedMaterial		**0 ... 1**			6.3.4.5.3.10

Item	DT	Kard	Konf	Beschreibung	Label
`@nullFlavor`		**1 ... 1**	F	NA	
`hl7:repeatNumber`		**1 ... 1**	**M**		6.3.4.2.3.9
`hl7:consumable`		**1 ... 1**			6.3.4.2.3.10
`hl7:manufacturedProduct`		**1 ... 1**		Beinhaltet 1.3.6.1.4.1.19376.1.9.1.3.1 *Medicine Entry Content Module* (DYNAMIC)	6.3.4.2.3.10
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.1.3.1
wo *[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.2']*					
`@root`	uid	**0 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.2	
`hl7:templateId`	**II**	**1 ... 1**	**M**		6.3.4.1.3.1
wo *[@root='2.16.840.1.113883.10.20.1.53']*					
`@root`	uid	**0 ... 1**	F	2.16.840.1.113883.10.20.1.53	
`hl7:author`		**0 ... ***			6.3.4.2.3.11
`hl7:time`		**1 ... 1**	**M**		6.3.4.2.3.11
`hl7:entryRelationship`		**0 ... ***			6.3.4.2.3.12
`@typeCode`		**1 ... 1**	F	RSON	
`hl7:act`					6.3.4.2.3.12
`hl7:templateId`	**II**	**1 ... 1**	**R**		6.3.4.2.3.12
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.4.1	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		**0 ... ***			6.3.4.2.3.14
@typeCode		**1 ... 1**	F	SUBJ	
@inversionInd		**1 ... 1**	F	true	
hl7:act					6.3.4.2.3.14
hl7:templateId	**II**	**1 ... 1**	**M**		6.3.4.2.3.14
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.3	
hl7:entryRelationship		**0 ... ***			6.3.4.2.3.15
@typeCode		**1 ... 1**	F	SUBJ	
@inversionInd		**1 ... 1**	F	true	
hl7:act					6.3.4.2.3.15
hl7:templateId	**II**	**1 ... 1**	**M**		6.3.4.2.3.15
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.3.1	
hl7:entryRelationship		**0 ... ***			6.3.4.2.3.16
@typeCode		**1 ... 1**	F	COMP	
hl7:supply					6.3.4.2.3.16
@classCode		**1 ... 1**	F	SPLY	

Item	DT	Kard	Konf	Beschreibung	Label
`@moodCode`		**1 ... 1**	F	RQO	
`hl7:independentInd`		**1 ... 1**	**M**		6.3.4.2.3.16
`@value`		**1 ... 1**	F	false	
`hl7:quantity`		**0 ... 1**			6.3.4.2.3.16
`@value`		**0 ... 1**			
`@unit`		**0 ... 1**			
`hl7:reference`		**0 ... ***			6.3.4.2.3.18
`@typeCode`		**1 ... 1**	F	XCRPT	
`hl7:externalDocument`		**1 ... 1**			6.3.4.2.3.18
`hl7:id`		**1 ... ***			6.3.4.2.3.18
`hl7:precondition`		**0 ... ***			6.3.4.2.3.19
`hl7:criterion`		**1 ... 1**			6.3.4.2.3.19
`hl7:text`		**1 ... 1**			6.3.4.2.3.19
`hl7:reference`		**1 ... 1**			6.3.4.2.3.19
`@value`		**1 ... 1**	R		

4.2.55 Severity 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2009-12-04 ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.1 ref (aus Repository: iheptv-)	**Gültigkeit**	gültig ab 2009-12-04 Es gibt Versionen von Templates mit dieser Id: ▪ EntrySeverity vom 2013-12-20 ▪ Severity vom 2009-12-04
Status	In Review	**Versions-Label**	
Name	Severity	**Anzeigename**	Severity
Beschreibung	Any condition or allergy may be the subject of a severity observation. This structure is included in the target act using the <entryRelationship> element defined in the CDA Schema. The example below shows the recording the condition or allergy severity, and is used as the context for the following sections. See also IHE PCC Wiki Content		
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.1		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.303 (*2005-09-07*)		

Beispiel

Beispiel

```
<observation classCode="OBS" moodCode="EVN">

  <templateId root="2.16.840.1.113883.10.20.1.55"/>

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.1"/>

  <code code="SEV" codeSystem="2.16.840.1.113883.5.4" displayName="Severity" codeSystemName="ActCode"/>

  <text>

    <reference value="#severity-2"/>

  </text>
  <statusCode code="completed"/>

  <value xsi:type="CD" code="H|M|L" codeSystem="2.16.840.1.113883.5.1063" codeSystemName="ObservationValue"/>

</observation>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
`hl7:observation`					(Severity)
`@classCode`		**1 ... 1**	F	OBS	
`@moodCode`		**1 ... 1**	F	EVN	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(Severity)
`@root`		**1 ... 1**	F	2.16.840.1.113883.10.20.1.55	
`hl7:templateId`	**II**	**1 ... 1**	**M**		(Severity)
`@root`		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.1	
`hl7:code`	**CE**	**1 ... 1**	**M**		(Severity)
`@code`		**1 ... 1**	F	SEV	
`@codeSystem`		**1 ... 1**	F	2.16.840.1.113883.5.4 (Act Code)	
`hl7:text`	**ED**	**1 ... 1**	**R**	The <observation> element shall contain a <text> element that points to the narrative text describing the clinical status. For CDA, the <text> elements shall contain a <reference> element pointing to the narrative section (see Linking Narrative and Coded Entries), rather than duplicate text to avoid ambiguity. For HL7 Version 3 Messages, the <text> element SHALL contain the full narrative text.	(Severity)
`hl7:reference`	**TEL**	**0 ... 1**			(Severity)
`@value`		**1 ... 1**	R		
`hl7:statusCode`	**CS**	**1 ... 1**	**M**		(Severity)

Item	DT	Kard	Konf	Beschreibung	Label
`@code`		**1 ... 1**	F	completed	
`hl7:value`	**CE**	**1 ... 1**	**R**	The <value> element contains the clinical status. It is always represented using the CE datatype (xsi:type='CE'). It shall contain a code from the following set of values from SNOMED CT.	(Severity)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16643 *SeverityObservation* (DYNAMIC)			

4.2.56 epSOS Patient Medication Instructions 1.3.6.1.4.1.19376.1.5.3.1.4.3 - 2013-12-20 ref (aus Repository: epsos-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.3 ref (aus Repository: epsos-)	**Gültigkeit**	gültig ab 2013-12-20
Status	Draft	**Versions-Label**	
Name	epsosPatientMedicationInstructions	**Anzeigename**	epSOS Patient Medication Instructions
Beschreibung	Any medication may be the subject of further instructions to the patient, for example to indicate that it should be taken with food, etc. This structure is included in the target supply act using the <entryRelationship> element defined in the CDA Schema. The example below shows the recording of patient medication instruction for an <entry>, and is used as context for the following section. Act classCode **<act classCode='ACT' moodCode='INT'>** The related statement is the intent (moodCode='INT') on how the related entry is to be performed. Template Id root **<templateId root='2.16.840.1.113883.10.20.1.49'/> <templateId root='1.3.6.1.4.1.19376.1.5.3.1.4.3'/>** These <templateId> elements identify this <act> as a medication instruction, allowing for validation of the content. Code **<code code='PINSTRUCT' codeSystem='1.3.6.1.4.1.19376.1.5.3.2' codeSy s temName='IHEActCode' />**		

The <code> element indicates that this is a patient medication instruction. This element shall be recorded exactly as specified above.

Text-reference

<text><reference value='#comment'/></text>

The <text> element contains a free text representation of the instruction. This element SHALL contain a <reference>element to the link text of the comment in the narrative portion of the document. The comment itself is not the act being coded, so it appears in the <text> of the <observation>, not as part of the <code>.

Status Code

<statusCode code='completed' />

The code attribute of <statusCode> for all comments must be completed.

Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.3
Klassifikation	CDA Entry Level Template
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)

Assoziiert mit

Assoziiert mit 1 Konzept

Id	Name	Datensatz
cdachemed-dataelement-54	Anwendungsinstruktion	Parameter eMedikation

Benutzt von / Benutzt

Benutzt von 12 Templates, Benutzt 0 Templates

Benutzt von Template-Id	als	Name	Version
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	Medication Treatment Plan Item Entry Content Module	2016-06-13
2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		eCurrentMedication Section Content Module	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		Prescription Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21

	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Dispense Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.3	eAbgabeAnwendung V1	2016-05-21

Beziehung Specialization: Template 2.16.840.1.113883.10.12.301 (*2005-09-07*)

Beispiel

Beispiel

```
<entry>

  <supply classCode="SPLY" moodCode="EVN">

    <!-- ... -->

    <entryRelationship typeCode="SUBJ" inversionInd="true">

      <act classCode="ACT" moodCode="INT">

        <templateId root="2.16.840.1.113883.10.20.1.49"/>

        <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.3"/>

        <code code="PINSTRUCT" codeSystem="1.3.6.1.4.1.19376.1.5.3.2" codeSystemName="IHEActCode"/>

        <text>

          <reference value="#comment-2"/>

        </text>
        <statusCode code="completed"/>

      </act>
    </entryRelationship>
    <!-- ... -->

  </supply>
</entry>
```

Alles ausklappen | Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:act		**0 ... ***	**R**		(epsosPatientMedicationInstructions)
@classCode		**1 ... 1**	F	ACT	
@moodCode		**1 ... 1**	F	INT	
hl7:templateId	**II.EPSOS**	**1 ... 1**	**R**		(epsosPatientMedicationInstructions)
@root		**1 ... 1**	F	2.16.840.1.113883.10.20.1.49	
hl7:templateId		**1 ... 1**	**M**		(epsosPatientMedicationInstructions)
@root		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.1.4.3	
hl7:code	**CD.EPSOS**	**1 ... 1**	**R**		(epsosPatientMedicationInstructions)
@code		**1 ... 1**	F	PINSTRUCT	
@codeSystem		**1 ... 1**	F	1.3.6.1.4.1.19376.1.5.3.2 (IHEActCode Vocabulary)	
hl7:text	**ED**	**0 ... 1**	**R**		(epsosPatientMedicationInstructions)
hl7:reference	**TEL**	**1 ... 1**	**M**		(epsosPatientMedicationInstructions)
@value		**1 ... 1**	R	Reference pointing to the narrative, typically #{label}-{generated-id}, e.g. #xxx-1	
		Ziel der Konzept Id(s): cdachemed-dataelement-54 Anwendungsinstruktion		Parameter eMedikation	
hl7:statusCode	**CS**	**0 ... 1**	**R**		(epsosPatientMedicationInstructions)
@code		**1 ... 1**	F	completed	