



CDA-CH-EMED - eMedication

Zusammenstellung der DECOR-Informationen

Implementierungsleitfaden

Version vom 2017-02-01 20:26:20

PDF-Auszug vom 2017-02-01 20:30:06

Lizenzen

Dieses Programm ist freie Software: Sie können es unter den Bedingungen der GNU General Public License, wie von der Free Software Foundation, Version 3 der Lizenz oder (nach Ihrer Option) jeder späteren veröffentlichten Version, weiterverbreiten und/oder modifizieren.

Dieses Programm wird in der Hoffnung, dass es nützlich sein wird, aber OHNE JEDE GEWÄHRLEISTUNG, bereitgestellt; sogar ohne die implizite Gewährleistung der MARKTFÄHIGKEIT oder EIGNUNG FÜR EINEN BESTIMMTEN ZWECK.

Siehe <http://www.gnu.org/licenses/gpl.html>

Der Inhalt dieser Spezifikation unterliegt möglicherweise anderen Urheber- und Markenrechten sowie Lizenzbestimmungen die hier nicht näher spezifiziert sind.

Disclaimer

Der Inhalt dieser Publikation wurde sorgfältig bearbeitet und überprüft. Allerdings garantiert eHealth Suisse weder die Richtigkeit, Vollständigkeit oder Qualität der bereitgestellten Informationen, noch dass sie auf dem neuesten Stand sind. Haftungsansprüche gegen eHealth Suisse in Bezug auf Schäden materieller oder ideeller Art, die durch die Nutzung oder Nichtnutzung der dargebotenen Informationen oder durch fehlerhafte und unvollständige Informationen verursacht wurden, sind grundsätzlich ausgeschlossen, sofern kein nachweislich vorsätzliches oder grob fahrlässiges Verschulden von eHealth Suisse vorliegt.

Table of Contents

1 Projektinformation	7
1.1 Projekt	7
1.1.1 Weitere Projekt-Informationen	7
1.1.2 Versionsinformationen	8
2 Datensätze (generisch)	9
2.1 Parameter eMedikation 2016-05-02 10:05:29	9
3 Szenarios	26
3.1 Szenario 2016-06-30 10:57:21	26
4 Identifikatoren	41
4.1 Identifikatoren	41
4.1.1 cdachemed-valueset-1 2.16.756.5.30.1.127.77.4.11.1	41
4.1.2 cdachemed-valueset-3 2.16.756.5.30.1.127.77.4.11.3	41
4.1.3 cdachemed-valueset-5 2.16.756.5.30.1.127.77.4.11.5	41
4.1.4 cdachemed-valueset-6 2.16.756.5.30.1.127.77.4.11.6	41
4.1.5 Act Code 2.16.840.1.113883.5.4	41
4.1.6 TimingEvent 2.16.840.1.113883.5.139	41
4.1.7 Logical Observation Identifier Names and Codes 2.16.840.1.113883.6.1	41
4.1.8 SNOMED Clinical Terms 2.16.840.1.113883.6.96	42
4.2 Liste der Template Identifier in diesem Projekt	42
4.3 Liste von Value Set Identifiern in diesem Projekt	44
5 Terminologien	46
5.1 Value sets	46
5.1.1 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	46
5.1.2 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	47
5.1.3 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	48
5.1.4 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	49
5.1.5 TimingEvent 2.16.756.5.30.1.127.77.4.11.2 - 2016-06-30 14:58:13	49
5.1.6 eMedicationCommentType 2.16.756.5.30.1.127.77.4.11.3 - 2016-07-12 21:26:21	51
5.1.7 DispenseSupplyType 2.16.756.5.30.1.127.77.4.11.7 - 2017-01-10 20:44:24	51
5.1.8 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	52

5.1.9 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	53
5.1.10 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	53
5.1.11 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	61
5.1.12 ProblemType 2.16.756.5.30.1.127.77.4.11.4 - 2016-07-12 21:49:34	69
5.1.13 ParticipationSignature 2.16.840.1.113883.1.11.10282 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	70
5.1.14 RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	71
5.1.15 RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	101
5.1.16 SeverityObservation 2.16.840.1.113883.1.11.16643 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)	131
5.1.17 SeverityObservation 2.16.840.1.113883.1.11.16643 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)	132
5.1.18 Swiss Role Author EPD 2.16.756.5.30.1.1.11.3 - 2016-06-09 ref (aus Repository: hl7hcda-)	133
5.1.19 Swiss Author Speciality EPD 2.16.756.5.30.1.1.11.4 - 2016-06-09 ref (aus Repository: hl7hcda-)	134
5.1.20 Swiss Confidentiality Codes 2.16.756.5.30.1.1.11.1 - 2016-05-27 ref (aus Repository: hl7hcda-)	135
5.1.21 epSOSHealthcareProfessionalRoles 1.3.6.1.4.1.12559.11.10.1.3.1.42.1 - 2013-06-03 (2008) ref (aus Repository: epsos-)	136
6 Templates	139
6.1 Transaktionsrepräsentierende Templates	139
6.1.1 eMedicationComment V1 2.16.756.5.30.1.1.1.1.3.10.4 - 2016-05-21	139
6.1.2 eAbgabe V1 2.16.756.5.30.1.1.1.1.3.10.3 - 2016-05-21	148
6.1.3 eRezept V1 2.16.756.5.30.1.1.1.1.3.10.2 - 2016-05-21	159
6.1.4 eCurrentMedication V1 2.16.756.5.30.1.1.1.1.3.10.1 - 2016-05-13	169
6.2 Templates	181
6.2.1 CDA-CH Remarks Section 2.16.756.5.30.1.1.10.3.2 - 2016-03-17 ref (aus Repository: hl7hcda-)	181
6.2.2 <CDA-CH-TPLT> 2.16.756.5.30.1.1.10.2.18 - 2016-06-06 ref (aus Repository: hl7hcda-)	183
6.2.3 CDA AssignedEntity 2.16.756.5.30.1.1.10.9.12 - 2015-12-18 ref (aus Repository: hl7hcda-)	184
6.2.4 CDA-CH Remarks Reference Entry 2.16.756.5.30.1.1.10.4.2 - 2016-03-17 ref (aus Repository: hl7hcda-)	186

6.2.5 CDA Organization 2.16.756.5.30.1.1.10.9.11 - 2015-12-18 ref (aus Repository: hl7chcda-)	189
6.2.6 CDA Person 2.16.756.5.30.1.1.10.9.10 - 2015-12-18 ref (aus Repository: hl7chcda-)	190
6.2.7 <CDA-CH-CONF> 2.16.756.5.30.1.1.10.2.19 - 2016-06-06 (2016) ref (aus Repository: hl7chcda-)	191
6.2.8 <CDA-CH-DOCL> 2.16.756.5.30.1.1.10.2.22 - 2015-12-18 (2016) ref (aus Repository: hl7chcda-)	192
6.2.9 <CDA-CH-RELM> 2.16.756.5.30.1.1.10.2.25 - 2015-12-18 (2016) ref (aus Repository: hl7chcda-)	193
6.2.10 <CDA-CH-REPL> 2.16.756.5.30.1.1.10.2.13 - 2016-05-18 (2016) ref (aus Repository: hl7chcda-)	193
6.2.11 CDA custodian 2.16.756.5.30.1.1.10.2.3 - 2009-01-27 ref (aus Repository: hl7chcda-)	195
6.2.12 CDA Document Id 2.16.756.5.30.1.1.10.9.3 - 2015-12-18 ref (aus Repository: hl7chcda-)	197
6.2.13 CDA legalAuthenticator 2.16.756.5.30.1.1.10.2.5 - 2009-01-27 ref (aus Repository: hl7chcda-)	198
6.2.14 CDA relatedDocument 2.16.756.5.30.1.127.77.4.10.6 - 2016-06-06	201
6.2.15 CDA SetId VersionNumber 2.16.756.5.30.1.1.10.9.7 - 2015-12-18 ref (aus Repository: hl7chcda-)	201
6.2.16 CDA TypeId 2.16.756.5.30.1.1.10.2.24 - 2015-12-18 ref (aus Repository: hl7chcda-)	202
6.2.17 author 2.16.756.5.30.1.1.1.3.10.10.2.1 - 2016-06-09	203
6.2.18 DIS Reference Entry Content	
Module 2.16.756.5.30.1.1.1.3.10.2.10.3.10.4.2 - 2017-01-11 12:32:40	207
6.2.19 Dispense Item Entry Content	
Module 2.16.756.5.30.1.1.1.3.10.2.10.3.10.4.1 - 2016-06-17	209
6.2.20 Dispense Section Content Module 2.16.756.5.30.1.1.1.3.10.2.10.3.10.3.1 - 2016-06-06	221
6.2.21 Dosage Instructions CH P1 2.16.756.5.30.1.1.1.3.10.2.10.10.4.1 - 2016-06-13	227
6.2.22 Dosage Instructions CH P2 2.16.756.5.30.1.1.1.3.10.2.10.10.4.12 - 2017-01-23 16:30:55	233
6.2.23 Dosage Instructions Non Structured Entry Content	
Module 2.16.756.5.30.1.1.1.3.10.2.10.10.4.10 - 2016-09-13 15:33:18	237
6.2.24 Dosage Intake Mode Entry Content	
Module 2.16.756.5.30.1.1.1.3.10.2.10.10.4.11 - 2016-09-13 16:06:07	239
6.2.25 name 2.16.756.5.30.1.1.1.3.10.10.2.7 - 2016-06-09	241
6.2.26 MTP Reference Entry Content	
Module 2.16.756.5.30.1.1.1.3.10.2.10.10.4.6 - 2016-07-07	242
6.2.27 Manufactured Material Entry Content	
Module 2.16.756.5.30.1.1.1.3.10.2.10.10.4.2 - 2016-06-13	245
6.2.28 Medication Treatment Plan Item Entry Content	
Module 2.16.756.5.30.1.1.1.3.10.2.10.1.10.4.1 - 2016-06-13	251

6.2.29 eCurrentMedication Section Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1 - 2016-05-21	263
6.2.30 PADV Reference Entry Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.3 - 2017-10-11 12:06:00	267
6.2.31 recordTarget 2.16.756.5.30.1.1.1.1.3.10.10.2.5 - 2016-06-08	268
6.2.32 PRE Reference Entry Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3 - 2017-01-11 11:10:04	272
6.2.33 Pharmaceutical Advice Item Entry Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1 - 2016-06-25	274
6.2.34 Pharmaceutical Advice Section Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1 - 2016-06-06	289
6.2.35 Prescribed Quantity Entry Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3 - 2016-06-13	292
6.2.36 Prescription Item Entry Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1 - 2016-06-25	294
6.2.37 Prescription Section Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1 - 2016-06-06	308
6.2.38 receiver 2.16.756.5.30.1.1.1.1.3.10.10.2.6 - 2016-09-15 12:43:44	312
6.2.39 representedOrganisationPart 2.16.756.5.30.1.1.1.1.3.10.10.2.3 - 2016-06-09	314
6.2.40 Substitution Permission Entry Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2 - 2016-09-13 17:06:35	316
6.2.41 Treatment Reason Entry Content	
Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4 - 2016-06-13	318
6.2.42 todelte 2.16.756.5.30.1.1.1.1.3.10.10.2.7.2 - 2016-09-13	320
6.2.43 Dispense Item 1.3.6.1.4.1.12559.11.22.1.52 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-)	321
6.2.44 IHE Internal Reference Entry 1.3.6.1.4.1.19376.1.5.3.1.4.4.1 - 2013-12-20 (2014) ref (aus Repository: IHE-PCC-).....	322
6.2.45 IHE Patient Medication Instructions 1.3.6.1.4.1.19376.1.5.3.1.4.3 - 2013-12-20 (2014) ref (aus Repository: IHE-PCC-).....	323
6.2.46 IHE Severity Entry 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2013-12-20 (2014) ref (aus Repository: IHE-PCC-).....	326
6.2.47 Medication Treatment Plan Item 1.3.6.1.4.1.12559.11.22.1.50 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-).....	328
6.2.48 Prescription Item 1.3.6.1.4.1.12559.11.22.1.51 - 2016-01-08 11:13:04 (PADV2016) ref (aus Repository: iheptv-).....	330
6.2.49 Severity 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2009-12-04 ref (aus Repository: iheptv-)	331

1 Projektinformation

1.1 Projekt



IPAG has defined 4 documents for the exchange of medication information between health professionals.

The **eCurrentMedication** aims to fully comprise the current medication of a patient.

The **eRezept** represents the electronic form of a prescription of a drug by a qualified healthcare professional.

The **eAbgabe** documents the direct dispensation of a drug to a patient or legitimized third party with regard to a later application of the product by a qualified health professional.

The **eMedicationComment** is a document in which health professionals track important observations (with the explicit consent of the patient), in regards to medication use.

Source IPAG eMedikation, 19.9.2016 .

eHealth Suisse has modelled together with IPAG the four documents in ART-DECOR in this project according to the IHE Pharmacy Supplements.

1.1.1 Weitere Projekt-Informationen

Artifact-Prefix	Referenz-URI
cdachemed-	http://ehealthsuisse.art-decor.org/
Standardsprache	Template Element Namespace
de-CH	hl7:
Disclaimer	
Der Inhalt dieser Publikation wurde sorgfältig bearbeitet und überprüft. Allerdings garantiert eHealth Suisse weder die Richtigkeit, Vollständigkeit oder Qualität der bereitgestellten Informationen, noch dass sie auf dem neuesten Stand sind. Haftungsansprüche gegen eHealth Suisse in Bezug auf Schäden materieller oder ideeller Art, die durch die Nutzung oder Nichtnutzung der dargebotenen Informationen oder durch fehlerhafte und unvollständige Informationen verursacht wurden, sind grundsätzlich ausgeschlossen, sofern kein nachweislich vorsätzliches oder grob fahrlässiges Verschulden von eHealth Suisse vorliegt.	
Liste der Autoren	
▪ Oliver Egger ▪ Tony Schaller ▪ dr Kai Heitmann	

1.1.2 Versionsinformationen

Datum	Von	Beschreibung
2017-02-01 20:26:20	Dr. Kai Heitmann	Official Release: v0.94.1  IHE Pharmacy Review and IPAG eMedikation 12.2016
2016-09-19 20:59:48	Oliver Egger	Official Release: v0.93 (en)  Report IPAG eMedikation 19.9.2016
2016-09-19 20:09:23	Oliver Egger	Official Release: v0.93  Report IPAG eMedikation 19.9.2016
2016-09-15 23:50:43	Oliver Egger	Official Release: V092
2016-07-15 17:22:34	Oliver Egger	Official Release: v0.91
2016-07-13 22:17:25	Oliver Egger	Official Release: v0.9
2016-07-13 20:27:34	Oliver Egger	
2016-07-02 13:31:08	Oliver Egger	
2016-06-30 11:26:59	Oliver Egger	
2016-06-30 11:20:04	Oliver Egger	

2 Datensätze (generisch)

2.1

Parameter eMedikation

2016-05-02 10:05:29

Name	Id
------	----



 Parameter eMedikation

Version / Eingangsdatum	Verfalldatum
-------------------------	--------------

Beschreibung



Alles ausklappen	Alles einklappen	Zeige Spalte...
------------------	------------------	-----------------

Name	Details [-]
   Behandelnder	cdachemed-dataelement-2

Id cdachemed-dataelement-2 (2016-06-08 13:15:33)

Beschreibung  Eindeutige Identifikation gemäss EPDG

 Benutzt von 4 transactions, one template, inherited 0 times

  Name	cdachemed-dataelement-7
---	-------------------------

Id cdachemed-dataelement-7 (2016-06-08 13:22:46)

Beschreibung  MDS, obligatorisch

Value Domain String

 Benutzt von 4 transactions, 3 templates, inherited 0 times

  Vorname	cdachemed-dataelement-8
--	-------------------------

Id cdachemed-dataelement-8 (2016-06-08 13:28:26)

Beschreibung  MDS, obligatorisch

Value Domain String

 Benutzt von 4 transactions, 3 templates, inherited 0 times



GLN-Nr.

cdachemed-dataelement-9

Id cdachemed-dataelement-9 (2016-06-08 13:28:42)

Value Domain Identifier



Benutzt von

4 transactions, one template, inherited 0 times



Qualifikation / Spezialisierung

cdachemed-dataelement-10

Id cdachemed-dataelement-10 (2016-06-08 13:30:58)

Value Domain Code



Benutzt von

4 transactions, 0 templates, inherited 0 times



Funktion im Behandlungsprozess

cdachemed-dataelement-11

Id cdachemed-dataelement-11 (2016-06-08 13:37:18)

Value Domain Code



Benutzt von

4 transactions, 0 templates, inherited 0 times



Name der Organisation

cdachemed-dataelement-13

Id cdachemed-dataelement-13 (2016-06-08 13:43:04)

Beschreibung  obligatorisch wenn anwendbar

Value Domain String



Benutzt von

4 transactions, 0 templates, inherited 0 times



GLN-Nr. (Organisation)

cdachemed-dataelement-14

Id cdachemed-dataelement-14 (2016-06-08 13:44:20)

Beschreibung  möglich

Value Domain

Identifier



Benutzt von

4 transactions, 0 templates, inherited 0 times



Abteilung / Organisationseinheit

cdachemed-dataelement-15

Id

cdachemed-dataelement-15 (2016-06-08 13:45:13)

Beschreibung

obligatorisch wenn anwendbar

Value Domain

String



Benutzt von

4 transactions, 0 templates, inherited 0 times



Adresse

cdachemed-dataelement-16

Id

cdachemed-dataelement-16 (2016-06-08 13:45:57)

Beschreibung

MDS, obligatorisch

Value Domain

String



Benutzt von

4 transactions, one template, inherited 0 times



PLZ

cdachemed-dataelement-17

Id

cdachemed-dataelement-17 (2016-06-08 13:46:24)

Beschreibung

MDS, obligatorisch

Value Domain

String



Benutzt von

4 transactions, one template, inherited 0 times



Ort

cdachemed-dataelement-18

Id

cdachemed-dataelement-18 (2016-06-08 13:46:47)

Beschreibung

MDS, obligatorisch

Value Domain

String



Benutzt von

4 transactions, one template, inherited 0 times



Telefon

cdachemed-dataelement-22

Id	cdachemed-dataelement-22 (2016-06-08 13:52:59)
Beschreibung	 empfohlen/wichtig
Value Domain	String
 Benutzt von	4 transactions, 0 templates, inherited 0 times



Patient

cdachemed-dataelement-3

Id	cdachemed-dataelement-3 (2016-06-08 13:20:25)
Beschreibung	 Eindeutige Identifikation des Patienten
 Benutzt von	4 transactions, one template, inherited 0 times



Name

cdachemed-dataelement-23

Id	cdachemed-dataelement-23 (2016-06-08 14:01:58)
Beschreibung	 MDS, obligatorisch
Value Domain	String
 Benutzt von	4 transactions, one template, inherited 0 times



Vorname

cdachemed-dataelement-24

Id	cdachemed-dataelement-24 (2016-06-08 14:02:20)
Beschreibung	 MDS, obligatorisch
Value Domain	String
 Benutzt von	4 transactions, one template, inherited 0 times



Geburtsjahr

cdachemed-dataelement-25

Id	cdachemed-dataelement-25 (2016-06-08 14:02:46)
Beschreibung	 MDS, obligatorisch
Value Domain	Date
 Benutzt von	4 transactions, one template, inherited 0 times

 Geburtsdatum

cdachemed-dataelement-26

Id	cdachemed-dataelement-26 (2016-06-08 14:03:02)
Beschreibung	 MDS, empfohlen/wichtig
Value Domain	Date
Eigenschaft	Zeitangabenpräzision Tag, Monat und Jahr
 Benutzt von	4 transactions, one template, inherited 0 times

 Geschlecht

cdachemed-dataelement-27

Id	cdachemed-dataelement-27 (2016-06-08 14:03:17)
Value Domain	Code
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Patientenidentifikation gem. EPDG

cdachemed-dataelement-28

Id	cdachemed-dataelement-28 (2016-06-08 14:03:45)
Beschreibung	 möglich Nach Verordnung aktuell nicht erlaubt.
Value Domain	Identifizier
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Versicherten-Nr.

cdachemed-dataelement-29

Id	cdachemed-dataelement-29 (2016-06-08 14:04:00)
Beschreibung	 möglich Aklärung ob vorgesehen zur Abbildung im Dokument bei eHealthSuisse
Value Domain	Identifizier
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Adresse

cdachemed-dataelement-30

Id	cdachemed-dataelement-30 (2016-06-08 14:04:24)
Beschreibung	 möglich
Value Domain	String
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 PLZ

cdachemed-dataelement-31

Id	cdachemed-dataelement-31 (2016-06-08 14:04:41)
Beschreibung	 möglich
Value Domain	String
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Ort

cdachemed-dataelement-32

Id	cdachemed-dataelement-32 (2016-06-08 14:05:07)
Beschreibung	 möglich
Value Domain	String
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Land

cdachemed-dataelement-33

Id	cdachemed-dataelement-33 (2016-06-08 14:05:20)
----	--

Beschreibung	 möglich, empfohlen
Value Domain	String
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Telefon

cdachemed-dataelement-34

Id	cdachemed-dataelement-34 (2016-06-08 14:05:42)
Beschreibung	 möglich
Value Domain	String
 Benutzt von	4 transactions, 0 templates, inherited 0 times

 Arzneimittel/Herstellung

cdachemed-dataelement-4

Id	cdachemed-dataelement-4 (2016-06-08 13:20:54)
Beschreibung	 Eindeutige Identifikation des Arzneimittels / Herstellung
 Benutzt von	3 transactions, 3 templates, inherited 0 times

 Präparatename

cdachemed-dataelement-38

Id	cdachemed-dataelement-38 (2016-06-08 14:37:17)
Beschreibung	 MDS, obligatorisch, empfohlen/wichtig nur empfohlen/wichtig falls Wirkstoffname angegeben ist Freitext möglich für Präparate ohne GTIN, z.B. ausländische Produkte
Value Domain	String
 Benutzt von	3 transactions, one template, inherited 0 times

 Wirkstoffname

cdachemed-dataelement-39

Id	cdachemed-dataelement-39 (2016-06-08 14:39:18)
----	--



Benutzt von

3 transactions, one template, inherited 0 times



Dosis pro Wirkstoff

cdachemed-dataelement-40

Id cdachemed-dataelement-40 (2016-06-08 14:40:55)

Value Domain Quantity



Benutzt von

3 transactions, one template, inherited 0 times



Galenische Form

cdachemed-dataelement-62

Id cdachemed-dataelement-62 (2016-06-13 16:05:37)

Beschreibung MDS, obligatorisch wenn anwendbar
obligatorisch, wenn nicht aus Präparatename eindeutig

Value Domain Code



Benutzt von

3 transactions, one template, inherited 0 times



Dosis pro Einheit

cdachemed-dataelement-41

Id cdachemed-dataelement-41 (2016-06-08 14:43:36)

Beschreibung MDS, obligatorisch wenn anwendbar
obligatorisch, wenn nicht aus Präparatename eindeutig

Value Domain Quantity



Benutzt von

3 transactions, one template, inherited 0 times



Anzahl Packungen

cdachemed-dataelement-42

Id cdachemed-dataelement-42 (2016-06-08 14:55:13)

Beschreibung MDS nur eAbgabe/Anwendungsdokument, obligatorisch wenn anwendbar
obligatorisch, wenn keine Behandlungsdauer

Value Domain Count

 Benutzt von 2 transactions, one template, inherited 0 times



 Packungsgrösse

cdachemed-dataelement-43

Id cdachemed-dataelement-43 (2016-06-08 14:56:24)

Value Domain Count

 Benutzt von 2 transactions, one template, inherited 0 times



 Wiederholter Bezug pro Arzneimittel

cdachemed-dataelement-44

Id cdachemed-dataelement-44 (2016-06-08 14:57:21)

Beschreibung  MDS nur eRezept, obligatorisch wenn anwendbar
obligatorisch wenn anwendbar
wenn leer = 1x Bezug

Value Domain Count

 Benutzt von 3 transactions, one template, inherited 0 times



 Grundmedikation oder Reservemedikation

cdachemed-dataelement-20

Id cdachemed-dataelement-20 (2016-06-08 13:51:21)

Beschreibung  empfohlen

Value Domain Code

 Benutzt von 3 transactions, 0 templates, inherited 0 times



 Neuverordnung oder Weiterverordnung

cdachemed-dataelement-68

Id cdachemed-dataelement-68 (2016-07-12 22:18:00)

Beschreibung  möglich

Value Domain Code

 Benutzt von 3 transactions, 0 templates, inherited 0 times



GTIN

cdachemed-dataelement-47

Id cdachemed-dataelement-47 (2016-06-08 15:03:43)

Beschreibung  MDS nur eRezept, empfohlen/wichtig

Value Domain Identifier



Benutzt von

3 transactions, one template, inherited 0 times



ATC-Code nach WHO

cdachemed-dataelement-58

Id cdachemed-dataelement-58 (2016-06-08 15:16:52)

Beschreibung  empfohlen

Value Domain Count



Benutzt von

3 transactions, 0 templates, inherited 0 times



Dosierung

cdachemed-dataelement-50

Id cdachemed-dataelement-50 (2016-06-08 15:06:21)

Beschreibung  MDS, obligatorisch
(strukturiert oder Freitext)

Value Domain String



Benutzt von

3 transactions, one template, inherited 0 times



Anwendungsschema

cdachemed-dataelement-51

Id cdachemed-dataelement-51 (2016-06-08 15:07:04)

Beschreibung  MDS, obligatorisch für eRezept, empfohlen für eCurrentMedication, eAbgabe/
Anwendungsdokument sowie eMedicationComment

z.B. 3x täglich; morgens, mittags, abends; 1x/Woche usw.

Value Domain Text

 Benutzt von 3 transactions, one template, inherited 0 times



 Verabreichungsweg

cdachemed-dataelement-52

Id cdachemed-dataelement-52 (2016-06-08 15:07:58)

Beschreibung  MDS, empfohlen/wichtig

Value Domain Code

 Benutzt von 3 transactions, 2 templates, inherited 0 times



 Dosierungs-Range

cdachemed-dataelement-53

Id cdachemed-dataelement-53 (2016-06-08 15:08:40)

Value Domain Count

 Benutzt von 3 transactions, 0 templates, inherited 0 times



 Kommentar

cdachemed-dataelement-54

Id cdachemed-dataelement-54 (2016-06-08 15:09:36)

Beschreibung  MDS, empfohlen/wichtig
z.B. morgens nüchtern einnehmen, danach 1/2 Std. nicht hinlegen usw.

Value Domain String

 Benutzt von 3 transactions, one template, inherited 0 times



 Abgabe/Anwendung

cdachemed-dataelement-64

Id cdachemed-dataelement-64 (2016-06-17 23:18:36)

Beschreibung  MSD, obligatorisch für für eAbabe/Anwendung

Value Domain String

 Benutzt von one transaction, 0 templates, inherited 0 times



 Datum, Zeit der Abgabe/Anwendung

cdachemed-dataelement-65

Id	cdachemed-dataelement-65 (2016-06-17 23:19:50)
Beschreibung	 MSD empfohlen für eAbgabe/Anwendung (falls relevant und vom Erstellungsdatum des Dokuments abweicht)
Value Domain	String
 Benutzt von	one transaction, 2 templates, inherited 0 times



 Identifikation des Empfängers

cdachemed-dataelement-69

Id	cdachemed-dataelement-69 (2016-07-12 22:48:59)
Beschreibung	 MDS eAbgabe/Anwendung, möglich Eindeutige Identifikation des Empfängers wenn nicht Patient (Angehörige, Spitex usw.), Freitext
Value Domain	String
 Benutzt von	one transaction, one template, inherited 0 times



 Anwendungsdauer

cdachemed-dataelement-55

Id	cdachemed-dataelement-55 (2016-06-08 15:10:50)
Beschreibung	 MDS obligatorisch wenn anwendbar für eRezept, empfohlen/wichtig für eCurrentMedication, eAbgabe/Anwendung
Value Domain	Count
 Benutzt von	3 transactions, one template, inherited 0 times



 Substituierbarkeit

cdachemed-dataelement-1

Id	cdachemed-dataelement-1 (2016-05-02 10:05:30)
Beschreibung	 MDS eRezept, möglich Darf aus medizinischen Gründen nicht substituiert werden --> SIC!
 Benutzt von	one transaction, one template, inherited 0 times

 Behandlungsgrund

cdachemed-dataelement-56

Id	cdachemed-dataelement-56 (2016-06-08 15:11:18)
Beschreibung	 MDS, empfohlen
Value Domain	Count
 Benutzt von	2 transactions, one template, inherited 0 times

 eMedicationComment: Kommentar zur Medikation

cdachemed-dataelement-36

Id	cdachemed-dataelement-36 (2016-06-08 14:28:30)
 Benutzt von	one transaction, one template, inherited 0 times

 Typ des Kommentars

cdachemed-dataelement-67

Id	cdachemed-dataelement-67 (2016-07-12 22:17:28)
Value Domain	Count
 Benutzt von	one transaction, one template, inherited 0 times

 Kommentar

cdachemed-dataelement-21

Id	cdachemed-dataelement-21 (2016-06-08 13:51:46)
Beschreibung	 MDS eMedicationComment, optional, Freitext
Value Domain	String
 Benutzt von	one transaction, one template, inherited 0 times



Administrative Angaben zum Dokument

cdachemed-dataelement-6

Id cdachemed-dataelement-6 (2016-06-08 13:22:26)

Benutzt von 4 transactions, 0 templates, inherited 0 times



Referenz-ID des Dokuments

cdachemed-dataelement-59

Id cdachemed-dataelement-59 (2016-06-08 15:26:25)

Beschreibung obligatorisch

Value Domain Identifier

Benutzt von 4 transactions, one template, inherited 0 times



Ausstelldatum (Erstellungsdatum)

cdachemed-dataelement-60

Id cdachemed-dataelement-60 (2016-06-08 15:26:57)

Beschreibung MDS, obligatorisch

Bei eAbgabeAnwendung / eMedicationComment: Erstellungsdatum

Value Domain Date+time

Eigenschaft

Zeitangabenpräzision

mindestens Tag, Monat und Jahr

Benutzt von 4 transactions, 4 templates, inherited 0 times



Signatur des Erstellers

cdachemed-dataelement-37

Id cdachemed-dataelement-37 (2016-06-08 14:29:23)

Beschreibung MDS eCurrentMedication und eRezept, möglich

eRezept: Signatur des Behandelndens

Value Domain Count

Benutzt von 2 transactions, one template, inherited 0 times



Allgemeine Bemerkungen

cdachemed-dataelement-61

Id	cdachemed-dataelement-61 (2016-06-08 15:27:58)
Beschreibung	MDS, möglich
Value Domain	Text
Benutzt von	4 transactions, one template, inherited 0 times



Referenz auf eCurrent Medication

cdachemed-dataelement-73

Id	cdachemed-dataelement-73 (2016-07-13 15:08:31)
Beschreibung	eRezept, eAbgabe/Anwendung, eMedicationComment, möglich
Value Domain	Identifier
Benutzt von	3 transactions, one template, inherited 0 times



Referenz auf eRezept

cdachemed-dataelement-72

Id	cdachemed-dataelement-72 (2016-07-13 09:28:45)
Beschreibung	eAbgabe/Anwendung, eMedicationComment, möglich
Value Domain	Identifier
Benutzt von	2 transactions, one template, inherited 0 times



Referenz auf eAbgabe/Anwendung

cdachemed-dataelement-5

Id	cdachemed-dataelement-5 (2016-06-08 13:22:00)
Beschreibung	eMedicationComment, möglich
Benutzt von	one transaction, one template, inherited 0 times



todelete

cdachemed-dataelement-35

Id cdachedmed-dataelement-35 (2016-06-08 14:07:56)



todelete

cdachedmed-dataelement-71

Id cdachedmed-dataelement-71 (2016-07-12 23:43:12)

Value Domain Count



todelete

cdachedmed-dataelement-49

Id cdachedmed-dataelement-49 (2016-06-08 15:05:45)

Beschreibung  todelete



todelete

cdachedmed-dataelement-70

Id cdachedmed-dataelement-70 (2016-07-12 22:50:51)



todelete

cdachedmed-dataelement-63

Id cdachedmed-dataelement-63 (2016-06-17 23:18:04)



todelete

cdachedmed-dataelement-19

Id cdachedmed-dataelement-19 (2016-06-08 13:50:05)



todelete

cdachedmed-dataelement-12

Id cdachedmed-dataelement-12 (2016-06-08 13:39:30)



todelete

cdachedmed-dataelement-66

Id cdachedmed-dataelement-66 (2016-06-17 23:20:32)

Value Domain String



todelete

cdachedmed-dataelement-57

Id cdachedmed-dataelement-57 (2016-06-08 15:12:13)

Value Domain Count

 todelete

cdachedmed-dataelement-48

Id cdachedmed-dataelement-48 (2016-06-08 15:04:18)

Beschreibung  todelete

Value Domain Identifier

 todelete

cdachedmed-dataelement-46

Id cdachedmed-dataelement-46 (2016-06-08 15:02:34)

Value Domain Count

 todelete

cdachedmed-dataelement-45

Id cdachedmed-dataelement-45 (2016-06-08 14:58:26)

Value Domain Code

3 Szenarios

3.1 Szenario 2016-06-30 10:57:21


□

 Szenario

cdachemed-scenario-2

Version / Eingangsdatum 2016-06-30 10:57:21**Beschreibung**  eMedikation

cdachemed-transaction-5 link

Version / Eingangsdatum 2016-06-30 10:57:21  eMedicationComment

cdachemed-transaction-13 link

Version / Eingangsdatum 2016-07-01 14:53:38**Modell** POCD_MT000040DE **Label** eMedicationComment**Actor** Sender (Person) Hausarzt
Empfänger (System) EPD**Assoziierungen** Datensätze (für Transaktion)
 Parameter eMedikation

(2.16.756.5.30.1.127.77.4.1.1 / 2016-05-02 10:05:29)

Template eMedicationComment V1 (2.16.756.5.30.1.1.1.1.3.10.4 / DYNAMIC)

XML Überblick eMedicationComment V1 (2.16.756.5.30.1.1.1.1.3.10.4 / DYNAMIC)

Zugrunde liegende Konzepte

Konzept	Kard/Konf	Id
  Behandelnder	1 ... 1 Notwendig	cdachemed-dataelement-2 link
	 Eindeutige Identifikation gemäss EPDG	
  Name	1 ... 1 Notwendig	cdachemed-dataelement-7 link
	 MDS, obligatorisch	
  Vorname	1 ... 1 Notwendig	cdachemed-dataelement-8 link
	 MDS, obligatorisch	
  GLN-Nr.	0 ... 1	cdachemed-dataelement-9 link
  Qualifikation / Spezialisierung	0 ... 1	cdachemed-dataelement-10 link
  Funktion im Behandlungsprozess	0 ... 1	cdachemed-dataelement-11 link
  Name der Organisation	0 ... 1	cdachemed-dataelement-13 link
	 obligatorisch wenn anwendbar	
  GLN-Nr. (Organisation)	0 ... 1	cdachemed-dataelement-14 link
	 möglich	
  Abteilung / Organisationseinheit	0 ... 1	cdachemed-dataelement-15 link
	 obligatorisch wenn anwendbar	
  Adresse	1 ... 1 Notwendig	cdachemed-dataelement-16 link
	 MDS, obligatorisch	
  PLZ	1 ... 1 Notwendig	cdachemed-dataelement-17 link
	 MDS, obligatorisch	
  Ort	1 ... 1 Notwendig	cdachemed-dataelement-18 link
	 MDS, obligatorisch	
  Telefon	0 ... 1	cdachemed-dataelement-22 link
	 empfohlen/wichtig	
  Patient	1 ... 1 Notwendig	cdachemed-dataelement-3 link
	 Eindeutige Identifikation des Patienten	
  Name	1 ... 1 Notwendig	cdachemed-dataelement-23 link
	 MDS, obligatorisch	
  Vorname	1 ... 1 Notwendig	cdachemed-dataelement-24 link
	 MDS, obligatorisch	
  Geburtsjahr	1 ... 1 Notwendig	cdachemed-dataelement-25 link
	 MDS, obligatorisch	
  Geburtsdatum	0 ... 1	cdachemed-dataelement-26 link

	 MDS, empfohlen/wichtig	
  Geschlecht	0 ... 1	cdachemed-dataelement-27 link
  Patientenidentifikation gem. EPDG	0 ... 1	cdachemed-dataelement-28 link
	 möglich	
	Nach Verordnung aktuell nicht erlaubt.	
  Versicherten-Nr.	0 ... 1	cdachemed-dataelement-29 link
	 möglich	
	Aklärung ob vorgesehen zur Abbildung im Dokument bei eHealthSuisse	
  Adresse	0 ... *	cdachemed-dataelement-30 link
	 möglich	
  PLZ	0 ... 1	cdachemed-dataelement-31 link
	 möglich	
  Ort	0 ... 1	cdachemed-dataelement-32 link
	 möglich	
  Land	0 ... 1	cdachemed-dataelement-33 link
	 möglich, empfohlen	
  Telefon	0 ... 1	cdachemed-dataelement-34 link
	 möglich	
  eMedicationComment: Kommentar zur Medikation	1 ... 1 Notwendig	cdachemed-dataelement-36 link
  Typ des Kommentars	0 ... 1	cdachemed-dataelement-67 link
  Kommentar	1 ... 1 Notwendig	cdachemed-dataelement-21 link
	 MDS eMedicationComment, optional, Freitext	
  Administrative Angaben zum Dokument	1 ... 1 Notwendig	cdachemed-dataelement-6 link
  Referenz-ID des Dokuments	0 ... 1	cdachemed-dataelement-59 link
	 obligatorisch	
  Ausstelldatum (Erstellungsdatum)	1 ... 1 Notwendig	cdachemed-dataelement-60 link
	 MDS, obligatorisch	
	Bei eAbgabeAnwendung / eMedicationComment: Erstellungsdatum	
  Allgemeine Bemerkungen	0 ... 1	cdachemed-dataelement-61 link
	 MDS, möglich	
  Referenz auf eCurrent Medication	0 ... 1	cdachemed-dataelement-73 link
	 eRezept, eAbgabe/Anwendung, eMedicationComment, möglich	
  Referenz auf eRezept	0 ... 1	cdachemed-dataelement-72 link

 eAbgabe/Anwendung, eMedicationComment, möglich

  eAbgabe

[cdachemed-transaction-14 link](#)

Version / Eingangsdatum 2016-07-01 14:57:22

Modell POCD_MT000040DE **Label** eAbgabeAnwendung

Actor Sender (Person) Hausarzt
Empfänger (System) EPD

Assoziierungen Datensätze (für Transaktion)
 Parameter eMedikation
 (2.16.756.5.30.1.127.77.4.1.1 / 2016-05-02 10:05:29)
 Template eAbgabe V1 (2.16.756.5.30.1.1.1.3.10.3 / DYNAMIC)
 XML Überblick eAbgabe V1 (2.16.756.5.30.1.1.1.3.10.3 / DYNAMIC)

Zugrunde liegende Konzepte

Konzept	Kard/Konf	Id
  Behandelnder	1 ... 1 Notwendig  Eindeutige Identifikation gemäss EPDG	cdachemed-dataelement-2 link
  Name	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-7 link
  Vorname	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-8 link
  GLN-Nr.	0 ... 1	cdachemed-dataelement-9 link
  Qualifikation / Spezialisierung	0 ... 1	cdachemed-dataelement-10 link
  Funktion im Behandlungsprozess	0 ... 1	cdachemed-dataelement-11 link
  Name der Organisation	0 ... 1  obligatorisch wenn anwendbar	cdachemed-dataelement-13 link
  GLN-Nr. (Organisation)	0 ... 1  möglich	cdachemed-dataelement-14 link
  Abteilung / Organisationseinheit	0 ... 1  obligatorisch wenn anwendbar	cdachemed-dataelement-15 link
  Adresse	1 ... * Notwendig  MDS, obligatorisch	cdachemed-dataelement-16 link
  PLZ	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-17 link
  Ort	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-18 link
  Telefon	0 ... 1	cdachemed-dataelement-22 link

	 empfohlen/wichtig	
  Patient	1 ... 1 Notwendig	cdachemed-dataelement-3 link
	 Eindeutige Identifikation des Patienten	
  Name	1 ... 1 Notwendig	cdachemed-dataelement-23 link
	 MDS, obligatorisch	
  Vorname	1 ... 1 Notwendig	cdachemed-dataelement-24 link
	 MDS, obligatorisch	
  Geburtsjahr	1 ... 1 Notwendig	cdachemed-dataelement-25 link
	 MDS, obligatorisch	
  Geburtsdatum	0 ... 1	cdachemed-dataelement-26 link
	 MDS, empfohlen/wichtig	
  Geschlecht	0 ... 1	cdachemed-dataelement-27 link
  Patientenidentifikation gem. EPDG	0 ... 1	cdachemed-dataelement-28 link
	 möglich	
	Nach Verordnung aktuell nicht erlaubt.	
  Versicherten-Nr.	0 ... 1	cdachemed-dataelement-29 link
	 möglich	
	Aklärung ob vorgesehen zur Abbildung im Dokument bei eHealthSuisse	
  Adresse	0 ... *	cdachemed-dataelement-30 link
	 möglich	
  PLZ	0 ... 1	cdachemed-dataelement-31 link
	 möglich	
  Ort	0 ... 1	cdachemed-dataelement-32 link
	 möglich	
  Land	0 ... 1	cdachemed-dataelement-33 link
	 möglich, empfohlen	
  Telefon	0 ... 1	cdachemed-dataelement-34 link
	 möglich	
  Arzneimittel/Herstellung	1 ... 1 Notwendig	cdachemed-dataelement-4 link
	 Eindeutige Identifikation des Arzneimittels / Herstellung	
  Präparatename	1 ... 1 Required	cdachemed-dataelement-38 link
	 MDS, obligatorisch, empfohlen/wichtig	
	nur empfohlen/wichtig falls Wirkstoffname angegeben ist	
	Freitext möglich für Präparate ohne GTIN, z.B. ausländische Produkte	

  Dosis pro Wirkstoff	1 ... 1 Required	cdachemed-dataelement-40 link
  Galenische Form	1 ... 1 Required  MDS, obligatorisch wenn anwendbar obligatorisch, wenn nicht aus Präparatename eindeutig	cdachemed-dataelement-62 link
  Dosis pro Einheit	1 ... 1 Required  MDS, obligatorisch wenn anwendbar obligatorisch, wenn nicht aus Präparatename eindeutig	cdachemed-dataelement-41 link
  Anzahl Packungen	1 ... 1 Required  MDS nur eAbgabe/Anwendungsdokument, obligatorisch wenn anwendbar obligatorisch, wenn keine Behandlungsdauer	cdachemed-dataelement-42 link
  Packungsgrösse	1 ... 1 Required	cdachemed-dataelement-43 link
  Wiederholter Bezug pro Arzneimittel	0 ... 1  MDS nur eRezept, obligatorisch wenn anwendbar obligatorisch wenn anwendbar wenn leer = 1x Bezug	cdachemed-dataelement-44 link
  Grundmedikation oder Reservemedikation	0 ... 1  empfohlen	cdachemed-dataelement-20 link
  Neuverordnung oder Weiterverordnung	0 ... 1  möglich	cdachemed-dataelement-68 link
  GTIN	0 ... 1  MDS nur eRezept, empfohlen/wichtig	cdachemed-dataelement-47 link
  ATC-Code nach WHO	0 ... 1  empfohlen	cdachemed-dataelement-58 link
  Dosierung	1 ... 1 Notwendig  MDS, obligatorisch (strukturiert oder Freitext)	cdachemed-dataelement-50 link
  Anwendungsschema	0 ... 1  MDS, obligatorisch für eRezept, empfohlen für eCurrentMedication, eAbgabe/Anwendungsdokument sowie eMedicationComment z.B. 3x täglich; morgens, mittags, abends; 1x/Woche usw.	cdachemed-dataelement-51 link
  Verabreichungsweg	0 ... 1	cdachemed-dataelement-52 link

	 MDS, empfohlen/wichtig	
  Dosierungs-Ränge	0 ... 1	cdachemed-dataelement-53 link
  Kommentar	0 ... 1	cdachemed-dataelement-54 link
	 MDS, empfohlen/wichtig z.B. morgens nüchtern einnehmen, danach 1/2 Std. nicht hinlegen usw.	
  Abgabe/Anwendung	0 ... 1	cdachemed-dataelement-64 link
	 MSD, obligatorisch für für eAbabe/Anwendung	
  Datum, Zeit der Abgabe/Anwendung	0 ... 1	cdachemed-dataelement-65 link
	 MSD empfohlen für eAbabe/Anwendung (falls relevant und vom Erstellungsdatum des Dokuments abweicht)	
  Identifikation des Empfängers	0 ... 1	cdachemed-dataelement-69 link
	 MDS eAbgabe/Anwendung, möglich Eindeutige Identifikation des Empfa?ngers wenn nicht Patient (Angeho?rige, Spitex usw.), Freitext	
  Anwendungsdauer	0 ... 1	cdachemed-dataelement-55 link
	 MDS obligatorisch wenn anwendbar für eRezept, empfohlen/wichtig für eCurrentMedication, eAbgabe/Anwendung	
  Behandlungsgrund	0 ... 1	cdachemed-dataelement-56 link
	 MDS, empfohlen	
  Administrative Angaben zum Dokument	1 ... 1 Notwendig	cdachemed-dataelement-6 link
  Referenz-ID des Dokuments	0 ... 1	cdachemed-dataelement-59 link
	 obligatorisch	
  Ausstelldatum (Erstellungsdatum)	1 ... 1 Notwendig	cdachemed-dataelement-60 link
	 MDS, obligatorisch Bei eAbgabeAnwendung / eMedicationComment: Erstellungsdatum	
  Allgemeine Bemerkungen	0 ... 1	cdachemed-dataelement-61 link
	 MDS, möglich	
  Referenz auf eCurrent Medication	0 ... 1	cdachemed-dataelement-73 link
	 eRezept, eAbgabe/Anwendung, eMedicationComment, möglich	

  Referenz auf eRezept **0 ... 1** [cdachemed-dataelement-72 link](#)
 eAbgabe/Anwendung, eMedicationComment, möglich

  eRezept

[cdachemed-transaction-15 link](#)

Version / Eingangsdatum 2016-07-01 14:58:55

Modell POCD_MT000040DE **Label** eRezept

Actor Sender (Person) Hausarzt
Empfänger (System) EPD

Assoziierungen Datensätze (für Transaktion)
 Parameter eMedikation
 (2.16.756.5.30.1.127.77.4.1.1 / 2016-05-02 10:05:29)
 Template eRezept V1 (2.16.756.5.30.1.1.1.3.10.2 / DYNAMIC)
 XML Überblick eRezept V1 (2.16.756.5.30.1.1.1.3.10.2 / DYNAMIC)

Zugrunde liegende Konzepte

Konzept	Kard/Konf	Id
  Behandelnder	1 ... 1 Notwendig  Eindeutige Identifikation gemäss EPDG	cdachemed-dataelement-2 link
  Name	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-7 link
  Vorname	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-8 link
  GLN-Nr.	0 ... 1	cdachemed-dataelement-9 link
  Qualifikation / Spezialisierung	0 ... 1	cdachemed-dataelement-10 link
  Funktion im Behandlungsprozess	0 ... 1	cdachemed-dataelement-11 link
  Name der Organisation	0 ... 1  obligatorisch wenn anwendbar	cdachemed-dataelement-13 link
  GLN-Nr. (Organisation)	0 ... 1  möglich	cdachemed-dataelement-14 link
  Abteilung / Organisationseinheit	0 ... 1  obligatorisch wenn anwendbar	cdachemed-dataelement-15 link
  Adresse	1 ... * Notwendig  MDS, obligatorisch	cdachemed-dataelement-16 link
  PLZ	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-17 link
  Ort	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-18 link

  Telefon	0 ... 1  empfohlen/wichtig	cdachemed-dataelement-22 link
  Patient	1 ... 1 Notwendig  Eindeutige Identifikation des Patienten	cdachemed-dataelement-3 link
  Name	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-23 link
  Vorname	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-24 link
  Geburtsjahr	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-25 link
  Geburtsdatum	0 ... 1  MDS, empfohlen/wichtig	cdachemed-dataelement-26 link
  Geschlecht	0 ... 1	cdachemed-dataelement-27 link
  Patientenidentifikation gem. EPDG	0 ... 1  möglich Nach Verordnung aktuell nicht erlaubt.	cdachemed-dataelement-28 link
  Versicherten-Nr.	0 ... 1  möglich Aklärung ob vorgesehen zur Abbildung im Dokument bei eHealthSuisse	cdachemed-dataelement-29 link
  Adresse	0 ... *  möglich	cdachemed-dataelement-30 link
  PLZ	0 ... 1  möglich	cdachemed-dataelement-31 link
  Ort	0 ... 1  möglich	cdachemed-dataelement-32 link
  Land	0 ... 1  möglich, empfohlen	cdachemed-dataelement-33 link
  Telefon	0 ... 1  möglich	cdachemed-dataelement-34 link
  Arzneimittel/Herstellung	1 ... * Notwendig  Eindeutige Identifikation des Arzneimittels / Herstellung	cdachemed-dataelement-4 link
  Präparatename	1 ... 1 Required  MDS, obligatorisch, empfohlen/wichtig nur empfohlen/wichtig falls Wirkstoffname angegeben ist	cdachemed-dataelement-38 link

	Freitext möglich für Präparate ohne GTIN, z.B. ausländische Produkte	
  Dosis pro Wirkstoff	1 ... 1 Required	cdachemed-dataelement-40 link
  Galenische Form	1 ... 1 Required	cdachemed-dataelement-62 link
	 MDS, obligatorisch wenn anwendbar	
	obligatorisch, wenn nicht aus Präparatename eindeutig	
  Dosis pro Einheit	1 ... 1 Required	cdachemed-dataelement-41 link
	 MDS, obligatorisch wenn anwendbar	
	obligatorisch, wenn nicht aus Präparatename eindeutig	
  Anzahl Packungen	0 ... 1	cdachemed-dataelement-42 link
	 MDS nur eAbgabe/Anwendungsdokument, obligatorisch wenn anwendbar	
	obligatorisch, wenn keine Behandlungsdauer	
  Packungsgrösse	0 ... 1	cdachemed-dataelement-43 link
  Wiederholter Bezug pro Arzneimittel	1 ... 1 Required	cdachemed-dataelement-44 link
	 MDS nur eRezept, obligatorisch wenn anwendbar	
	obligatorisch wenn anwendbar	
	wenn leer = 1x Bezug	
  Grundmedikation oder Reservemedikation	0 ... 1	cdachemed-dataelement-20 link
	 empfohlen	
  Neuverordnung oder Weiterverordnung	0 ... 1	cdachemed-dataelement-68 link
	 möglich	
  GTIN	0 ... 1	cdachemed-dataelement-47 link
	 MDS nur eRezept, empfohlen/wichtig	
  ATC-Code nach WHO	0 ... 1	cdachemed-dataelement-58 link
	 empfohlen	
  Dosierung	1 ... 1 Notwendig	cdachemed-dataelement-50 link
	 MDS, obligatorisch	
	(strukturiert oder Freitext)	
  Anwendungsschema	1 ... 1 Notwendig	cdachemed-dataelement-51 link
	 MDS, obligatorisch für eRezept, empfohlen für eCurrentMedication, eAbgabe/Anwendungsdokument sowie eMedicationComment	
	z.B. 3x täglich; morgens, mittags, abends; 1x/Woche usw.	

  Verabreichungsweg	0 ... 1	cdachemed-dataelement-52 link
	 MDS, empfohlen/wichtig	
  Dosierungs-Ränge	0 ... 1	cdachemed-dataelement-53 link
  Kommentar	0 ... 1	cdachemed-dataelement-54 link
	 MDS, empfohlen/wichtig	
	z.B. morgens nüchtern einnehmen, danach 1/2 Std. nicht hinlegen usw.	
  Anwendungsdauer	1 ... 1 Required	cdachemed-dataelement-55 link
	 MDS obligatorisch wenn anwendbar für eRezept, empfohlen/wichtig für eCurrentMedication, eAbgabe/Anwendung	
  Administrative Angaben zum Dokument	1 ... 1 Notwendig	cdachemed-dataelement-6 link
  Referenz-ID des Dokuments	0 ... 1	cdachemed-dataelement-59 link
	 obligatorisch	
  Ausstelldatum (Erstellungsdatum)	1 ... 1 Notwendig	cdachemed-dataelement-60 link
	 MDS, obligatorisch	
	Bei eAbgabeAnwendung / eMedicationComment: Erstellungsdatum	
  Signatur des Erstellers	1 ... 1 Notwendig	cdachemed-dataelement-37 link
	 MDS eCurrentMedication und eRezept, möglich	
	eRezept: Signatur des Behandelndens	
  Allgemeine Bemerkungen	0 ... 1	cdachemed-dataelement-61 link
	 MDS, möglich	
  Referenz auf eCurrent Medication	1 ... 1 Required	cdachemed-dataelement-73 link
	 eRezept, eAbgabe/Anwendung, eMedicationComment, möglich	

  eCurrentMedication

cdachemed-transaction-16 [link](#)

Version / Eingangsdatum 2016-07-01 15:02:34

Modell POCD_MT000040DE **Label** eCurrentMedication

Actor Sender (Person) Hausarzt
Empfänger (System) EPD

Assoziierungen Datensätze (für Transaktion)
 Parameter eMedikation
 (2.16.756.5.30.1.127.77.4.1.1 / 2016-05-02 10:05:29)
 Template eCurrentMedication V1 (2.16.756.5.30.1.1.1.3.10.1 / DYNAMIC)
 XML Überblick eCurrentMedication V1 (2.16.756.5.30.1.1.1.3.10.1 / DYNAMIC)

Zugrunde liegende Konzepte

Konzept	Kard/Konf	Id
  Behandelnder	1 ... 1 Notwendig  Eindeutige Identifikation gemäss EPDG	cdachemed-dataelement-2 link
  Name	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-7 link
  Vorname	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-8 link
  GLN-Nr.	0 ... 1	cdachemed-dataelement-9 link
  Qualifikation / Spezialisierung	0 ... 1	cdachemed-dataelement-10 link
  Funktion im Behandlungsprozess	0 ... 1	cdachemed-dataelement-11 link
  Name der Organisation	0 ... 1  obligatorisch wenn anwendbar	cdachemed-dataelement-13 link
  GLN-Nr. (Organisation)	0 ... 1  möglich	cdachemed-dataelement-14 link
  Abteilung / Organisationseinheit	0 ... 1  obligatorisch wenn anwendbar	cdachemed-dataelement-15 link
  Adresse	1 ... * Notwendig  MDS, obligatorisch	cdachemed-dataelement-16 link
  PLZ	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-17 link
  Ort	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-18 link
  Telefon	0 ... 1  empfohlen/wichtig	cdachemed-dataelement-22 link
  Patient	1 ... 1 Notwendig  Eindeutige Identifikation des Patienten	cdachemed-dataelement-3 link
  Name	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-23 link
  Vorname	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-24 link
  Geburtsjahr	1 ... 1 Notwendig  MDS, obligatorisch	cdachemed-dataelement-25 link
  Geburtsdatum	0 ... 1  MDS, empfohlen/wichtig	cdachemed-dataelement-26 link

  Geschlecht	0 ... 1	cdachemed-dataelement-27 link
  Patientenidentifikation gem. EPDG	0 ... 1	cdachemed-dataelement-28 link
	 möglich	
	Nach Verordnung aktuell nicht erlaubt.	
  Versicherten-Nr.	0 ... 1	cdachemed-dataelement-29 link
	 möglich	
	Aklärung ob vorgesehen zur Abbildung im Dokument bei eHealthSuisse	
  Adresse	0 ... *	cdachemed-dataelement-30 link
	 möglich	
  PLZ	0 ... 1	cdachemed-dataelement-31 link
	 möglich	
  Ort	0 ... 1	cdachemed-dataelement-32 link
	 möglich	
  Land	0 ... 1	cdachemed-dataelement-33 link
	 möglich, empfohlen	
  Telefon	0 ... 1	cdachemed-dataelement-34 link
	 möglich	
  Arzneimittel/Herstellung	0 ... *	cdachemed-dataelement-4 link
	 Eindeutige Identifikation des Arzneimittels / Herstellung	
  Präparatename	1 ... 1 Required	cdachemed-dataelement-38 link
	 MDS, obligatorisch, empfohlen/wichtig	
	nur empfohlen/wichtig falls Wirkstoffname angegeben ist	
	Freitext möglich für Präparate ohne GTIN, z.B. ausländische Produkte	
  Dosis pro Wirkstoff	1 ... 1 Required	cdachemed-dataelement-40 link
  Galenische Form	1 ... 1 Required	cdachemed-dataelement-62 link
	 MDS, obligatorisch wenn anwendbar	
	obligatorisch, wenn nicht aus Präparatename eindeutig	
  Dosis pro Einheit	1 ... 1 Required	cdachemed-dataelement-41 link
	 MDS, obligatorisch wenn anwendbar	
	obligatorisch, wenn nicht aus Präparatename eindeutig	
  Wiederholter Bezug pro Arzneimittel	0 ... 1	cdachemed-dataelement-44 link
	 MDS nur eRezept, obligatorisch wenn anwendbar	

	obligatorisch wenn anwendbar wenn leer = 1x Bezug	
  Grundmedikation oder Reservemedikation	0 ... 1	cdachemed-dataelement-20 link
	 empfohlen	
  Neuverordnung oder Weiterverordnung	0 ... 1	cdachemed-dataelement-68 link
	 möglich	
  GTIN	0 ... 1	cdachemed-dataelement-47 link
	 MDS nur eRezept, empfohlen/wichtig	
  ATC-Code nach WHO	0 ... 1	cdachemed-dataelement-58 link
	 empfohlen	
  Dosierung	1 ... 1 Notwendig	cdachemed-dataelement-50 link
	 MDS, obligatorisch (strukturiert oder Freitext)	
  Anwendungsschema	0 ... 1	cdachemed-dataelement-51 link
	 MDS, obligatorisch für eRezept, empfohlen für eCurrentMedication, eAbgabe/ Anwendungsdokument sowie eMedicationComment z.B. 3x täglich; morgens, mittags, abends; 1x/Woche usw.	
  Verabreichungsweg	0 ... 1	cdachemed-dataelement-52 link
	 MDS, empfohlen/wichtig	
  Dosierungs-Range	0 ... 1	cdachemed-dataelement-53 link
  Kommentar	0 ... 1	cdachemed-dataelement-54 link
	 MDS, empfohlen/wichtig z.B. morgens nüchtern einnehmen, danach 1/2 Std. nicht hinlegen usw.	
  Anwendungsdauer	0 ... 1	cdachemed-dataelement-55 link
	 MDS obligatorisch wenn anwendbar für eRezept, empfohlen/wichtig für eCurrentMedication, eAbgabe/Anwendung	
  Behandlungsgrund	0 ... 1	cdachemed-dataelement-56 link
	 MDS, empfohlen	
  Administrative Angaben zum Dokument	1 ... 1 Notwendig	cdachemed-dataelement-6 link
  Referenz-ID des Dokuments	0 ... 1	cdachemed-dataelement-59 link
	 obligatorisch	

  Ausstelldatum (Erstellungsdatum)	1 ... 1 Notwendig	cdachemed-dataelement-60 link
	 MDS, obligatorisch	
	Bei eAbgabeAnwendung / eMedicationComment: Erstellungsdatum	
  Signatur des Erstellers	0 ... 1	cdachemed-dataelement-37 link
	 MDS eCurrentMedication und eRezept, möglich	
	eRezept: Signatur des Behandelndens	
  Allgemeine Bemerkungen	0 ... 1	cdachemed-dataelement-61 link
	 MDS, möglich	

4 Identifikatoren

4.1 Identifikatoren

Wird zurzeit nur zu Anzeigezwecken genutzt.

4.1.1 *cdachemed-valueset-1* 2.16.756.5.30.1.127.77.4.11.1

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-1	cdachemed-valueset-1

4.1.2 *cdachemed-valueset-3* 2.16.756.5.30.1.127.77.4.11.3

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-3	cdachemed-valueset-3

4.1.3 *cdachemed-valueset-5* 2.16.756.5.30.1.127.77.4.11.5

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-5	cdachemed-valueset-5

4.1.4 *cdachemed-valueset-6* 2.16.756.5.30.1.127.77.4.11.6

Sprache	Anzeigename	Beschreibung
de-CH	cdachemed-valueset-6	cdachemed-valueset-6

4.1.5 *Act Code* 2.16.840.1.113883.5.4

Sprache	Anzeigename	Beschreibung
de-CH	Act Code	Act Code

4.1.6 *TimingEvent* 2.16.840.1.113883.5.139

Sprache	Anzeigename	Beschreibung
de-CH	TimingEvent	TimingEvent

4.1.7 *Logical Observation Identifier Names and Codes* 2.16.840.1.113883.6.1

Sprache	Anzeigename	Beschreibung
de-CH	Logical Observation Identifier Names and Codes	Logical Observation Identifier Names and Codes

4.1.8 SNOMED Clinical Terms 2.16.840.1.113883.6.96

Sprache	Anzeigename	Beschreibung
de-CH	SNOMED Clinical Terms	SNOMED Clinical Terms

4.2 Liste der Template Identifier in diesem Projekt

Id	Anzeigename	Name	Eingangsdatum
	IHE Severity Entry	Severity	
	IHE Patient Medication Instructions	epsosPatientMedicationInstructions	
	IHE Internal Reference Entry	EntryInternalReference	
	<CDA-CH-REPL>	CDA_CH_REPL	
	<CDA-CH-TPLT>	CDA-CH-TPLT	
	<CDA-CH-CONF>	CDA-CH-CONF	
	<CDA-CH-DOCL>	CDA_CH_DOCL	
	CDA TypeId	CDAtypeId	
	<CDA-CH-RELM>	CDA_CH_RELM	
	CDA custodian	CDAcustodian	
	CDA legalAuthenticator	CDAlegalAuthenticator	
	CDA-CH Remarks Section	CDA-CH-RemarksSection	
	CDA-CH Remarks Reference Entry	CDACH-RemarksEntry	
	CDA Document Id	CDAid	
	CDA SetId VersionNumber	CDAsetIdversionNumber	
1.3.6.1.4.1.12559.11.22.1.50	Medication Treatment Plan Item	MedicationTreatmentPlanItem	2016-01-11:13:04
1.3.6.1.4.1.12559.11.22.1.51	Prescription Item	PrescriptionItem	2016-01-11:13:04
1.3.6.1.4.1.12559.11.22.1.52	Dispense Item	DispenseItem	2016-01-11:13:04
1.3.6.1.4.1.19376.1.5.3.1.4.1	IHE Severity Entry	IHESeverityEntry	2013-12-20
1.3.6.1.4.1.19376.1.5.3.1.4.1	Severity	Severity	2009-12-20
1.3.6.1.4.1.19376.1.5.3.1.4.3	IHE Patient Medication Instructions	IHEPatientMedicationInstructions	2013-12-20
1.3.6.1.4.1.19376.1.5.3.1.4.4.1	IHE Internal Reference Entry	IHEInternalReferenceEntry	2013-12-20
2.16.756.5.30.1.1.1.3.10.1	eCurrentMedication V1	CDA-CH-EMED-eCurrentMedication-V1	2016-05-11
2.16.756.5.30.1.1.1.3.10.2	eRezept V1	CDA-CH-EMED-eRezept-V1	2016-05-11
2.16.756.5.30.1.1.1.3.10.2.10.1.10.3.1	eCurrentMedication Section Content Module	CH-EMED-MedicationTreatmentPlanSectionContentModule	2016-05-11
2.16.756.5.30.1.1.1.3.10.2.10.1.10.4.1	Medication Treatment Plan Item Entry Content Module	CH-EMED-MedicationTreatmentPlanEntryContentModule	2016-06-01
2.16.756.5.30.1.1.1.3.10.2.10.2.10.3.1	Prescription Section Content Module	CH-EMED-PrescriptionSectionContentModule	2016-06-01
2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1	Prescription Item Entry Content Module	CH-EMED-PrescriptionItemEntryContentModule	2016-06-01

2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2	Substitution Permission Entry Content Module	CH-EMED-SubstitutionPermissionEntryContentModule	2016-09-17:06:35
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3	PRE Reference Entry Content Module	CH-EMED-PREReferenceEntryContentModule	2017-01-11:10:04
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Dispense Section Content Module	CH-EMED-DispenseSectionContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Dispense Item Entry Content Module	CH-EMED-DispenseItemEntryContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.2	DIS Reference Entry Content Module	CH-EMED-DISReferenceEntryContentModule	2017-01-12:32:40
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Pharmaceutical Advice Section Content Module	CH-EMED-PharmaceuticalAdviceSectionContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Pharmaceutical Advice Item Entry Content Module	CH-EMED-PharmaceuticalAdviceItemEntryContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.2	Pharmaceutical Advice Concern Item Entry Content Module	CH-EMED-PharmaceuticalAdviceConcernItemEntryContentModule	2016-07-07
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.3	PADV Reference Entry Content Module	CH-EMED-PADVReferenceEntryContentModule	2017-10-12:06:00
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Dosage Instructions CH P1	CH-EMED-DosageInstructionsEntryCHP1	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Manufactured Material Entry Content Module	CH-EMED-ManufacturedMaterialEntryContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3	Prescribed Quantity Entry Content Module	CH-EMED-PrescribedQuantityEntryContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	Treatment Reason Entry Content Module	CH-EMED-TreatmentReasonEntryContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.5	Treatment State Entry Content Module	CH-EMED-TreatmentStateEntryContentModule	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	MTP Reference Entry Content Module	CH-EMED-MTPReferenceEntryContentModule	2016-07-07
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.7	Extemporaneous Formulation Entry Content Module	CH-EMED-ExtemporaneousFormulationEntryContentModule	2016-07-07
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.8	Prescription Type Entry Content Module	CH-EMED-PrescriptionTypeEntryContentModule	2016-07-07
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.9	Medication Type Entry Content Module	CH-EMED-MedicationTypeEntryContentModule	2016-07-07
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	Dosage Instructions Non Structured Entry Content Module	CH-EMED-DosageInstructionsNonStructuredEntryContentModule	2016-09-15:33:18
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11	Dosage Intake Mode Entry Content Module	CH-EMED-DosageIntakeModeEntryContentModule	2016-09-16:06:07
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12	Dosage Instructions CH P2	CH-EMED-DosageInstructionsEntryCHP2	2017-01-16:30:55
2.16.756.5.30.1.1.1.1.3.10.3	eAbgabe V1	CDA-CH-EMED-AbgabeAnwendung-V1	2016-05-05
2.16.756.5.30.1.1.1.1.3.10.4	eMedicationComment V1	CDA-CH-EMED-eMedicationComment-V1	2016-05-05
2.16.756.5.30.1.1.1.1.3.10.10.2.1	author	CH-EMED-AUTO	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.10.2.2	name	CH-EMED-NAME	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.10.2.3	representedOrganisationPart	CH-EMED-RORG	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.10.2.4	name	CH-EMED-NAME	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.10.2.5	recordTarget	CH-EMED-PAT	2016-06-06

2.16.756.5.30.1.1.1.1.3.10.10.2.6	receiver	CH-EMED-REC3	2016-09-12:43:44
2.16.756.5.30.1.1.1.1.3.10.10.2.7	name	CH-EMED-HNAME	2016-06-09
2.16.756.5.30.1.1.1.1.3.10.10.2.7.2	todelte	CH-EMED-todelete	2016-09-12
2.16.756.5.30.1.1.10.2.3	CDA custodian	CDAcustodian	2009-01-01
2.16.756.5.30.1.1.10.2.5	CDA legalAuthenticator	CDAlegalAuthenticator	2009-01-01
2.16.756.5.30.1.1.10.2.13	<CDA-CH-REPL>	CDA_CH_REPL	2016-05-12
2.16.756.5.30.1.1.10.2.18	<CDA-CH-TPLT>	CDA-CH-TPLT	2016-06-09
2.16.756.5.30.1.1.10.2.19	<CDA-CH-CONF>	CDA_CH_CONF	2016-06-09
2.16.756.5.30.1.1.10.2.22	<CDA-CH-DOCL>	CDA_CH_DOCL	2015-12-15
2.16.756.5.30.1.1.10.2.24	CDA TypeId	CDAtypeId	2015-12-15
2.16.756.5.30.1.1.10.2.25	<CDA-CH-RELM>	CDA_CH_RELM	2015-12-15
2.16.756.5.30.1.1.10.3.2	CDA-CH Remarks Section	CDA-CH-RemarksSection	2016-03-01
2.16.756.5.30.1.1.10.4.2	CDA-CH Remarks Reference Entry	CDACH-RemarksEntry	2016-03-01
2.16.756.5.30.1.1.10.9.3	CDA Document Id	CDAid	2015-12-15
2.16.756.5.30.1.1.10.9.7	CDA SetId VersionNumber	CDAsetIdversionNumber	2015-12-15
2.16.756.5.30.1.1.10.9.10	CDA Person	CDAperson	2015-12-15
2.16.756.5.30.1.1.10.9.11	CDA Organization	CDAOrganization	2015-12-15
2.16.756.5.30.1.1.10.9.12	CDA AssignedEntity	CDAAssignedEntity	2015-12-15
2.16.756.5.30.1.1.127.77.4.10.6	CDA relatedDocument	CDArelatedDocument	2016-06-09

4.3 Liste von Value Set Identifiern in diesem Projekt

Id	Anzeigename	Name	Eingangsdatum
1.3.6.1.4.1.12559.11.10.1.3.1.42.1	epSOSHealthcareProfessionalRoles	epSOSHealthcareProfessionalRoles	2013-06-03
2.16.756.5.30.1.1.11.1	Swiss Confidentiality Codes	SwissConfidentialityCodes	2016-05-27
2.16.756.5.30.1.1.11.3	Swiss Role Author EPD	SwisRoleAuthor	2016-06-09
2.16.756.5.30.1.1.11.4	Swiss Author Speciality EPD	SwissAuthorSpeciality	2016-06-09
2.16.756.5.30.1.127.77.4.11.1	PrescriptionType	CH-EMED-PrescriptionType	2016-06-25 10:57:01
2.16.756.5.30.1.127.77.4.11.2	TimingEvent	CH-EMED-TimingEvent	2016-06-30 14:58:13
2.16.756.5.30.1.127.77.4.11.3	eMedicationCommentType	CH-EMED-eMedicationCommentTyp	2016-07-12 21:26:21
2.16.756.5.30.1.127.77.4.11.4	ProblemType	PCCTFVol2ProblemType	2016-07-12 21:49:34
2.16.756.5.30.1.127.77.4.11.5	eRezeptType	CH-EMED-eRezeptType	2016-07-12 23:28:18
2.16.756.5.30.1.127.77.4.11.6	MedicationType	CH-EMED-MedicationType	2016-07-13 13:25:53
2.16.756.5.30.1.127.77.4.11.7	DispenseSupplyType	DispenseSupplyType	2017-01-10 20:44:24
2.16.840.1.113883.1.11.1	AdministrativeGender	AdministrativeGender	2011-07-26
2.16.840.1.113883.1.11.1	AdministrativeGender	AdministrativeGender	2014-03-26
2.16.840.1.113883.1.11.10282	ParticipationSignature	ParticipationSignature	2014-03-26

2.16.840.1.113883.1.11.11526	HumanLanguage	HumanLanguage	2011-07-26
2.16.840.1.113883.1.11.11526	HumanLanguage	HumanLanguage	2014-03-26
2.16.840.1.113883.1.11.14411	OrderableDrugForm	OrderableDrugForm	2011-07-26
2.16.840.1.113883.1.11.14411	OrderableDrugForm	OrderableDrugForm	2014-03-26
2.16.840.1.113883.1.11.14581	RouteOfAdministration	RouteOfAdministration	2011-07-26
2.16.840.1.113883.1.11.14581	RouteOfAdministration	RouteOfAdministration	2014-03-26
2.16.840.1.113883.1.11.16621	ActSubstanceAdminSubstitutionCode	ActSubstanceAdminSubstitutionCode	2011-07-26
2.16.840.1.113883.1.11.16621	ActSubstanceAdminSubstitutionCode	ActSubstanceAdminSubstitutionCode	2014-03-26
2.16.840.1.113883.1.11.16643	SeverityObservation	SeverityObservation	2011-07-26
2.16.840.1.113883.1.11.16643	SeverityObservation	SeverityObservation	2014-03-26

5 Terminologien

5.1 Value sets

5.1.1 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2014-03-26 (DEFN=UV=VO=1360-20160323)

 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16621  (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2014-03-26
Andere Versionen dieses Value Sets			
▪ ActSubstanceAdminSubstitutionCode DEFN=UV=VO=1099-20110726 - 2011-07-26			
Status	 Final	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ActSubstanceAdminSubstitutionCode	Anzeigename	ActSubstanceAdminSubstitutionCode
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26		
Quell-Codesystem	2.16.840.1.113883.5.1070 - <i>Substance Admin Substitution</i>		
Alles ausklappen Alles einklappen			
Level/ Typ	Code	Anzeigename	Codesystem
1-S	E	equivalent	Substance Admin Substitution
2-S	EC	equivalent composition	Substance Admin Substitution
3-L	BC	brand composition	Substance Admin Substitution
3-L	G	generic composition	Substance Admin Substitution
2-S	TE	therapeutic alternative	Substance Admin Substitution
3-L	TB	therapeutic brand	Substance Admin Substitution

3-L	TG	therapeutic generic	Substance Admin Substitution
1-L	F	formulary	Substance Admin Substitution
1-L	N	none	Substance Admin Substitution

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.2 ActSubstanceAdminSubstitutionCode 2.16.840.1.113883.1.11.16621 - 2011-07-26 (DEFN=UV=VO=1099-20110726)

 (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16621 ref (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2011-07-26
Andere Versionen dieses Value Sets			
▪ ActSubstanceAdminSubstitutionCode DEFN=UV=VO=1360-20160323 - 2014-03-26			
Status	Final	Versions-Label	DEFN=UV=VO=1099-20110726
Name	ActSubstanceAdminSubstitutionCode	Anzeigename	ActSubstanceAdminSubstitutionCode
Quell-Codesystem	2.16.840.1.113883.5.1070 - <i>Substance Admin Substitution</i>		
Alles ausklappen Alles einklappen			
Level/ Typ	Code	Anzeigename	Codesystem
1-S	E	equivalent	Substance Admin Substitution
2-S	EC	equivalent composition	Substance Admin Substitution
3-L	BC	brand composition	Substance Admin Substitution
3-L	G	generic composition	Substance Admin Substitution
2-S	TE	therapeutic alternative	Substance Admin Substitution

3-L	TB	therapeutic brand	Substance Admin Substitution
3-L	TG	therapeutic generic	Substance Admin Substitution
1-L	F	formulary	Substance Admin Substitution
1-L	N	none	Substance Admin Substitution

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.3 AdministrativeGender 2.16.840.1.113883.1.11.1 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id

2.16.840.1.113883.1.11.1  (aus Repository: ad2bbr-)

Gültigkeit

gültig ab 2014-03-26

Andere Versionen dieses Value Sets

▪ AdministrativeGender DEFN=UV=VO=1099-20110726 - 2011-07-26

Status

 Final

Names

AdministrativeGender

Versions-Label

DEFN=UV=VO=1360-20160323

Anzeigename

AdministrativeGender



History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26

description:

The gender of a person used for adminstrative purposes (as opposed to clinical gender)

Quell-Codesystem

2.16.840.1.113883.5.1 - Administrative Gender

Level/ Typ	Code	Anzeigename	Codesystem
0-L	F	Female	Administrative Gender
0-L	M	Male	Administrative Gender
0-L	UN	Undifferentiated	Administrative Gender

48/333

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.4 **AdministrativeGender 2.16.840.1.113883.1.11.1 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)**

Id

2.16.840.1.113883.1.11.1  (aus Repository: ad2bbr-)

Gültigkeit

gültig ab 2011-07-26

Andere Versionen dieses Value Sets

- AdministrativeGender DEFN=UV=VO=1360-20160323 - 2014-03-26

Status

 Final

Names-Label

DEFN=UV=VO=1099-20110726

Name

AdministrativeGender

Anzeigename

AdministrativeGender

Beschreibung

 **description:**
The gender of a person used for administrative purposes (as opposed to clinical gender)

Quell-Codesystem

2.16.840.1.113883.5.1 - Administrative Gender

Level/ Typ	Code	Anzeigename	Codesystem
0-L	F	Female	Administrative Gender
0-L	M	Male	Administrative Gender
0-L	UN	Undifferentiated	Administrative Gender

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.5 **TimingEvent 2.16.756.5.30.1.127.77.4.11.2 - 2016-06-30 14:58:13**

Id

2.16.756.5.30.1.127.77.4.11.2

Gültigkeit

gültig ab 2016-06-30 14:58:13

Status	 Draft		Versions-Label	
Name	CH-EMED-TimingEvent		Anzeigename	TimingEvent
Quell-Codesystem	2.16.840.1.113883.5.139 - <i>TimingEvent</i>			
Alles ausklappen		Alles einklappen		
Level/ Typ	Code	Anzeigename		Codesystem
1-L	AC	Before meal		TimingEvent
1-L	HS	Before sleep		TimingEvent
1-L	ACD	Before lunch		TimingEvent
1-L	ACM	Before breakfast		TimingEvent
1-L	ACV	Before dinner		TimingEvent
1-S	C	During meals		TimingEvent
2-L	CD	During lunch		TimingEvent
2-L	CM	During breakfast		TimingEvent
2-L	CV	During dinner		TimingEvent
1-L	IC	Between meals		TimingEvent
1-L	ICD	Between lunch and dinner		TimingEvent
1-L	ICM	Between breakfast and lunch		TimingEvent
1-L	ICV	Between dinner and the hour of sleep		TimingEvent
1-L	PC	After meal		TimingEvent
1-L	PCD	After lunch		TimingEvent
1-L	PCM	After breakfast		TimingEvent
1-L	PCV	After dinner		TimingEvent

1-L	WAKE	Waking up	TimingEvent
-----	------	-----------	-------------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.6 eMedicationCommentType 2.16.756.5.30.1.127.77.4.11.3 - 2016-07-12 21:26:21

Id	2.16.756.5.30.1.127.77.4.11.3	Gültigkeit	gültig ab 2016-07-12 21:26:21
Status	 Draft	Versions-Label	
Name	CH-EMED-eMedicationCommentTyp	Anzeigename	eMedicationCommentType
Quell-Codesystem	2.16.756.5.30.1.127.77.4.11.3 - cdachemed-valueset-3		

Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	VAL	Validierungsentscheid	cdachemed-valueset-3	
0-L	INT	Intervention	cdachemed-valueset-3	
0-L	BEO	Beobachtung	cdachemed-valueset-3	
0-L	MED	Medikationsanalyse	cdachemed-valueset-3	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.7 DispenseSupplyType 2.16.756.5.30.1.127.77.4.11.7 - 2017-01-10 20:44:24

Id	2.16.756.5.30.1.127.77.4.11.7	Gültigkeit	gültig ab 2017-01-10 20:44:24
Status	 Draft	Versions-Label	
Name	DispenseSupplyType	Anzeigename	DispenseSupplyType
Beschreibung	IHE DIS 6.3.4.5.3.4 Code		

Quell-Codesystem		2.16.840.1.113883.5.4 - Act Code	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	FFC	First Fill - Complete	Act Code
0-L	FFP	First Fill - Part Fill	Act Code
0-L	RFP	Refill - Part Fill	Act Code
0-L	RFC	Refill - Complete	Act Code

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.8 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.11526  (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2014-03-26
Andere Versionen dieses Value Sets			
HumanLanguage DEFN=UV=VO=1099-20110726 - 2011-07-26			
Status	 Final	Versions-Label	DEFN=UV=VO=1360-20160323
Name	HumanLanguage	Anzeigename	HumanLanguage
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Codes for the representation of the names of human languages.		

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
ietf3066	2.16.840.1.113883.6.121	

5.1.9 HumanLanguage 2.16.840.1.113883.1.11.11526 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.11526  (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2011-07-26
Andere Versionen dieses Value Sets			
▪ HumanLanguage DEFN=UV=VO=1360-20160323 - 2014-03-26			
Status	 Final	Versions-Label	DEFN=UV=VO=1099-20110726
Name	HumanLanguage	Anzeigename	HumanLanguage
Beschreibung	 description: Codes for the representation of the names of human languages.		

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
ietf3066	2.16.840.1.113883.6.121	

5.1.10 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.14411  (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2014-03-26
Andere Versionen dieses Value Sets			
▪ OrderableDrugForm DEFN=UV=VO=1099-20110726 - 2011-07-26			
Status	 Final	Versions-Label	DEFN=UV=VO=1360-20160323
Name	OrderableDrugForm	Anzeigename	OrderableDrugForm
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26		
Quell-Codesystem	2.16.840.1.113883.5.85 - <i>Orderable Drug Form</i>		

Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
1-A	_GasDrugForm	GasDrugForm	Orderable Drug Form
2-L	GASINHL	Gas for Inhalation	Orderable Drug Form
1-A	_GasLiquidMixture	GasLiquidMixture	Orderable Drug Form
2-S	AER	Aerosol	Orderable Drug Form
3-L	BAINHL	Breath Activated Inhaler	Orderable Drug Form
3-L	INHLSOL	Inhalant Solution	Orderable Drug Form
3-L	MDINHL	Metered Dose Inhaler	Orderable Drug Form
3-L	NASSPRY	Nasal Spray	Orderable Drug Form
2-L	DERMSPRY	Dermal Spray	Orderable Drug Form
2-S	FOAM	Foam	Orderable Drug Form
3-L	FOAMAPL	Foam with Applicator	Orderable Drug Form
3-L	RECFORM	Rectal foam	Orderable Drug Form
3-S	VAGFOAM	Vaginal foam	Orderable Drug Form
4-L	VAGFOAMAPL	Vaginal foam with applicator	Orderable Drug Form
2-L	RECSPRY	Rectal Spray	Orderable Drug Form
2-L	VAGSPRY	Vaginal Spray	Orderable Drug Form
1-A	_GasSolidSpray	GasSolidSpray	Orderable Drug Form
2-S	INHL	Inhalant	Orderable Drug Form
3-L	BAINHLPWD	Breath Activated Powder Inhaler	Orderable Drug Form
3-L	INHLPWD	Inhalant Powder	Orderable Drug Form

3-L	MDINHLPWD	Metered Dose Powder Inhaler	Orderable Drug Form
3-L	NASINHL	Nasal Inhalant	Orderable Drug Form
3-L	ORINHL	Oral Inhalant	Orderable Drug Form
2-L	PWDSPRY	Powder Spray	Orderable Drug Form
2-L	SPRYADAPT	Spray with Adaptor	Orderable Drug Form
1-A	_Liquid	Liquid	Orderable Drug Form
2-S	LIQCLN	Liquid Cleanser	Orderable Drug Form
3-L	LIQSOAP	Medicated Liquid Soap	Orderable Drug Form
3-L	SHMP	Shampoo	Orderable Drug Form
2-S	OIL	Oil	Orderable Drug Form
3-L	TOPOIL	Topical Oil	Orderable Drug Form
2-S	SOL	Solution	Orderable Drug Form
3-S	DROP	Drops	Orderable Drug Form
4-L	NDROP	Nasal Drops	Orderable Drug Form
4-L	OPDROP	Ophthalmic Drops	Orderable Drug Form
4-L	ORDROP	Oral Drops	Orderable Drug Form
4-L	OTDROP	Otic Drops	Orderable Drug Form
3-L	IPSOL	Intraperitoneal Solution	Orderable Drug Form
3-S	IRSOL	Irrigation Solution	Orderable Drug Form
4-L	DOUCHE	Douche	Orderable Drug Form
4-L	ENEMA	Enema	Orderable Drug Form
4-L	OPIRSOL	Ophthalmic Irrigation Solution	Orderable Drug Form

3-L	IVSOL	Intravenous Solution	Orderable Drug Form
3-S	ORALSOL	Oral Solution	Orderable Drug Form
4-L	ORDROP	Oral Drops	Orderable Drug Form
4-L	ELIXIR	Elixir	Orderable Drug Form
4-L	RINSE	Mouthwash/Rinse	Orderable Drug Form
4-L	SYRUP	Syrup	Orderable Drug Form
3-L	RECSOL	Rectal Solution	Orderable Drug Form
3-S	TOPSOL	Topical Solution	Orderable Drug Form
4-L	LIN	Liniment	Orderable Drug Form
4-L	MUCTOPSOL	Mucous Membrane Topical Solution	Orderable Drug Form
4-L	TINC	Tincture	Orderable Drug Form
1-A	_LiquidLiquidEmulsion	LiquidLiquidEmulsion	Orderable Drug Form
2-S	CRM	Cream	Orderable Drug Form
3-L	NASCRM	Nasal Cream	Orderable Drug Form
3-L	OPCRM	Ophthalmic Cream	Orderable Drug Form
3-L	ORCRM	Oral Cream	Orderable Drug Form
3-L	OTCRM	Otic Cream	Orderable Drug Form
3-L	RECCRM	Rectal Cream	Orderable Drug Form
3-L	TOPCRM	Topical Cream	Orderable Drug Form
3-S	VAGCRM	Vaginal Cream	Orderable Drug Form
4-L	VAGCRMPL	Vaginal Cream with Applicator	Orderable Drug Form
2-S	LTN	Lotion	Orderable Drug Form

3-L	TOPLTN	Topical Lotion	Orderable Drug Form
2-S	OINT	Ointment	Orderable Drug Form
3-L	NASOINT	Nasal Ointment	Orderable Drug Form
3-L	OINTAPL	Ointment with Applicator	Orderable Drug Form
3-L	OPOINT	Ophthalmic Ointment	Orderable Drug Form
3-L	OTOINT	Otic Ointment	Orderable Drug Form
3-L	RECOINT	Rectal Ointment	Orderable Drug Form
3-L	TOPOINT	Topical Ointment	Orderable Drug Form
3-S	VAGOINT	Vaginal Ointment	Orderable Drug Form
4-L	VAGOINTAPL	Vaginal Ointment with Applicator	Orderable Drug Form
1-A	_LiquidSolidSuspension	LiquidSolidSuspension	Orderable Drug Form
2-S	GEL	Gel	Orderable Drug Form
3-L	GELAPL	Gel with Applicator	Orderable Drug Form
3-L	NASGEL	Nasal Gel	Orderable Drug Form
3-L	OPGEL	Ophthalmic Gel	Orderable Drug Form
3-L	OTGEL	Otic Gel	Orderable Drug Form
3-L	TOPGEL	Topical Gel	Orderable Drug Form
3-L	URETHGEL	Urethral Gel	Orderable Drug Form
3-S	VAGGEL	Vaginal Gel	Orderable Drug Form
4-L	VGELAPL	Vaginal Gel with Applicator	Orderable Drug Form
2-S	PASTE	Paste	Orderable Drug Form
3-L	PUD	Pudding	Orderable Drug Form

3-L	TPASTE	Toothpaste	Orderable Drug Form
2-S	SUSP	Suspension	Orderable Drug Form
3-L	ITSUSP	Intrathecal Suspension	Orderable Drug Form
3-L	OPSUSP	Ophthalmic Suspension	Orderable Drug Form
3-S	ORSUSP	Oral Suspension	Orderable Drug Form
4-S	ERSUSP	Extended-Release Suspension	Orderable Drug Form
5-L	ERSUSP12	12 Hour Extended-Release Suspension	Orderable Drug Form
5-L	ERSUSP24	24 Hour Extended Release Suspension	Orderable Drug Form
3-L	OTSUSP	Otic Suspension	Orderable Drug Form
3-L	RECSUSP	Rectal Suspension	Orderable Drug Form
1-A	_SolidDrugForm	SolidDrugForm	Orderable Drug Form
2-S	BAR	Bar	Orderable Drug Form
3-S	BARSOAP	Bar Soap	Orderable Drug Form
4-L	MEDBAR	Medicated Bar Soap	Orderable Drug Form
3-L	CHEWBAR	Chewable Bar	Orderable Drug Form
2-L	BEAD	Beads	Orderable Drug Form
2-L	CAKE	Cake	Orderable Drug Form
2-L	CEMENT	Cement	Orderable Drug Form
2-L	CRYS	Crystals	Orderable Drug Form
2-L	DISK	Disk	Orderable Drug Form
2-L	FLAKE	Flakes	Orderable Drug Form
2-L	GRAN	Granules	Orderable Drug Form

2-L	GUM	ChewingGum	Orderable Drug Form
2-S	PAD	Pad	Orderable Drug Form
3-L	MEDPAD	Medicated Pad	Orderable Drug Form
2-S	PATCH	Patch	Orderable Drug Form
3-S	TPATCH	Transdermal Patch	Orderable Drug Form
4-L	TPATH16	16 Hour Transdermal Patch	Orderable Drug Form
4-L	TPATH24	24 Hour Transdermal Patch	Orderable Drug Form
4-L	TPATH2WK	Biweekly Transdermal Patch	Orderable Drug Form
4-L	TPATH72	72 Hour Transdermal Patch	Orderable Drug Form
4-L	TPATHWK	Weekly Transdermal Patch	Orderable Drug Form
2-L	PELLET	Pellet	Orderable Drug Form
2-S	PILL	Pill	Orderable Drug Form
3-S	CAP	Capsule	Orderable Drug Form
4-S	ORCAP	Oral Capsule	Orderable Drug Form
5-S	ENTCAP	Enteric Coated Capsule	Orderable Drug Form
6-L	ERENTCAP	Extended Release Enteric Coated Capsule	Orderable Drug Form
5-S	ERCAP	Extended Release Capsule	Orderable Drug Form
6-L	ERENTCAP	Extended Release Enteric Coated Capsule	Orderable Drug Form
6-L	ERCAP12	12 Hour Extended Release Capsule	Orderable Drug Form
6-L	ERCAP24	24 Hour Extended Release Capsule	Orderable Drug Form
3-S	TAB	Tablet	Orderable Drug Form
4-S	ORTAB	Oral Tablet	Orderable Drug Form

5-S	BUCTAB	Buccal Tablet	Orderable Drug Form
6-L	SRBUCTAB	Sustained Release Buccal Tablet	Orderable Drug Form
5-L	CAPLET	Caplet	Orderable Drug Form
5-L	CHEWTAB	Chewable Tablet	Orderable Drug Form
5-L	CPTAB	Coated Particles Tablet	Orderable Drug Form
5-L	DISINTAB	Disintegrating Tablet	Orderable Drug Form
5-L	DRTAB	Delayed Release Tablet	Orderable Drug Form
5-S	ECTAB	Enteric Coated Tablet	Orderable Drug Form
6-L	ERECTAB	Extended Release Enteric Coated Tablet	Orderable Drug Form
5-S	ERTAB	Extended Release Tablet	Orderable Drug Form
6-L	ERECTAB	Extended Release Enteric Coated Tablet	Orderable Drug Form
6-L	ERTAB12	12 Hour Extended Release Tablet	Orderable Drug Form
6-L	ERTAB24	24 Hour Extended Release Tablet	Orderable Drug Form
5-L	ORTROCHE	Lozenge/Oral Troche	Orderable Drug Form
5-L	SLTAB	Sublingual Tablet	Orderable Drug Form
4-L	VAGTAB	Vaginal Tablet	Orderable Drug Form
2-S	POWD	Powder	Orderable Drug Form
3-S	TOPPWD	Topical Powder	Orderable Drug Form
4-L	RECPWD	Rectal Powder	Orderable Drug Form
4-L	VAGPWD	Vaginal Powder	Orderable Drug Form
2-S	SUPP	Suppository	Orderable Drug Form
3-L	RECSUPP	Rectal Suppository	Orderable Drug Form

3-L	URETHSUPP	Urethral suppository	Orderable Drug Form
3-L	VAGSUPP	Vaginal Suppository	Orderable Drug Form
2-S	SWAB	Swab	Orderable Drug Form
3-L	MEDSWAB	Medicated swab	Orderable Drug Form
2-L	WAFER	Wafer	Orderable Drug Form
0-L	APPFUL	Applicatorful	Orderable Drug Form
0-L	PUFF	Puff	Orderable Drug Form
0-L	SCOOP	Scoops	Orderable Drug Form
0-L	SPRY	Sprays	Orderable Drug Form
0-S	DROP	Drops	Orderable Drug Form
1-L	NDROP	Nasal Drops	Orderable Drug Form
1-L	OPDROP	Ophthalmic Drops	Orderable Drug Form
1-L	ORDROP	Oral Drops	Orderable Drug Form
1-L	OTDROP	Otic Drops	Orderable Drug Form

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.11 OrderableDrugForm 2.16.840.1.113883.1.11.14411 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.14411  (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2011-07-26
Andere Versionen dieses Value Sets			

- OrderableDrugForm DEFN=UV=VO=1360-20160323 - 2014-03-26

Status	 Final	Versions-Label	DEFN=UV=VO=1099-20110726
Name	OrderableDrugForm	Anzeigename	OrderableDrugForm
Quell-Codesystem	2.16.840.1.113883.5.85 - <i>Orderable Drug Form</i>		

Alles ausklappen Alles einklappen

Level/ Typ	Code	Anzeigename	Codesystem
1-A	_GasDrugForm	GasDrugForm	Orderable Drug Form
2-L	GASINHL	Gas for Inhalation	Orderable Drug Form
1-A	_GasLiquidMixture	GasLiquidMixture	Orderable Drug Form
2-S	AER	Aerosol	Orderable Drug Form
3-L	BAINHL	Breath Activated Inhaler	Orderable Drug Form
3-L	INHLSOL	Inhalant Solution	Orderable Drug Form
3-L	MDINHL	Metered Dose Inhaler	Orderable Drug Form
3-L	NASSPRY	Nasal Spray	Orderable Drug Form
2-L	DERMSPRY	Dermal Spray	Orderable Drug Form
2-S	FOAM	Foam	Orderable Drug Form
3-L	FOAMAPL	Foam with Applicator	Orderable Drug Form
3-L	RECFORM	Rectal foam	Orderable Drug Form
3-S	VAGFOAM	Vaginal foam	Orderable Drug Form
4-L	VAGFOAMAPL	Vaginal foam with applicator	Orderable Drug Form
2-L	RECSPRY	Rectal Spray	Orderable Drug Form
2-L	VAGSPRY	Vaginal Spray	Orderable Drug Form
1-A	_GasSolidSpray	GasSolidSpray	Orderable Drug Form

2-S	INHL	Inhalant	Orderable Drug Form
3-L	BAINHLPWD	Breath Activated Powder Inhaler	Orderable Drug Form
3-L	INHLPWD	Inhalant Powder	Orderable Drug Form
3-L	MDINHLPWD	Metered Dose Powder Inhaler	Orderable Drug Form
3-L	NASINHL	Nasal Inhalant	Orderable Drug Form
3-L	ORINHL	Oral Inhalant	Orderable Drug Form
2-L	PWDSPRY	Powder Spray	Orderable Drug Form
2-L	SPRYADAPT	Spray with Adaptor	Orderable Drug Form
1-A	_Liquid	Liquid	Orderable Drug Form
2-S	LIQCLN	Liquid Cleanser	Orderable Drug Form
3-L	LIQSOAP	Medicated Liquid Soap	Orderable Drug Form
3-L	SHMP	Shampoo	Orderable Drug Form
2-S	OIL	Oil	Orderable Drug Form
3-L	TOPOIL	Topical Oil	Orderable Drug Form
2-S	SOL	Solution	Orderable Drug Form
3-S	DROP	Drops	Orderable Drug Form
4-L	NDROP	Nasal Drops	Orderable Drug Form
4-L	OPDROP	Ophthalmic Drops	Orderable Drug Form
4-L	ORDROP	Oral Drops	Orderable Drug Form
4-L	OTDROP	Otic Drops	Orderable Drug Form
3-L	IPSOL	Intraperitoneal Solution	Orderable Drug Form
3-S	IRSOL	Irrigation Solution	Orderable Drug Form

4-L	DOUCHE	Douche	Orderable Drug Form
4-L	ENEMA	Enema	Orderable Drug Form
4-L	OPIRSOL	Ophthalmic Irrigation Solution	Orderable Drug Form
3-L	IVSOL	Intravenous Solution	Orderable Drug Form
3-S	ORALSOL	Oral Solution	Orderable Drug Form
4-L	ORDROP	Oral Drops	Orderable Drug Form
4-L	ELIXIR	Elixir	Orderable Drug Form
4-L	RINSE	Mouthwash/Rinse	Orderable Drug Form
4-L	SYRUP	Syrup	Orderable Drug Form
3-L	RECSOL	Rectal Solution	Orderable Drug Form
3-S	TOPSOL	Topical Solution	Orderable Drug Form
4-L	LIN	Liniment	Orderable Drug Form
4-L	MUCTOPSOL	Mucous Membrane Topical Solution	Orderable Drug Form
4-L	TINC	Tincture	Orderable Drug Form
1-A	_LiquidLiquidEmulsion	LiquidLiquidEmulsion	Orderable Drug Form
2-S	CRM	Cream	Orderable Drug Form
3-L	NASCRM	Nasal Cream	Orderable Drug Form
3-L	OPCRM	Ophthalmic Cream	Orderable Drug Form
3-L	ORCRM	Oral Cream	Orderable Drug Form
3-L	OTCRM	Otic Cream	Orderable Drug Form
3-L	RECCRM	Rectal Cream	Orderable Drug Form
3-L	TOPCRM	Topical Cream	Orderable Drug Form

3-S	VAGCRM	Vaginal Cream	Orderable Drug Form
4-L	VAGCRMPL	Vaginal Cream with Applicator	Orderable Drug Form
2-S	LTN	Lotion	Orderable Drug Form
3-L	TOPLTN	Topical Lotion	Orderable Drug Form
2-S	OINT	Ointment	Orderable Drug Form
3-L	NASOINT	Nasal Ointment	Orderable Drug Form
3-L	OINTAPL	Ointment with Applicator	Orderable Drug Form
3-L	OPOINT	Ophthalmic Ointment	Orderable Drug Form
3-L	OTOINT	Otic Ointment	Orderable Drug Form
3-L	RECOINT	Rectal Ointment	Orderable Drug Form
3-L	TOPOINT	Topical Ointment	Orderable Drug Form
3-S	VAGOINT	Vaginal Ointment	Orderable Drug Form
4-L	VAGOINTAPL	Vaginal Ointment with Applicator	Orderable Drug Form
1-A	_LiquidSolidSuspension	LiquidSolidSuspension	Orderable Drug Form
2-S	GEL	Gel	Orderable Drug Form
3-L	GELAPL	Gel with Applicator	Orderable Drug Form
3-L	NASGEL	Nasal Gel	Orderable Drug Form
3-L	OPGEL	Ophthalmic Gel	Orderable Drug Form
3-L	OTGEL	Otic Gel	Orderable Drug Form
3-L	TOPGEL	Topical Gel	Orderable Drug Form
3-L	URETHGEL	Urethral Gel	Orderable Drug Form
3-S	VAGGEL	Vaginal Gel	Orderable Drug Form

4-L	VGELAPL	Vaginal Gel with Applicator	Orderable Drug Form
2-S	PASTE	Paste	Orderable Drug Form
3-L	PUD	Pudding	Orderable Drug Form
3-L	TPASTE	Toothpaste	Orderable Drug Form
2-S	SUSP	Suspension	Orderable Drug Form
3-L	ITSUSP	Intrathecal Suspension	Orderable Drug Form
3-L	OPSUSP	Ophthalmic Suspension	Orderable Drug Form
3-S	ORSUSP	Oral Suspension	Orderable Drug Form
4-S	ERSUSP	Extended-Release Suspension	Orderable Drug Form
5-L	ERSUSP12	12 Hour Extended-Release Suspension	Orderable Drug Form
5-L	ERSUSP24	24 Hour Extended Release Suspension	Orderable Drug Form
3-L	OTSUSP	Otic Suspension	Orderable Drug Form
3-L	RECSUSP	Rectal Suspension	Orderable Drug Form
1-A	_SolidDrugForm	SolidDrugForm	Orderable Drug Form
2-S	BAR	Bar	Orderable Drug Form
3-S	BARSOAP	Bar Soap	Orderable Drug Form
4-L	MEDBAR	Medicated Bar Soap	Orderable Drug Form
3-L	CHEWBAR	Chewable Bar	Orderable Drug Form
2-L	BEAD	Beads	Orderable Drug Form
2-L	CAKE	Cake	Orderable Drug Form
2-L	CEMENT	Cement	Orderable Drug Form
2-L	CRYS	Crystals	Orderable Drug Form

2-L	DISK	Disk	Orderable Drug Form
2-L	FLAKE	Flakes	Orderable Drug Form
2-L	GRAN	Granules	Orderable Drug Form
2-L	GUM	ChewingGum	Orderable Drug Form
2-S	PAD	Pad	Orderable Drug Form
3-L	MEDPAD	Medicated Pad	Orderable Drug Form
2-S	PATCH	Patch	Orderable Drug Form
3-S	TPATCH	Transdermal Patch	Orderable Drug Form
4-L	TPATH16	16 Hour Transdermal Patch	Orderable Drug Form
4-L	TPATH24	24 Hour Transdermal Patch	Orderable Drug Form
4-L	TPATH2WK	Biweekly Transdermal Patch	Orderable Drug Form
4-L	TPATH72	72 Hour Transdermal Patch	Orderable Drug Form
4-L	TPATHWK	Weekly Transdermal Patch	Orderable Drug Form
2-L	PELLET	Pellet	Orderable Drug Form
2-S	PILL	Pill	Orderable Drug Form
3-S	CAP	Capsule	Orderable Drug Form
4-S	ORCAP	Oral Capsule	Orderable Drug Form
5-S	ENTCAP	Enteric Coated Capsule	Orderable Drug Form
6-L	ERENTCAP	Extended Release Enteric Coated Capsule	Orderable Drug Form
5-S	ERCAP	Extended Release Capsule	Orderable Drug Form
6-L	ERCAP12	12 Hour Extended Release Capsule	Orderable Drug Form
6-L	ERCAP24	24 Hour Extended Release Capsule	Orderable Drug Form

6-L	ERECCAP	Extended Release Enteric Coated Capsule	Orderable Drug Form
3-S	TAB	Tablet	Orderable Drug Form
4-S	ORTAB	Oral Tablet	Orderable Drug Form
5-S	BUCTAB	Buccal Tablet	Orderable Drug Form
6-L	SRBUCTAB	Sustained Release Buccal Tablet	Orderable Drug Form
5-L	CAPLET	Caplet	Orderable Drug Form
5-L	CHEWTAB	Chewable Tablet	Orderable Drug Form
5-L	CPTAB	Coated Particles Tablet	Orderable Drug Form
5-L	DISINTAB	Disintegrating Tablet	Orderable Drug Form
5-L	DRTAB	Delayed Release Tablet	Orderable Drug Form
5-S	ECTAB	Enteric Coated Tablet	Orderable Drug Form
6-L	ERECTAB	Extended Release Enteric Coated Tablet	Orderable Drug Form
5-S	ERTAB	Extended Release Tablet	Orderable Drug Form
6-L	ERECTAB	Extended Release Enteric Coated Tablet	Orderable Drug Form
6-L	ERTAB12	12 Hour Extended Release Tablet	Orderable Drug Form
6-L	ERTAB24	24 Hour Extended Release Tablet	Orderable Drug Form
5-L	ORTROCHE	Lozenge/Oral Troche	Orderable Drug Form
5-L	SLTAB	Sublingual Tablet	Orderable Drug Form
4-L	VAGTAB	Vaginal Tablet	Orderable Drug Form
2-S	POWD	Powder	Orderable Drug Form
3-S	TOPPWD	Topical Powder	Orderable Drug Form
4-L	RECPWD	Rectal Powder	Orderable Drug Form

4-L	VAGPWD	Vaginal Powder	Orderable Drug Form
2-S	SUPP	Suppository	Orderable Drug Form
3-L	RECSUPP	Rectal Suppository	Orderable Drug Form
3-L	URETHSUPP	Urethral suppository	Orderable Drug Form
3-L	VAGSUPP	Vaginal Suppository	Orderable Drug Form
2-S	SWAB	Swab	Orderable Drug Form
3-L	MEDSWAB	Medicated swab	Orderable Drug Form
2-L	WAFER	Wafer	Orderable Drug Form
0-L	APPFUL	Applicatorful	Orderable Drug Form
0-L	PUFF	Puff	Orderable Drug Form
0-L	SCOOP	Scoops	Orderable Drug Form
0-L	SPRY	Sprays	Orderable Drug Form
0-S	DROP	Drops	Orderable Drug Form
1-L	NDROP	Nasal Drops	Orderable Drug Form
1-L	OPDROP	Ophthalmic Drops	Orderable Drug Form
1-L	ORDROP	Oral Drops	Orderable Drug Form
1-L	OTDROP	Otic Drops	Orderable Drug Form

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.12 ProblemType 2.16.756.5.30.1.127.77.4.11.4 - 2016-07-12 21:49:34

Id	2.16.756.5.30.1.127.77.4.11.4	Gültigkeit	gültig ab 2016-07-12 21:49:34
-----------	-------------------------------	-------------------	-------------------------------

Status	 Draft	Versions-Label	
Name	PCCTFVol2ProblemType	Anzeigename	ProblemType
Beschreibung	 see 6.3.4.14.7 PCC TF Vol 2		
Quell-Codesystem	2.16.840.1.113883.6.96 - <i>SNOMED Clinical Terms</i>		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	64572001	Condition	SNOMED Clinical Terms
0-L	418799008	Symptom	SNOMED Clinical Terms
0-L	404684003	Finding	SNOMED Clinical Terms
0-L	409586006	Complaint	SNOMED Clinical Terms
0-L	248536006	Functional limitation	SNOMED Clinical Terms
0-L	55607006	Problem	SNOMED Clinical Terms
0-L	282291009	Diagnosis	SNOMED Clinical Terms

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.13 ParticipationSignature 2.16.840.1.113883.1.11.10282 - 2014-03-26 (DEFN=UV=VO=1360-20160323) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.10282  (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2014-03-26
Status	 Final	Versions-Label	DEFN=UV=VO=1360-20160323
Name	ParticipationSignature	Anzeigename	ParticipationSignature
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description:		

	A code specifying whether and how the participant has attested his participation through a signature and or whether such a signature is needed. <i>Examples:</i> A surgical Procedure act object (representing a procedure report) requires a signature of the performing and responsible surgeon, and possibly other participants. (See also: Participation.signatureText.)		
Quell-Codesystem	2.16.840.1.113883.5.89 - Participation Signature		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	I	intended	Participation Signature
0-L	S	signed	Participation Signature
0-L	X	required	Participation Signature

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.14 ○ **RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ^{ref} (aus Repository: ad2bbr-)**

Id	2.16.840.1.113883.1.11.14581 ^{ref} (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2014-03-26
Andere Versionen dieses Value Sets			
▪ RouteOfAdministration DEFN=UV=VO=1099-20110726 - 2011-07-26			
Status	 Final	Versions-Label	DEFN=UV=VO=1360-20160323
Name	RouteOfAdministration	Anzeigename	RouteOfAdministration
Beschreibung	 History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: The path the administered medication takes to get into the body or into contact with the body.		

Quell-Codesystem		2.16.840.1.113883.5.112 - Route Of Administration	
Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
1-L	SOAK	Immersion (soak)	Route Of Administration
1-L	SHAMPOO	Shampoo	Route Of Administration
1-L	TRNSLING	Translingual	Route Of Administration
1-L	PO	Swallow, oral	Route Of Administration
1-L	GARGLE	Gargle	Route Of Administration
1-L	SUCK	Suck, oromucosal	Route Of Administration
1-A	_Chew	Chew	Route Of Administration
2-L	CHEW	Chew, oral	Route Of Administration
1-A	_Diffusion	Diffusion	Route Of Administration
2-L	EXTCORPDIF	Diffusion, extracorporeal	Route Of Administration
2-L	HEMODIFF	Diffusion, hemodialysis	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-A	_Dissolve	Dissolve	Route Of Administration
2-L	DISSOLVE	Dissolve, oral	Route Of Administration
2-L	SL	Dissolve, sublingual	Route Of Administration
1-A	_Douche	Douche	Route Of Administration
2-L	DOUCHE	Douche, vaginal	Route Of Administration
1-A	_ElectroOsmosisRoute	ElectroOsmosisRoute	Route Of Administration
2-L	ELECTOSMOS	Electro-osmosis	Route Of Administration

1-A	_Enema	Enema	Route Of Administration
2-L	ENEMA	Enema, rectal	Route Of Administration
2-L	RETENEMA	Enema, rectal retention	Route Of Administration
1-A	_Flush	Flush	Route Of Administration
2-L	IVFLUSH	Flush, intravenous catheter	Route Of Administration
1-A	_Implantation	Implantation	Route Of Administration
2-L	IDIMPLNT	Implantation, intradermal	Route Of Administration
2-L	IVITIMPLNT	Implantation, intravitreal	Route Of Administration
2-L	SQIMPLNT	Implantation, subcutaneous	Route Of Administration
1-A	_Infusion	Infusion	Route Of Administration
2-L	EPI	Infusion, epidural	Route Of Administration
2-L	IA	Infusion, intraarterial catheter	Route Of Administration
2-L	IC	Infusion, intracardiac	Route Of Administration
2-L	ICOR	Infusion, intracoronary	Route Of Administration
2-L	IOSSC	Infusion, intraosseous, continuous	Route Of Administration
2-L	IT	Infusion, intrathecal	Route Of Administration
2-S	IV	Infusion, intravenous	Route Of Administration
3-L	IVC	Infusion, intravenous catheter	Route Of Administration
3-L	IVCC	Infusion, intravenous catheter, continuous	Route Of Administration
3-L	IVCI	Infusion, intravenous catheter, intermittent	Route Of Administration
3-L	PCA	Infusion, intravenous catheter, pca pump	Route Of Administration
2-L	IVASCINFUS	Infusion, intravascular	Route Of Administration

2-L	SQINFUS	Infusion, subcutaneous	Route Of Administration
1-A	_Inhalation	Inhalation	Route Of Administration
2-S	IPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	ORINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	RESPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-L	IPPB	Inhalation, intermittent positive pressure breathing (ippb)	Route Of Administration
2-S	NASINHL	Inhalation, nasal	Route Of Administration
3-L	NASINHLC	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
3-L	NP	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
2-S	NEB	Inhalation, nebulization	Route Of Administration
3-L	NASNEB	Inhalation, nebulization, nasal	Route Of Administration
3-L	ORNEB	Inhalation, nebulization, oral	Route Of Administration
2-L	TRACH	Inhalation, tracheostomy	Route Of Administration
2-L	VENT	Inhalation, ventilator	Route Of Administration
2-L	VENTMASK	Inhalation, ventimask	Route Of Administration
1-A	_Injection	Injection	Route Of Administration

2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
2-L	CHOLINJ	Injection, for cholangiography	Route Of Administration
2-L	CERVINJ	Injection, cervical	Route Of Administration
2-L	EPIDURINJ	Injection, epidural	Route Of Administration
2-L	EPIINJ	Injection, epidural, push	Route Of Administration
2-L	EPINJSP	Injection, epidural, slow push	Route Of Administration
2-L	EXTRAMNINJ	Injection, extra-amniotic	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
2-L	GBINJ	Injection, gastric button	Route Of Administration
2-L	GINGINJ	Injection, gingival	Route Of Administration
2-L	BLADINJ	Injection, urinary bladder	Route Of Administration
2-L	ENDOSININJ	Injection, endosinusal	Route Of Administration
2-L	HEMOPORT	Injection, hemodialysis port	Route Of Administration
2-L	IABDINJ	Injection, intra-abdominal	Route Of Administration
2-S	IAINJ	Injection, intraarterial	Route Of Administration
3-L	IAINJP	Injection, intraarterial, push	Route Of Administration
3-L	IAINJSP	Injection, intraarterial, slow push	Route Of Administration
2-L	IARTINJ	Injection, intraarticular	Route Of Administration
2-L	IBURSINJ	Injection, intrabursal	Route Of Administration
2-S	ICARDINJ	Injection, intracardiac	Route Of Administration
3-L	ICARDINJRP	Injection, intracardiac, rapid push	Route Of Administration

3-L	ICARDINJSP	Injection, intracardiac, slow push	Route Of Administration
3-L	ICARINJP	Injection, intracardiac, push	Route Of Administration
2-L	ICARTINJ	Injection, intracartilaginous	Route Of Administration
2-L	ICAUDINJ	Injection, intracaudal	Route Of Administration
2-L	ICAVINJ	Injection, intracavernous	Route Of Administration
2-L	ICAVITINJ	Injection, intracavitary	Route Of Administration
2-L	ICEREBINJ	Injection, intracerebral	Route Of Administration
2-L	ICISTERNINJ	Injection, intracisternal	Route Of Administration
2-S	ICORONINJ	Injection, intracoronary	Route Of Administration
3-L	ICORONINJP	Injection, intracoronary, push	Route Of Administration
2-L	ICORPCAVINJ	Injection, intracorporis cavernosum	Route Of Administration
2-L	IDINJ	Injection, intradermal	Route Of Administration
2-L	IDISCINJ	Injection, intradiscal	Route Of Administration
2-L	IDUCTINJ	Injection, intraductal	Route Of Administration
2-L	IDURINJ	Injection, intradural	Route Of Administration
2-L	IEPIDINJ	Injection, intraepidermal	Route Of Administration
2-L	IEPITHINJ	Injection, intraepithelial	Route Of Administration
2-L	ILESINJ	Injection, intralesional	Route Of Administration
2-L	ILUMINJ	Injection, intraluminal	Route Of Administration
2-L	ILYMPJINJ	Injection, intralymphatic	Route Of Administration
2-S	IM	Injection, intramuscular	Route Of Administration
3-L	IMD	Injection, intramuscular, deep	Route Of Administration

3-L	IMZ	Injection, intramuscular, z track	Route Of Administration
2-L	IMEDULINJ	Injection, intramedullary	Route Of Administration
2-L	INTERMENINJ	Injection, interameningeal	Route Of Administration
2-L	INTERSTITINJ	Injection, interstitial	Route Of Administration
2-L	IOINJ	Injection, intraocular	Route Of Administration
2-L	IOSSINJ	Injection, intraosseous	Route Of Administration
2-L	IOVARINJ	Injection, intraovarian	Route Of Administration
2-L	IPCARDINJ	Injection, intrapericardial	Route Of Administration
2-L	IPERINJ	Injection, intraperitoneal	Route Of Administration
2-L	IPINJ	Injection, intrapulmonary	Route Of Administration
2-L	IPLRINJ	Injection, intrapleural	Route Of Administration
2-L	IPROSTINJ	Injection, intraprostatic	Route Of Administration
2-L	IPUMPINJ	Injection, insulin pump	Route Of Administration
2-L	ISINJ	Injection, intraspinal	Route Of Administration
2-L	ISTERINJ	Injection, intrasternal	Route Of Administration
2-L	ISYNINJ	Injection, intrasynovial	Route Of Administration
2-L	ITENDINJ	Injection, intratendinous	Route Of Administration
2-L	ITESTINJ	Injection, intratesticular	Route Of Administration
2-L	ITHORINJ	Injection, intrathoracic	Route Of Administration
2-L	ITINJ	Injection, intrathecal	Route Of Administration
2-L	ITUBINJ	Injection, intratubular	Route Of Administration
2-L	ITUMINJ	Injection, intratumor	Route Of Administration

2-L	ITYMPINJ	Injection, intratympanic	Route Of Administration
2-L	IUINJ	Injection, intrauterine	Route Of Administration
2-L	IUINJC	Injection, intracervical (uterus)	Route Of Administration
2-L	IURETINJ	Injection, intraureteral, retrograde	Route Of Administration
2-L	IVASCINJ	Injection, intravascular	Route Of Administration
2-L	IVENTINJ	Injection, intraventricular (heart)	Route Of Administration
2-L	IVESINJ	Injection, intravesicle	Route Of Administration
2-S	IVINJ	Injection, intravenous	Route Of Administration
3-L	IVINJBOL	Injection, intravenous, bolus	Route Of Administration
3-L	IVPUSH	Injection, intravenous, push	Route Of Administration
3-L	IVRPUSH	Injection, intravenous, rapid push	Route Of Administration
3-L	IVSPUSH	Injection, intravenous, slow push	Route Of Administration
2-L	IVITINJ	Injection, intravitreal	Route Of Administration
2-L	PAINJ	Injection, periarticular	Route Of Administration
2-L	PARENTINJ	Injection, parenteral	Route Of Administration
2-L	PDONTINJ	Injection, periodontal	Route Of Administration
2-L	PDPINJ	Injection, peritoneal dialysis port	Route Of Administration
2-L	PDURINJ	Injection, peridural	Route Of Administration
2-L	PNINJ	Injection, perineural	Route Of Administration
2-L	PNSINJ	Injection, paranasal sinuses	Route Of Administration
2-L	RBINJ	Injection, retrobulbar	Route Of Administration
2-L	SCINJ	Injection, subconjunctival	Route Of Administration

2-L	SLESINJ	Injection, sublesional	Route Of Administration
2-L	SOFTISINJ	Injection, soft tissue	Route Of Administration
2-L	SQ	Injection, subcutaneous	Route Of Administration
2-L	SUBARACHINJ	Injection, subarachnoid	Route Of Administration
2-L	SUBMUCINJ	Injection, submucosal	Route Of Administration
2-L	TRPLACINJ	Injection, transplacental	Route Of Administration
2-L	TRTRACHINJ	Injection, transtracheal	Route Of Administration
2-L	URETHINJ	Injection, urethral	Route Of Administration
2-L	URETINJ	Injection, ureteral	Route Of Administration
1-A	_Insertion	Insertion	Route Of Administration
2-L	CERVINS	Insertion, cervical (uterine)	Route Of Administration
2-L	IOSURGINS	Insertion, intraocular, surgical	Route Of Administration
2-L	IU	Insertion, intrauterine	Route Of Administration
2-L	LPINS	Insertion, lacrimal puncta	Route Of Administration
2-L	PR	Insertion, rectal	Route Of Administration
2-L	SQSURGINS	Insertion, subcutaneous, surgical	Route Of Administration
2-L	URETHINS	Insertion, urethral	Route Of Administration
2-L	VAGINSI	Insertion, vaginal	Route Of Administration
1-A	_Instillation	Instillation	Route Of Administration
2-L	CECINSTL	Instillation, cecostomy	Route Of Administration
2-L	EFT	Instillation, enteral feeding tube	Route Of Administration
2-L	ENTINSTL	Instillation, enteral	Route Of Administration

2-L	GT	Instillation, gastrostomy tube	Route Of Administration
2-L	NGT	Instillation, nasogastric tube	Route Of Administration
2-L	OGT	Instillation, orogastric tube	Route Of Administration
2-L	BLADINSTL	Instillation, urinary catheter	Route Of Administration
2-L	CAPDINSTL	Instillation, continuous ambulatory peritoneal dialysis port	Route Of Administration
2-L	CTINSTL	Instillation, chest tube	Route Of Administration
2-L	ETINSTL	Instillation, endotracheal tube	Route Of Administration
2-L	GJT	Instillation, gastro-jejunostomy tube	Route Of Administration
2-L	IBRONCHINSTIL	Instillation, intrabronchial	Route Of Administration
2-L	IDUODINSTIL	Instillation, intraduodenal	Route Of Administration
2-L	IESOPHINSTIL	Instillation, intraesophageal	Route Of Administration
2-L	IGASTINSTIL	Instillation, intragastric	Route Of Administration
2-L	IILEALINJ	Instillation, intraileal	Route Of Administration
2-L	IOINSTL	Instillation, intraocular	Route Of Administration
2-L	ISININSTIL	Instillation, intrasinal	Route Of Administration
2-L	ITRACHINSTIL	Instillation, intratracheal	Route Of Administration
2-L	IUINSTL	Instillation, intrauterine	Route Of Administration
2-L	JJTINSTL	Instillation, jejunostomy tube	Route Of Administration
2-L	LARYNGINSTIL	Instillation, laryngeal	Route Of Administration
2-L	NASALINSTIL	Instillation, nasal	Route Of Administration
2-L	NASOGASINSTIL	Instillation, nasogastric	Route Of Administration
2-L	NTT	Instillation, nasotracheal tube	Route Of Administration

2-L	OJJ	Instillation, orojejenum tube	Route Of Administration
2-L	OT	Instillation, otic	Route Of Administration
2-L	PDPINSTL	Instillation, peritoneal dialysis port	Route Of Administration
2-L	PNSINSTL	Instillation, paranasal sinuses	Route Of Administration
2-S	RECINSTL	Instillation, rectal	Route Of Administration
3-L	RECTINSTL	Instillation, rectal tube	Route Of Administration
2-L	SININSTIL	Instillation, sinus, unspecified	Route Of Administration
2-L	SOFTISINSTIL	Instillation, soft tissue	Route Of Administration
2-L	TRACHINSTL	Instillation, tracheostomy	Route Of Administration
2-L	TRTYMPINSTIL	Instillation, transtympanic	Route Of Administration
2-L	URETHINSTL	instillation, urethral	Route Of Administration
1-A	_IontophoresisRoute	IontophoresisRoute	Route Of Administration
2-L	IONTO	Topical application, iontophoresis	Route Of Administration
1-A	_Irrigation	Irrigation	Route Of Administration
2-L	GUIRR	Irrigation, genitourinary	Route Of Administration
2-L	IGASTIRR	Irrigation, intragastric	Route Of Administration
2-L	ILESIRR	Irrigation, intralesional	Route Of Administration
2-L	IOIRR	Irrigation, intraocular	Route Of Administration
2-S	BLADIRR	Irrigation, urinary bladder	Route Of Administration
3-L	BLADIRRC	Irrigation, urinary bladder, continuous	Route Of Administration
3-L	BLADIRRT	Irrigation, urinary bladder, tidal	Route Of Administration
2-L	RECIRR	Irrigation, rectal	Route Of Administration

1-A	_LavageRoute	LavageRoute	Route Of Administration
2-L	IGASTLAV	Lavage, intragastric	Route Of Administration
1-A	_MucosalAbsorptionRoute	MucosalAbsorptionRoute	Route Of Administration
2-L	IDOUDMAB	Mucosal absorption, intraduodenal	Route Of Administration
2-L	ITRACHMAB	Mucosal absorption, intratracheal	Route Of Administration
2-L	SMUCMAB	Mucosal absorption, submucosal	Route Of Administration
1-A	_Nebulization	Nebulization	Route Of Administration
2-L	ETNEB	Nebulization, endotracheal tube	Route Of Administration
1-A	_Rinse	Rinse	Route Of Administration
2-L	DENRINSE	Rinse, dental	Route Of Administration
2-L	ORRINSE	Rinse, oral	Route Of Administration
1-A	_SuppositoryRoute	SuppositoryRoute	Route Of Administration
2-L	URETHSUP	Suppository, urethral	Route Of Administration
1-A	_Swish	Swish	Route Of Administration
2-L	SWISHSPIT	Swish and spit out, oromucosal	Route Of Administration
2-L	SWISHSWAL	Swish and swallow, oromucosal	Route Of Administration
1-A	_TopicalAbsorptionRoute	TopicalAbsorptionRoute	Route Of Administration
2-L	TTYMPTABSORP	Topical absorption, transtympanic	Route Of Administration
1-A	_TopicalApplication	TopicalApplication	Route Of Administration
2-L	DRESS	Topical application, soaked dressing	Route Of Administration
2-L	IONTO	Topical application, iontophoresis	Route Of Administration
2-L	SWAB	Topical application, swab	Route Of Administration

2-L	TOPICAL	Topical	Route Of Administration
2-L	BUC	Topical application, buccal	Route Of Administration
2-L	CERV	Topical application, cervical	Route Of Administration
2-L	DEN	Topical application, dental	Route Of Administration
2-L	GIN	Topical application, gingival	Route Of Administration
2-L	HAIR	Topical application, hair	Route Of Administration
2-L	ICORNTA	Topical application, intracorneal	Route Of Administration
2-L	ICORONTA	Topical application, intracoronal (dental)	Route Of Administration
2-L	IESOPHTA	Topical application, intraesophageal	Route Of Administration
2-L	IILEALTA	Topical application, intraileal	Route Of Administration
2-L	ILTOP	Topical application, intralesional	Route Of Administration
2-L	ILUMTA	Topical application, intraluminal	Route Of Administration
2-L	IOTOP	Topical application, intraocular	Route Of Administration
2-L	LARYNGTA	Topical application, laryngeal	Route Of Administration
2-L	MUC	Topical application, mucous membrane	Route Of Administration
2-L	NAIL	Topical application, nail	Route Of Administration
2-L	NASAL	Topical application, nasal	Route Of Administration
2-L	OPHTHALTA	Topical application, ophthalmic	Route Of Administration
2-L	ORALTA	Topical application, oral	Route Of Administration
2-L	ORMUC	Topical application, oromucosal	Route Of Administration
2-L	OROPHARTA	Topical application, oropharyngeal	Route Of Administration
2-L	PERIANAL	Topical application, perianal	Route Of Administration

2-L	PERINEAL	Topical application, perineal	Route Of Administration
2-L	PDONTTA	Topical application, periodontal	Route Of Administration
2-L	RECTAL	Topical application, rectal	Route Of Administration
2-L	SCALP	Topical application, scalp	Route Of Administration
2-L	OCDRESTA	Occlusive dressing technique	Route Of Administration
2-L	SKIN	Topical application, skin	Route Of Administration
2-L	SUBCONJTA	Subconjunctival	Route Of Administration
2-L	TMUCTA	Topical application, transmucosal	Route Of Administration
2-L	VAGINS	Topical application, vaginal	Route Of Administration
1-L	INSUF	Insufflation	Route Of Administration
1-S	TRNSDERM	Transdermal	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-S	TRNSDERM	Transdermal	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-A	_AmnioticFluidSacRoute	AmnioticFluidSacRoute	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
1-A	_BiliaryRoute	BiliaryRoute	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
2-L	CHOLINJ	Injection, for cholangiography	Route Of Administration
1-A	_BodySurfaceRoute	BodySurfaceRoute	Route Of Administration
2-L	DRESS	Topical application, soaked dressing	Route Of Administration
2-L	ELECTOSMOS	Electro-osmosis	Route Of Administration

2-L	IONTO	Topical application, iontophoresis	Route Of Administration
2-L	SOAK	Immersion (soak)	Route Of Administration
2-L	SWAB	Topical application, swab	Route Of Administration
2-L	TOPICAL	Topical	Route Of Administration
1-A	_BuccalMucosaRoute	BuccalMucosaRoute	Route Of Administration
2-L	BUC	Topical application, buccal	Route Of Administration
1-A	_CecostomyRoute	CecostomyRoute	Route Of Administration
2-L	CECINSTL	Instillation, cecostomy	Route Of Administration
1-A	_CervicalRoute	CervicalRoute	Route Of Administration
2-L	CERV	Topical application, cervical	Route Of Administration
2-L	CERVINJ	Injection, cervical	Route Of Administration
2-L	CERVINS	Insertion, cervical (uterine)	Route Of Administration
2-L	DEN	Topical application, dental	Route Of Administration
2-L	DENRINSE	Rinse, dental	Route Of Administration
1-A	_EndocervicalRoute	EndocervicalRoute	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
1-A	_EnteralRoute	EnteralRoute	Route Of Administration
2-L	EFT	Instillation, enteral feeding tube	Route Of Administration
2-L	ENTINSTL	Instillation, enteral	Route Of Administration
1-A	_EpiduralRoute	EpiduralRoute	Route Of Administration
2-L	EPI	Infusion, epidural	Route Of Administration

2-L	EPIDURINJ	Injection, epidural	Route Of Administration
2-L	EPIINJ	Injection, epidural, push	Route Of Administration
2-L	EPINJSP	Injection, epidural, slow push	Route Of Administration
1-A	_ExtraAmnioticRoute	ExtraAmnioticRoute	Route Of Administration
2-L	EXTRAMNINJ	Injection, extra-amniotic	Route Of Administration
1-A	_ExtracorporealCirculationRoute	ExtracorporealCirculationRoute	Route Of Administration
2-L	EXTCORPDIF	Diffusion, extracorporeal	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
1-A	_GastricRoute	GastricRoute	Route Of Administration
2-L	GBINJ	Injection, gastric button	Route Of Administration
2-L	GT	Instillation, gastrostomy tube	Route Of Administration
2-L	NGT	Instillation, nasogastric tube	Route Of Administration
2-L	OGT	Instillation, orogastric tube	Route Of Administration
1-A	_GenitourinaryRoute	GenitourinaryRoute	Route Of Administration
2-L	GUIRR	Irrigation, genitourinary	Route Of Administration
1-A	_GingivalRoute	GingivalRoute	Route Of Administration
2-L	GIN	Topical application, gingival	Route Of Administration
2-L	GINGINJ	Injection, gingival	Route Of Administration
1-A	_HairRoute	HairRoute	Route Of Administration
2-L	HAIR	Topical application, hair	Route Of Administration
2-L	SHAMPOO	Shampoo	Route Of Administration
1-A	_InterameningealRoute	InterameningealRoute	Route Of Administration

2-L	INTERMENINJ	Injection, interameningeal	Route Of Administration
1-A	_InterstitialRoute	InterstitialRoute	Route Of Administration
2-L	INTERSTITINJ	Injection, interstitial	Route Of Administration
1-A	_IntraabdominalRoute	IntraabdominalRoute	Route Of Administration
2-L	IABDINJ	Injection, intra-abdominal	Route Of Administration
1-A	_IntraarterialRoute	IntraarterialRoute	Route Of Administration
2-L	IA	Infusion, intraarterial catheter	Route Of Administration
2-S	IAINJ	Injection, intraarterial	Route Of Administration
3-L	IAINJP	Injection, intraarterial, push	Route Of Administration
3-L	IAINJSP	Injection, intraarterial, slow push	Route Of Administration
1-A	_IntraarticularRoute	IntraarticularRoute	Route Of Administration
2-L	IARTINJ	Injection, intraarticular	Route Of Administration
1-A	_IntrabronchialRoute	IntrabronchialRoute	Route Of Administration
2-L	IBRONCHINSTIL	Instillation, intrabronchial	Route Of Administration
1-A	_IntrabursalRoute	IntrabursalRoute	Route Of Administration
2-L	IBURSINJ	Injection, intrabursal	Route Of Administration
1-A	_IntracardiacRoute	IntracardiacRoute	Route Of Administration
2-L	IC	Infusion, intracardiac	Route Of Administration
2-S	ICARDINJ	Injection, intracardiac	Route Of Administration
3-L	ICARDINJRP	Injection, intracardiac, rapid push	Route Of Administration
3-L	ICARDINJSP	Injection, intracardiac, slow push	Route Of Administration
3-L	ICARINJP	Injection, intracardiac, push	Route Of Administration

1-A	_IntracartilaginousRoute	IntracartilaginousRoute	Route Of Administration
2-L	ICARTINJ	Injection, intracartilaginous	Route Of Administration
1-A	_IntracaudalRoute	IntracaudalRoute	Route Of Administration
2-L	ICAUDINJ	Injection, intracaudal	Route Of Administration
1-A	_IntracavernosalRoute	IntracavernosalRoute	Route Of Administration
2-L	ICAVINJ	Injection, intracavernous	Route Of Administration
1-A	_IntracavitaryRoute	IntracavitaryRoute	Route Of Administration
2-L	ICAVITINJ	Injection, intracavitary	Route Of Administration
1-A	_IntracerebralRoute	IntracerebralRoute	Route Of Administration
2-L	ICEREBINJ	Injection, intracerebral	Route Of Administration
1-A	_IntracervicalRoute	IntracervicalRoute	Route Of Administration
2-L	IUINJC	Injection, intracervical (uterus)	Route Of Administration
1-A	_IntracisternalRoute	IntracisternalRoute	Route Of Administration
2-L	ICISTERNINJ	Injection, intracisternal	Route Of Administration
1-A	_IntracornealRoute	IntracornealRoute	Route Of Administration
2-L	ICORNTA	Topical application, intracorneal	Route Of Administration
1-A	_IntracoronaralRoute	IntracoronaralRoute	Route Of Administration
2-L	ICORONTA	Topical application, intracoronaral (dental)	Route Of Administration
1-A	_IntracoronaryRoute	IntracoronaryRoute	Route Of Administration
2-L	ICOR	Infusion, intracoronary	Route Of Administration
2-S	ICORONINJ	Injection, intracoronary	Route Of Administration
3-L	ICORONINJP	Injection, intracoronary, push	Route Of Administration

1-A	_IntracorporusCavernosumRoute	IntracorporusCavernosumRoute	Route Of Administration
2-L	ICORPCAVINJ	Injection, intracorporus cavernosum	Route Of Administration
1-A	_IntradermalRoute	IntradermalRoute	Route Of Administration
2-L	IDIMPLNT	Implantation, intradermal	Route Of Administration
2-L	IDINJ	Injection, intradermal	Route Of Administration
1-A	_IntradiscalRoute	IntradiscalRoute	Route Of Administration
2-L	IDISCINJ	Injection, intradiscal	Route Of Administration
1-A	_IntraductalRoute	IntraductalRoute	Route Of Administration
2-L	IDUCTINJ	Injection, intraductal	Route Of Administration
1-A	_IntraduodenalRoute	IntraduodenalRoute	Route Of Administration
2-L	IDUODINSTIL	Instillation, intraduodenal	Route Of Administration
2-L	IDOUDMAB	Mucosal absorption, intraduodenal	Route Of Administration
1-A	_IntraduralRoute	IntraduralRoute	Route Of Administration
2-L	IDURINJ	Injection, intradural	Route Of Administration
1-A	_IntraepidermalRoute	IntraepidermalRoute	Route Of Administration
2-L	IEPIDINJ	Injection, intraepidermal	Route Of Administration
1-A	_IntraepithelialRoute	IntraepithelialRoute	Route Of Administration
2-L	IEPITHINJ	Injection, intraepithelial	Route Of Administration
1-A	_IntraesophagealRoute	IntraesophagealRoute	Route Of Administration
2-L	IESOPHINSTIL	Instillation, intraesophageal	Route Of Administration
2-L	IESOPHTA	Topical application, intraesophageal	Route Of Administration
1-A	_IntragastricRoute	IntragastricRoute	Route Of Administration

2-L	IGASTINSTIL	Instillation, intragastric	Route Of Administration
2-L	IGASTIRR	Irrigation, intragastric	Route Of Administration
2-L	IGASTLAV	Lavage, intragastric	Route Of Administration
1-A	_IntrailealRoute	IntrailealRoute	Route Of Administration
2-L	IILEALINJ	Instillation, intraileal	Route Of Administration
2-L	IILEALTA	Topical application, intraileal	Route Of Administration
1-A	_IntralesionalRoute	IntralesionalRoute	Route Of Administration
2-L	ILESINJ	Injection, intralesional	Route Of Administration
2-L	ILESIRR	Irrigation, intralesional	Route Of Administration
2-L	ILTOP	Topical application, intralesional	Route Of Administration
1-A	_IntraluminalRoute	IntraluminalRoute	Route Of Administration
2-L	ILUMINJ	Injection, intraluminal	Route Of Administration
2-L	ILUMTA	Topical application, intraluminal	Route Of Administration
1-A	_IntralymphaticRoute	IntralymphaticRoute	Route Of Administration
2-L	ILYMPJINJ	Injection, intralymphatic	Route Of Administration
1-A	_IntramedullaryRoute	IntramedullaryRoute	Route Of Administration
2-L	IMEDULINJ	Injection, intramedullary	Route Of Administration
1-A	_IntramuscularRoute	IntramuscularRoute	Route Of Administration
2-S	IM	Injection, intramuscular	Route Of Administration
3-L	IMD	Injection, intramuscular, deep	Route Of Administration
3-L	IMZ	Injection, intramuscular, z track	Route Of Administration
1-A	_IntraocularRoute	IntraocularRoute	Route Of Administration

2-L	IOINJ	Injection, intraocular	Route Of Administration
2-L	IOSURGINS	Insertion, intraocular, surgical	Route Of Administration
2-L	IOINSTL	Instillation, intraocular	Route Of Administration
2-L	IOIRR	Irrigation, intraocular	Route Of Administration
2-L	IOTOP	Topical application, intraocular	Route Of Administration
1-A	_IntraosseousRoute	IntraosseousRoute	Route Of Administration
2-L	IOSSC	Infusion, intraosseous, continuous	Route Of Administration
2-L	IOSSINJ	Injection, intraosseous	Route Of Administration
1-A	_IntraovarianRoute	IntraovarianRoute	Route Of Administration
2-L	IOVARINJ	Injection, intraovarian	Route Of Administration
1-A	_IntrapericardialRoute	IntrapericardialRoute	Route Of Administration
2-L	IPCARDINJ	Injection, intrapericardial	Route Of Administration
1-A	_IntraperitonealRoute	IntraperitonealRoute	Route Of Administration
2-L	IPERINJ	Injection, intraperitoneal	Route Of Administration
2-L	PDPINJ	Injection, peritoneal dialysis port	Route Of Administration
2-L	CAPDINSTL	Instillation, continuous ambulatory peritoneal dialysis port	Route Of Administration
2-L	PDPINSTL	Instillation, peritoneal dialysis port	Route Of Administration
1-A	_IntrapleuralRoute	IntrapleuralRoute	Route Of Administration
2-L	IPLRINJ	Injection, intrapleural	Route Of Administration
2-L	CTINSTL	Instillation, chest tube	Route Of Administration
1-A	_IntraprostaticRoute	IntraprostaticRoute	Route Of Administration
2-L	IPROSTINJ	Injection, intraprostatic	Route Of Administration

1-A	_IntrapulmonaryRoute	IntrapulmonaryRoute	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
2-L	IPINJ	Injection, intrapulmonary	Route Of Administration
1-A	_IntrasinalRoute	IntrasinalRoute	Route Of Administration
2-L	ISININSTIL	Instillation, intrasinal	Route Of Administration
1-A	_IntraspinalRoute	IntraspinalRoute	Route Of Administration
2-L	ISINJ	Injection, intraspinal	Route Of Administration
1-A	_IntrasternalRoute	IntrasternalRoute	Route Of Administration
2-L	ISTERINJ	Injection, intrasternal	Route Of Administration
1-A	_IntrasynovialRoute	IntrasynovialRoute	Route Of Administration
2-L	ISYNINJ	Injection, intrasynovial	Route Of Administration
1-A	_IntratendinousRoute	IntratendinousRoute	Route Of Administration
2-L	ITENDINJ	Injection, intratendinous	Route Of Administration
1-A	_IntratesticularRoute	IntratesticularRoute	Route Of Administration
2-L	ITESTINJ	Injection, intratesticular	Route Of Administration
1-A	_IntrathecalRoute	IntrathecalRoute	Route Of Administration
2-L	IT	Infusion, intrathecal	Route Of Administration
2-L	ITINJ	Injection, intrathecal	Route Of Administration
1-A	_IntrathoracicRoute	IntrathoracicRoute	Route Of Administration
2-L	ITHORINJ	Injection, intrathoracic	Route Of Administration
1-A	_IntratrachealRoute	IntratrachealRoute	Route Of Administration
2-L	ITRACHINSTIL	Instillation, intratracheal	Route Of Administration

2-L	ITRACHMAB	Mucosal absorption, intratracheal	Route Of Administration
1-A	_IntratubularRoute	IntratubularRoute	Route Of Administration
2-L	ITUBINJ	Injection, intratubular	Route Of Administration
1-A	_IntratumorRoute	IntratumorRoute	Route Of Administration
2-L	ITUMINJ	Injection, intratumor	Route Of Administration
1-A	_IntratympanicRoute	IntratympanicRoute	Route Of Administration
2-L	ITYMPINJ	Injection, intratympanic	Route Of Administration
1-A	_IntrauterineRoute	IntrauterineRoute	Route Of Administration
2-L	IUINJ	Injection, intrauterine	Route Of Administration
2-L	IURETINJ	Injection, intraureteral, retrograde	Route Of Administration
2-L	IU	Insertion, intrauterine	Route Of Administration
2-L	IUINSTL	Instillation, intrauterine	Route Of Administration
1-A	_IntravascularRoute	IntravascularRoute	Route Of Administration
2-L	HEMODIFF	Diffusion, hemodialysis	Route Of Administration
2-L	IVASCINFUS	Infusion, intravascular	Route Of Administration
2-L	HEMOPORT	Injection, hemodialysis port	Route Of Administration
2-L	IVASCINJ	Injection, intravascular	Route Of Administration
1-A	_IntravenousRoute	IntravenousRoute	Route Of Administration
2-L	IVFLUSH	Flush, intravenous catheter	Route Of Administration
2-S	IVINJ	Injection, intravenous	Route Of Administration
3-L	IVINJBOL	Injection, intravenous, bolus	Route Of Administration
3-L	IVPUSH	Injection, intravenous, push	Route Of Administration

3-L	IVRPUSH	Injection, intravenous, rapid push	Route Of Administration
3-L	IVSPUSH	Injection, intravenous, slow push	Route Of Administration
1-A	_IntraventricularRoute	IntraventricularRoute	Route Of Administration
2-L	IVENTINJ	Injection, intraventricular (heart)	Route Of Administration
1-A	_IntravesicleRoute	IntravesicleRoute	Route Of Administration
2-L	IVESINJ	Injection, intravesicle	Route Of Administration
1-A	_IntravitrealRoute	IntravitrealRoute	Route Of Administration
2-L	IVITINJ	Injection, intravitreal	Route Of Administration
1-A	_JejunumRoute	JejunumRoute	Route Of Administration
2-L	GJT	Instillation, gastro-jejunostomy tube	Route Of Administration
2-L	JJTINSTL	Instillation, jejunostomy tube	Route Of Administration
2-L	OJJ	Instillation, orojejunum tube	Route Of Administration
1-A	_LacrimonPunctaRoute	LacrimonPunctaRoute	Route Of Administration
2-L	LPINS	Insertion, lacrimal puncta	Route Of Administration
1-A	_LaryngealRoute	LaryngealRoute	Route Of Administration
2-L	LARYNGINSTIL	Instillation, laryngeal	Route Of Administration
2-L	LARYNGTA	Topical application, laryngeal	Route Of Administration
1-A	_LingualRoute	LingualRoute	Route Of Administration
2-L	TRNSLING	Translingual	Route Of Administration
1-A	_MucousMembraneRoute	MucousMembraneRoute	Route Of Administration
2-L	MUC	Topical application, mucous membrane	Route Of Administration
1-A	_NailRoute	NailRoute	Route Of Administration

2-L	NAIL	Topical application, nail	Route Of Administration
1-A	_NasalRoute	NasalRoute	Route Of Administration
2-S	NASINHL	Inhalation, nasal	Route Of Administration
3-L	NASINHLC	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
3-L	NP	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
2-L	NASALINSTIL	Instillation, nasal	Route Of Administration
2-L	NASOGASINSTIL	Instillation, nasogastric	Route Of Administration
2-L	NASAL	Topical application, nasal	Route Of Administration
1-A	_OphthalmicRoute	OphthalmicRoute	Route Of Administration
2-L	OPHTALTA	Topical application, ophthalmic	Route Of Administration
1-A	_OralRoute	OralRoute	Route Of Administration
2-L	CHEW	Chew, oral	Route Of Administration
2-L	DISSOLVE	Dissolve, oral	Route Of Administration
2-S	IPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	ORINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	RESPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration

2-L	ORALTA	Topical application, oral	Route Of Administration
2-L	ORRINSE	Rinse, oral	Route Of Administration
2-L	PO	Swallow, oral	Route Of Administration
1-A	_OromucosalRoute	OromucosalRoute	Route Of Administration
2-L	GARGLE	Gargle	Route Of Administration
2-L	ORMUC	Topical application, oromucosal	Route Of Administration
2-L	SUCK	Suck, oromucosal	Route Of Administration
2-L	SWISHSPIT	Swish and spit out, oromucosal	Route Of Administration
2-L	SWISHSWAL	Swish and swallow, oromucosal	Route Of Administration
1-A	_OropharyngealRoute	OropharyngealRoute	Route Of Administration
2-L	OROPHARTA	Topical application, oropharyngeal	Route Of Administration
1-A	_OticRoute	OticRoute	Route Of Administration
2-L	OT	Instillation, otic	Route Of Administration
1-A	_ParanasalSinusesRoute	ParanasalSinusesRoute	Route Of Administration
2-L	PNSINJ	Injection, paranasal sinuses	Route Of Administration
2-L	PNSINSTL	Instillation, paranasal sinuses	Route Of Administration
1-A	_ParenteralRoute	ParenteralRoute	Route Of Administration
2-L	PARENTINJ	Injection, parenteral	Route Of Administration
1-A	_PerianalRoute	PerianalRoute	Route Of Administration
2-L	PERIANAL	Topical application, perianal	Route Of Administration
1-A	_PeriarticularRoute	PeriarticularRoute	Route Of Administration
2-L	PAINJ	Injection, periarticular	Route Of Administration

1-A	_PeriduralRoute	PeriduralRoute	Route Of Administration
2-L	PDURINJ	Injection, peridural	Route Of Administration
1-A	_PerinealRoute	PerinealRoute	Route Of Administration
2-L	PERINEAL	Topical application, perineal	Route Of Administration
1-A	_PerineuralRoute	PerineuralRoute	Route Of Administration
2-L	PNINJ	Injection, perineural	Route Of Administration
1-A	_PeriodontalRoute	PeriodontalRoute	Route Of Administration
2-L	PDONTINJ	Injection, periodontal	Route Of Administration
2-L	PDONTTA	Topical application, periodontal	Route Of Administration
1-A	_PulmonaryRoute	PulmonaryRoute	Route Of Administration
2-L	IPPB	Inhalation, intermittent positive pressure breathing (ippb)	Route Of Administration
2-L	VENT	Inhalation, ventilator	Route Of Administration
2-L	VENTMASK	Inhalation, ventimask	Route Of Administration
2-L	ETINSTL	Instillation, endotracheal tube	Route Of Administration
2-L	NTT	Instillation, nasotracheal tube	Route Of Administration
2-L	ETNEB	Nebulization, endotracheal tube	Route Of Administration
1-A	_RectalRoute	RectalRoute	Route Of Administration
2-L	ENEMA	Enema, rectal	Route Of Administration
2-L	RETENEMA	Enema, rectal retention	Route Of Administration
2-L	PR	Insertion, rectal	Route Of Administration
2-S	RECINSTL	Instillation, rectal	Route Of Administration
3-L	RECTINSTL	Instillation, rectal tube	Route Of Administration

2-L	RECIRR	Irrigation, rectal	Route Of Administration
2-L	RECTAL	Topical application, rectal	Route Of Administration
1-A	_RespiratoryTractRoute	RespiratoryTractRoute	Route Of Administration
2-S	IPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	ORINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	RESPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
1-A	_RetrobulbarRoute	RetrobulbarRoute	Route Of Administration
2-L	RBINJ	Injection, retrobulbar	Route Of Administration
1-A	_ScalpRoute	ScalpRoute	Route Of Administration
2-L	SCALP	Topical application, scalp	Route Of Administration
1-A	_SinusUnspecifiedRoute	SinusUnspecifiedRoute	Route Of Administration
2-L	ENDOSININJ	Injection, endosinusal	Route Of Administration
2-L	SININSTIL	Instillation, sinus, unspecified	Route Of Administration
1-A	_SkinRoute	SkinRoute	Route Of Administration
2-L	OCDRESTA	Occlusive dressing technique	Route Of Administration
2-L	SKIN	Topical application, skin	Route Of Administration

1-A	_SoftTissueRoute	SoftTissueRoute	Route Of Administration
2-L	SOFTISINJ	Injection, soft tissue	Route Of Administration
2-L	SOFTISINSTIL	Instillation, soft tissue	Route Of Administration
1-A	_SubarachnoidRoute	SubarachnoidRoute	Route Of Administration
2-L	SUBARACHINJ	Injection, subarachnoid	Route Of Administration
1-A	_SubconjunctivalRoute	SubconjunctivalRoute	Route Of Administration
2-L	SCINJ	Injection, subconjunctival	Route Of Administration
2-L	SUBCONJTA	Subconjunctival	Route Of Administration
1-A	_SubcutaneousRoute	SubcutaneousRoute	Route Of Administration
2-L	SQIMPLNT	Implantation, subcutaneous	Route Of Administration
2-L	SQINFUS	Infusion, subcutaneous	Route Of Administration
2-L	IPUMPINJ	Injection, insulin pump	Route Of Administration
2-L	SQ	Injection, subcutaneous	Route Of Administration
2-L	SQSURGINS	Insertion, subcutaneous, surgical	Route Of Administration
1-A	_SublesionalRoute	SublesionalRoute	Route Of Administration
2-L	SLESINJ	Injection, sublesional	Route Of Administration
1-A	_SublingualRoute	SublingualRoute	Route Of Administration
2-L	SL	Dissolve, sublingual	Route Of Administration
1-A	_SubmucosalRoute	SubmucosalRoute	Route Of Administration
2-L	SUBMUCINJ	Injection, submucosal	Route Of Administration
2-L	SMUCMAB	Mucosal absorption, submucosal	Route Of Administration
1-A	_TracheostomyRoute	TracheostomyRoute	Route Of Administration

2-L	TRACH	Inhalation, tracheostomy	Route Of Administration
2-L	TRACHINSTL	Instillation, tracheostomy	Route Of Administration
1-A	_TransmucosalRoute	TransmucosalRoute	Route Of Administration
2-L	TMUCTA	Topical application, transmucosal	Route Of Administration
1-A	_TransplacentalRoute	TransplacentalRoute	Route Of Administration
2-L	TRPLACINJ	Injection, transplacental	Route Of Administration
1-A	_TranstrachealRoute	TranstrachealRoute	Route Of Administration
2-L	TRTRACHINJ	Injection, transtracheal	Route Of Administration
1-A	_TranstympanicRoute	TranstympanicRoute	Route Of Administration
2-L	TRTYMPINSTIL	Instillation, transtympanic	Route Of Administration
2-L	TTYMPTABSORP	Topical absorption, transtympanic	Route Of Administration
1-A	_UreteralRoute	UreteralRoute	Route Of Administration
2-L	URETINJ	Injection, ureteral	Route Of Administration
1-A	_UrethralRoute	UrethralRoute	Route Of Administration
2-L	URETHINJ	Injection, urethral	Route Of Administration
2-L	URETHINS	Insertion, urethral	Route Of Administration
2-L	URETHINSTL	instillation, urethral	Route Of Administration
2-L	URETHSUP	Suppository, urethral	Route Of Administration
1-A	_UrinaryBladderRoute	UrinaryBladderRoute	Route Of Administration
2-L	BLADINJ	Injection, urinary bladder	Route Of Administration
2-S	BLADIRR	Irrigation, urinary bladder	Route Of Administration
3-L	BLADIRRC	Irrigation, urinary bladder, continuous	Route Of Administration

3-L	BLADIRRT	Irrigation, urinary bladder, tidal	Route Of Administration
1-A	_UrinaryTractRoute	UrinaryTractRoute	Route Of Administration
2-L	BLADINSTL	Instillation, urinary catheter	Route Of Administration
1-A	_VaginalRoute	VaginalRoute	Route Of Administration
2-L	DOUCHE	Douche, vaginal	Route Of Administration
2-L	VAGINSI	Insertion, vaginal	Route Of Administration
2-L	VAGINS	Topical application, vaginal	Route Of Administration
1-A	_VitreousHumourRoute	VitreousHumourRoute	Route Of Administration
2-L	IVITIMPLNT	Implantation, intravitreal	Route Of Administration

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.15 ○ RouteOfAdministration 2.16.840.1.113883.1.11.14581 - 2011-07-26 (DEFN=UV=VO=1099-20110726) ref (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.14581 ref (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2011-07-26
Andere Versionen dieses Value Sets			
▪ RouteOfAdministration DEFN=UV=VO=1360-20160323 - 2014-03-26			
Status	 Final	Versions-Label	DEFN=UV=VO=1099-20110726
Name	RouteOfAdministration	Anzeigename	RouteOfAdministration
Beschreibung	 description: The path the administered medication takes to get into the body or into contact with the body.		
Quell-Codesystem	2.16.840.1.113883.5.112 - Route Of Administration		

Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
1-L	SOAK	Immersion (soak)	Route Of Administration
1-L	SHAMPOO	Shampoo	Route Of Administration
1-L	TRNSLING	Translingual	Route Of Administration
1-L	PO	Swallow, oral	Route Of Administration
1-L	GARGLE	Gargle	Route Of Administration
1-L	SUCK	Suck, oromucosal	Route Of Administration
1-A	_Chew	Chew	Route Of Administration
2-L	CHEW	Chew, oral	Route Of Administration
1-A	_Diffusion	Diffusion	Route Of Administration
2-L	EXTCORPDIF	Diffusion, extracorporeal	Route Of Administration
2-L	HEMODIFF	Diffusion, hemodialysis	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-A	_Dissolve	Dissolve	Route Of Administration
2-L	DISSOLVE	Dissolve, oral	Route Of Administration
2-L	SL	Dissolve, sublingual	Route Of Administration
1-A	_Douche	Douche	Route Of Administration
2-L	DOUCHE	Douche, vaginal	Route Of Administration
1-A	_ElectroOsmosisRoute	ElectroOsmosisRoute	Route Of Administration
2-L	ELECTOSMOS	Electro-osmosis	Route Of Administration
1-A	_Enema	Enema	Route Of Administration

2-L	ENEMA	Enema, rectal	Route Of Administration
2-L	RETENEMA	Enema, rectal retention	Route Of Administration
1-A	_Flush	Flush	Route Of Administration
2-L	IVFLUSH	Flush, intravenous catheter	Route Of Administration
1-A	_Implantation	Implantation	Route Of Administration
2-L	IDIMPLNT	Implantation, intradermal	Route Of Administration
2-L	IVITIMPLNT	Implantation, intravitreal	Route Of Administration
2-L	SQIMPLNT	Implantation, subcutaneous	Route Of Administration
1-A	_Infusion	Infusion	Route Of Administration
2-L	EPI	Infusion, epidural	Route Of Administration
2-L	IA	Infusion, intraarterial catheter	Route Of Administration
2-L	IC	Infusion, intracardiac	Route Of Administration
2-L	ICOR	Infusion, intracoronary	Route Of Administration
2-L	IOSSC	Infusion, intraosseous, continuous	Route Of Administration
2-L	IT	Infusion, intrathecal	Route Of Administration
2-S	IV	Infusion, intravenous	Route Of Administration
3-L	IVC	Infusion, intravenous catheter	Route Of Administration
3-L	IVCC	Infusion, intravenous catheter, continuous	Route Of Administration
3-L	IVCI	Infusion, intravenous catheter, intermittent	Route Of Administration
3-L	PCA	Infusion, intravenous catheter, pca pump	Route Of Administration
2-L	IVASCINFUS	Infusion, intravascular	Route Of Administration
2-L	SQINFUS	Infusion, subcutaneous	Route Of Administration

1-A	_Inhalation	Inhalation	Route Of Administration
2-S	IPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	ORINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	RESPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-L	IPPB	Inhalation, intermittent positive pressure breathing (ippb)	Route Of Administration
2-S	NASINHL	Inhalation, nasal	Route Of Administration
3-L	NASINHLC	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
3-L	NP	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
2-S	NEB	Inhalation, nebulization	Route Of Administration
3-L	NASNEB	Inhalation, nebulization, nasal	Route Of Administration
3-L	ORNEB	Inhalation, nebulization, oral	Route Of Administration
2-L	TRACH	Inhalation, tracheostomy	Route Of Administration
2-L	VENT	Inhalation, ventilator	Route Of Administration
2-L	VENTMASK	Inhalation, ventimask	Route Of Administration
1-A	_Injection	Injection	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration

2-L	BILINJ	Injection, biliary tract	Route Of Administration
2-L	CHOLINJ	Injection, for cholangiography	Route Of Administration
2-L	CERVINJ	Injection, cervical	Route Of Administration
2-L	EPIDURINJ	Injection, epidural	Route Of Administration
2-L	EPIINJ	Injection, epidural, push	Route Of Administration
2-L	EPINJSP	Injection, epidural, slow push	Route Of Administration
2-L	EXTRAMNINJ	Injection, extra-amniotic	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
2-L	GBINJ	Injection, gastric button	Route Of Administration
2-L	GINGINJ	Injection, gingival	Route Of Administration
2-L	BLADINJ	Injection, urinary bladder	Route Of Administration
2-L	ENDOSININJ	Injection, endosinusial	Route Of Administration
2-L	HEMOPORT	Injection, hemodialysis port	Route Of Administration
2-L	IABDINJ	Injection, intra-abdominal	Route Of Administration
2-S	IAINJ	Injection, intraarterial	Route Of Administration
3-L	IAINJP	Injection, intraarterial, push	Route Of Administration
3-L	IAINJSP	Injection, intraarterial, slow push	Route Of Administration
2-L	IARTINJ	Injection, intraarticular	Route Of Administration
2-L	IBURSINJ	Injection, intrabursal	Route Of Administration
2-S	ICARDINJ	Injection, intracardiac	Route Of Administration
3-L	ICARDINJRP	Injection, intracardiac, rapid push	Route Of Administration
3-L	ICARDINJSP	Injection, intracardiac, slow push	Route Of Administration

3-L	ICARINJP	Injection, intracardiac, push	Route Of Administration
2-L	ICARTINJ	Injection, intracartilaginous	Route Of Administration
2-L	ICAUDINJ	Injection, intracaudal	Route Of Administration
2-L	ICAVINJ	Injection, intracavernous	Route Of Administration
2-L	ICAVITINJ	Injection, intracavitary	Route Of Administration
2-L	ICEREBINJ	Injection, intracerebral	Route Of Administration
2-L	ICISTERNINJ	Injection, intracisternal	Route Of Administration
2-S	ICORONINJ	Injection, intracoronary	Route Of Administration
3-L	ICORONINJP	Injection, intracoronary, push	Route Of Administration
2-L	ICORPCAVINJ	Injection, intracorporis cavernosum	Route Of Administration
2-L	IDINJ	Injection, intradermal	Route Of Administration
2-L	IDISCINJ	Injection, intradiscal	Route Of Administration
2-L	IDUCTINJ	Injection, intraductal	Route Of Administration
2-L	IDURINJ	Injection, intradural	Route Of Administration
2-L	IEPIDINJ	Injection, intraepidermal	Route Of Administration
2-L	IEPITHINJ	Injection, intraepithelial	Route Of Administration
2-L	ILESINJ	Injection, intralesional	Route Of Administration
2-L	ILUMINJ	Injection, intraluminal	Route Of Administration
2-L	ILYMPJINJ	Injection, intralymphatic	Route Of Administration
2-S	IM	Injection, intramuscular	Route Of Administration
3-L	IMD	Injection, intramuscular, deep	Route Of Administration
3-L	IMZ	Injection, intramuscular, z track	Route Of Administration

2-L	IMEDULINJ	Injection, intramedullary	Route Of Administration
2-L	INTERMENINJ	Injection, interameningeal	Route Of Administration
2-L	INTERSTITINJ	Injection, interstitial	Route Of Administration
2-L	IOINJ	Injection, intraocular	Route Of Administration
2-L	IOSSINJ	Injection, intraosseous	Route Of Administration
2-L	IOVARINJ	Injection, intraovarian	Route Of Administration
2-L	IPCARDINJ	Injection, intrapericardial	Route Of Administration
2-L	IPERINJ	Injection, intraperitoneal	Route Of Administration
2-L	IPINJ	Injection, intrapulmonary	Route Of Administration
2-L	IPLRINJ	Injection, intrapleural	Route Of Administration
2-L	IPROSTINJ	Injection, intraprostatic	Route Of Administration
2-L	IPUMPINJ	Injection, insulin pump	Route Of Administration
2-L	ISINJ	Injection, intraspinal	Route Of Administration
2-L	ISTERINJ	Injection, intrasternal	Route Of Administration
2-L	ISYNINJ	Injection, intrasynovial	Route Of Administration
2-L	ITENDINJ	Injection, intratendinous	Route Of Administration
2-L	ITESTINJ	Injection, intratesticular	Route Of Administration
2-L	ITHORINJ	Injection, intrathoracic	Route Of Administration
2-L	ITINJ	Injection, intrathecal	Route Of Administration
2-L	ITUBINJ	Injection, intratubular	Route Of Administration
2-L	ITUMINJ	Injection, intratumor	Route Of Administration
2-L	ITYMPINJ	Injection, intratympanic	Route Of Administration

2-L	IUINJ	Injection, intrauterine	Route Of Administration
2-L	IUINJC	Injection, intracervical (uterus)	Route Of Administration
2-L	IURETINJ	Injection, intraureteral, retrograde	Route Of Administration
2-L	IVASCINJ	Injection, intravascular	Route Of Administration
2-L	IVENTINJ	Injection, intraventricular (heart)	Route Of Administration
2-L	IVESINJ	Injection, intravesicle	Route Of Administration
2-S	IVINJ	Injection, intravenous	Route Of Administration
3-L	IVINJBOL	Injection, intravenous, bolus	Route Of Administration
3-L	IVPUSH	Injection, intravenous, push	Route Of Administration
3-L	IVRPUSH	Injection, intravenous, rapid push	Route Of Administration
3-L	IVSPUSH	Injection, intravenous, slow push	Route Of Administration
2-L	IVITINJ	Injection, intravitreal	Route Of Administration
2-L	PAINJ	Injection, periarticular	Route Of Administration
2-L	PARENTINJ	Injection, parenteral	Route Of Administration
2-L	PDONTINJ	Injection, periodontal	Route Of Administration
2-L	PDPINJ	Injection, peritoneal dialysis port	Route Of Administration
2-L	PDURINJ	Injection, peridural	Route Of Administration
2-L	PNINJ	Injection, perineural	Route Of Administration
2-L	PNSINJ	Injection, paranasal sinuses	Route Of Administration
2-L	RBINJ	Injection, retrobulbar	Route Of Administration
2-L	SCINJ	Injection, subconjunctival	Route Of Administration
2-L	SLESINJ	Injection, sublesional	Route Of Administration

2-L	SOFTISINJ	Injection, soft tissue	Route Of Administration
2-L	SQ	Injection, subcutaneous	Route Of Administration
2-L	SUBARACHINJ	Injection, subarachnoid	Route Of Administration
2-L	SUBMUCINJ	Injection, submucosal	Route Of Administration
2-L	TRPLACINJ	Injection, transplacental	Route Of Administration
2-L	TRTRACHINJ	Injection, transtracheal	Route Of Administration
2-L	URETHINJ	Injection, urethral	Route Of Administration
2-L	URETINJ	Injection, ureteral	Route Of Administration
1-A	_Insertion	Insertion	Route Of Administration
2-L	CERVINS	Insertion, cervical (uterine)	Route Of Administration
2-L	IOSURGINS	Insertion, intraocular, surgical	Route Of Administration
2-L	IU	Insertion, intrauterine	Route Of Administration
2-L	LPINS	Insertion, lacrimal puncta	Route Of Administration
2-L	PR	Insertion, rectal	Route Of Administration
2-L	SQSURGINS	Insertion, subcutaneous, surgical	Route Of Administration
2-L	URETHINS	Insertion, urethral	Route Of Administration
2-L	VAGINSI	Insertion, vaginal	Route Of Administration
1-A	_Instillation	Instillation	Route Of Administration
2-L	CECINSTL	Instillation, cecostomy	Route Of Administration
2-L	EFT	Instillation, enteral feeding tube	Route Of Administration
2-L	ENTINSTL	Instillation, enteral	Route Of Administration
2-L	GT	Instillation, gastrostomy tube	Route Of Administration

2-L	NGT	Instillation, nasogastric tube	Route Of Administration
2-L	OGT	Instillation, orogastric tube	Route Of Administration
2-L	BLADINSTL	Instillation, urinary catheter	Route Of Administration
2-L	CAPDINSTL	Instillation, continuous ambulatory peritoneal dialysis port	Route Of Administration
2-L	CTINSTL	Instillation, chest tube	Route Of Administration
2-L	ETINSTL	Instillation, endotracheal tube	Route Of Administration
2-L	GJT	Instillation, gastro-jejunostomy tube	Route Of Administration
2-L	IBRONCHINSTIL	Instillation, intrabronchial	Route Of Administration
2-L	IDUODINSTIL	Instillation, intraduodenal	Route Of Administration
2-L	IESOPHINSTIL	Instillation, intraesophageal	Route Of Administration
2-L	IGASTINSTIL	Instillation, intragastric	Route Of Administration
2-L	IILEALINJ	Instillation, intraileal	Route Of Administration
2-L	IOINSTL	Instillation, intraocular	Route Of Administration
2-L	ISININSTIL	Instillation, intrasinal	Route Of Administration
2-L	ITRACHINSTIL	Instillation, intratracheal	Route Of Administration
2-L	IUINSTL	Instillation, intrauterine	Route Of Administration
2-L	JJTINSTL	Instillation, jejunostomy tube	Route Of Administration
2-L	LARYNGINSTIL	Instillation, laryngeal	Route Of Administration
2-L	NASALINSTIL	Instillation, nasal	Route Of Administration
2-L	NASOGASINSTIL	Instillation, nasogastric	Route Of Administration
2-L	NTT	Instillation, nasotracheal tube	Route Of Administration
2-L	OJJ	Instillation, orojejunum tube	Route Of Administration

2-L	OT	Instillation, otic	Route Of Administration
2-L	PDPINSTL	Instillation, peritoneal dialysis port	Route Of Administration
2-L	PNSINSTL	Instillation, paranasal sinuses	Route Of Administration
2-S	RECINSTL	Instillation, rectal	Route Of Administration
3-L	RECTINSTL	Instillation, rectal tube	Route Of Administration
2-L	SININSTIL	Instillation, sinus, unspecified	Route Of Administration
2-L	SOFTISINSTIL	Instillation, soft tissue	Route Of Administration
2-L	TRACHINSTL	Instillation, tracheostomy	Route Of Administration
2-L	TRTYMPINSTIL	Instillation, transtympanic	Route Of Administration
2-L	URETHINSTL	instillation, urethral	Route Of Administration
1-A	_IontophoresisRoute	IontophoresisRoute	Route Of Administration
2-L	IONTO	Topical application, iontophoresis	Route Of Administration
1-A	_Irrigation	Irrigation	Route Of Administration
2-L	GUIRR	Irrigation, genitourinary	Route Of Administration
2-L	IGASTIRR	Irrigation, intragastric	Route Of Administration
2-L	ILESIRR	Irrigation, intralesional	Route Of Administration
2-L	IOIRR	Irrigation, intraocular	Route Of Administration
2-S	BLADIRR	Irrigation, urinary bladder	Route Of Administration
3-L	BLADIRRC	Irrigation, urinary bladder, continuous	Route Of Administration
3-L	BLADIRRT	Irrigation, urinary bladder, tidal	Route Of Administration
2-L	RECIRR	Irrigation, rectal	Route Of Administration
1-A	_LavageRoute	LavageRoute	Route Of Administration

2-L	IGASTLAV	Lavage, intragastric	Route Of Administration
1-A	_MucosalAbsorptionRoute	MucosalAbsorptionRoute	Route Of Administration
2-L	IDOUDMAB	Mucosal absorption, intraduodenal	Route Of Administration
2-L	ITRACHMAB	Mucosal absorption, intratracheal	Route Of Administration
2-L	SMUCMAB	Mucosal absorption, submucosal	Route Of Administration
1-A	_Nebulization	Nebulization	Route Of Administration
2-L	ETNEB	Nebulization, endotracheal tube	Route Of Administration
1-A	_Rinse	Rinse	Route Of Administration
2-L	DENRINSE	Rinse, dental	Route Of Administration
2-L	ORRINSE	Rinse, oral	Route Of Administration
1-A	_SuppositoryRoute	SuppositoryRoute	Route Of Administration
2-L	URETHSUP	Suppository, urethral	Route Of Administration
1-A	_Swish	Swish	Route Of Administration
2-L	SWISHSPIT	Swish and spit out, oromucosal	Route Of Administration
2-L	SWISHSWAL	Swish and swallow, oromucosal	Route Of Administration
1-A	_TopicalAbsorptionRoute	TopicalAbsorptionRoute	Route Of Administration
2-L	TTYMPTABSORP	Topical absorption, transtympanic	Route Of Administration
1-A	_TopicalApplication	TopicalApplication	Route Of Administration
2-L	DRESS	Topical application, soaked dressing	Route Of Administration
2-L	IONTO	Topical application, iontophoresis	Route Of Administration
2-L	SWAB	Topical application, swab	Route Of Administration
2-L	TOPICAL	Topical	Route Of Administration

2-L	BUC	Topical application, buccal	Route Of Administration
2-L	CERV	Topical application, cervical	Route Of Administration
2-L	DEN	Topical application, dental	Route Of Administration
2-L	GIN	Topical application, gingival	Route Of Administration
2-L	HAIR	Topical application, hair	Route Of Administration
2-L	ICORNTA	Topical application, intracorneal	Route Of Administration
2-L	ICORONTA	Topical application, intracoronal (dental)	Route Of Administration
2-L	IESOPHTA	Topical application, intraesophageal	Route Of Administration
2-L	IILEALTA	Topical application, intraileal	Route Of Administration
2-L	ILTOP	Topical application, intralesional	Route Of Administration
2-L	ILUMTA	Topical application, intraluminal	Route Of Administration
2-L	IOTOP	Topical application, intraocular	Route Of Administration
2-L	LARYNGTA	Topical application, laryngeal	Route Of Administration
2-L	MUC	Topical application, mucous membrane	Route Of Administration
2-L	NAIL	Topical application, nail	Route Of Administration
2-L	NASAL	Topical application, nasal	Route Of Administration
2-L	OPHTHALTA	Topical application, ophthalmic	Route Of Administration
2-L	ORALTA	Topical application, oral	Route Of Administration
2-L	ORMUC	Topical application, oromucosal	Route Of Administration
2-L	OROPHARTA	Topical application, oropharyngeal	Route Of Administration
2-L	PERIANAL	Topical application, perianal	Route Of Administration
2-L	PERINEAL	Topical application, perineal	Route Of Administration

2-L	PDONTTA	Topical application, periodontal	Route Of Administration
2-L	RECTAL	Topical application, rectal	Route Of Administration
2-L	SCALP	Topical application, scalp	Route Of Administration
2-L	OCDRESTA	Occlusive dressing technique	Route Of Administration
2-L	SKIN	Topical application, skin	Route Of Administration
2-L	SUBCONJTA	Subconjunctival	Route Of Administration
2-L	TMUCTA	Topical application, transmucosal	Route Of Administration
2-L	VAGINS	Topical application, vaginal	Route Of Administration
1-L	INSUF	Insufflation	Route Of Administration
1-S	TRNSDERM	Transdermal	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-S	TRNSDERM	Transdermal	Route Of Administration
2-L	TRNSDERMD	Diffusion, transdermal	Route Of Administration
1-A	_AmnioticFluidSacRoute	AmnioticFluidSacRoute	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
1-A	_BiliaryRoute	BiliaryRoute	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
2-L	CHOLINJ	Injection, for cholangiography	Route Of Administration
1-A	_BodySurfaceRoute	BodySurfaceRoute	Route Of Administration
2-L	DRESS	Topical application, soaked dressing	Route Of Administration
2-L	ELECTOSMOS	Electro-osmosis	Route Of Administration
2-L	IONTO	Topical application, iontophoresis	Route Of Administration

2-L	SOAK	Immersion (soak)	Route Of Administration
2-L	SWAB	Topical application, swab	Route Of Administration
2-L	TOPICAL	Topical	Route Of Administration
1-A	_BuccalMucosaRoute	BuccalMucosaRoute	Route Of Administration
2-L	BUC	Topical application, buccal	Route Of Administration
1-A	_CecostomyRoute	CecostomyRoute	Route Of Administration
2-L	CECINSTL	Instillation, cecostomy	Route Of Administration
1-A	_CervicalRoute	CervicalRoute	Route Of Administration
2-L	CERV	Topical application, cervical	Route Of Administration
2-L	CERVINJ	Injection, cervical	Route Of Administration
2-L	CERVINS	Insertion, cervical (uterine)	Route Of Administration
2-L	DEN	Topical application, dental	Route Of Administration
2-L	DENRINSE	Rinse, dental	Route Of Administration
1-A	_EndocervicalRoute	EndocervicalRoute	Route Of Administration
2-L	AMNINJ	Injection, amniotic fluid	Route Of Administration
2-L	BILINJ	Injection, biliary tract	Route Of Administration
1-A	_EnteralRoute	EnteralRoute	Route Of Administration
2-L	EFT	Instillation, enteral feeding tube	Route Of Administration
2-L	ENTINSTL	Instillation, enteral	Route Of Administration
1-A	_EpiduralRoute	EpiduralRoute	Route Of Administration
2-L	EPI	Infusion, epidural	Route Of Administration
2-L	EPIDURINJ	Injection, epidural	Route Of Administration

2-L	EPIINJ	Injection, epidural, push	Route Of Administration
2-L	EPINJSP	Injection, epidural, slow push	Route Of Administration
1-A	_ExtraAmnioticRoute	ExtraAmnioticRoute	Route Of Administration
2-L	EXTRAMNINJ	Injection, extra-amniotic	Route Of Administration
1-A	_ExtracorporealCirculationRoute	ExtracorporealCirculationRoute	Route Of Administration
2-L	EXTCORPDIF	Diffusion, extracorporeal	Route Of Administration
2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
1-A	_GastricRoute	GastricRoute	Route Of Administration
2-L	GBINJ	Injection, gastric button	Route Of Administration
2-L	GT	Instillation, gastrostomy tube	Route Of Administration
2-L	NGT	Instillation, nasogastric tube	Route Of Administration
2-L	OGT	Instillation, orogastric tube	Route Of Administration
1-A	_GenitourinaryRoute	GenitourinaryRoute	Route Of Administration
2-L	GUIRR	Irrigation, genitourinary	Route Of Administration
1-A	_GingivalRoute	GingivalRoute	Route Of Administration
2-L	GIN	Topical application, gingival	Route Of Administration
2-L	GINGINJ	Injection, gingival	Route Of Administration
1-A	_HairRoute	HairRoute	Route Of Administration
2-L	HAIR	Topical application, hair	Route Of Administration
2-L	SHAMPOO	Shampoo	Route Of Administration
1-A	_InterameningealRoute	InterameningealRoute	Route Of Administration
2-L	INTERMENINJ	Injection, interameningeal	Route Of Administration

1-A	_InterstitialRoute	InterstitialRoute	Route Of Administration
2-L	INTERSTITIJ	Injection, interstitial	Route Of Administration
1-A	_IntraabdominalRoute	IntraabdominalRoute	Route Of Administration
2-L	IABDINJ	Injection, intra-abdominal	Route Of Administration
1-A	_IntraarterialRoute	IntraarterialRoute	Route Of Administration
2-L	IA	Infusion, intraarterial catheter	Route Of Administration
2-S	IAINJ	Injection, intraarterial	Route Of Administration
3-L	IAINJP	Injection, intraarterial, push	Route Of Administration
3-L	IAINJSP	Injection, intraarterial, slow push	Route Of Administration
1-A	_IntraarticularRoute	IntraarticularRoute	Route Of Administration
2-L	IARTINJ	Injection, intraarticular	Route Of Administration
1-A	_IntrabronchialRoute	IntrabronchialRoute	Route Of Administration
2-L	IBRONCHINSTIL	Instillation, intrabronchial	Route Of Administration
1-A	_IntrabursalRoute	IntrabursalRoute	Route Of Administration
2-L	IBURSINJ	Injection, intrabursal	Route Of Administration
1-A	_IntracardiacRoute	IntracardiacRoute	Route Of Administration
2-L	IC	Infusion, intracardiac	Route Of Administration
2-S	ICARDINJ	Injection, intracardiac	Route Of Administration
3-L	ICARDINJRP	Injection, intracardiac, rapid push	Route Of Administration
3-L	ICARDINJSP	Injection, intracardiac, slow push	Route Of Administration
3-L	ICARINJP	Injection, intracardiac, push	Route Of Administration
1-A	_IntracartilaginousRoute	IntracartilaginousRoute	Route Of Administration

2-L	ICARTINJ	Injection, intracartilaginous	Route Of Administration
1-A	_IntracaudalRoute	IntracaudalRoute	Route Of Administration
2-L	ICAUDINJ	Injection, intracaudal	Route Of Administration
1-A	_IntracavernosalRoute	IntracavernosalRoute	Route Of Administration
2-L	ICAVINJ	Injection, intracavernous	Route Of Administration
1-A	_IntracavitaryRoute	IntracavitaryRoute	Route Of Administration
2-L	ICAVITINJ	Injection, intracavitary	Route Of Administration
1-A	_IntracerebralRoute	IntracerebralRoute	Route Of Administration
2-L	ICEREBINJ	Injection, intracerebral	Route Of Administration
1-A	_IntracervicalRoute	IntracervicalRoute	Route Of Administration
2-L	IUINJC	Injection, intracervical (uterus)	Route Of Administration
1-A	_IntracisternalRoute	IntracisternalRoute	Route Of Administration
2-L	ICISTERNINJ	Injection, intracisternal	Route Of Administration
1-A	_IntracornealRoute	IntracornealRoute	Route Of Administration
2-L	ICORNTA	Topical application, intracorneal	Route Of Administration
1-A	_IntracoronaralRoute	IntracoronaralRoute	Route Of Administration
2-L	ICORONTA	Topical application, intracoronaral (dental)	Route Of Administration
1-A	_IntracoronaryRoute	IntracoronaryRoute	Route Of Administration
2-L	ICOR	Infusion, intracoronary	Route Of Administration
2-S	ICORONINJ	Injection, intracoronary	Route Of Administration
3-L	ICORONINJP	Injection, intracoronary, push	Route Of Administration
1-A	_IntracorporisCavernosumRoute	IntracorporisCavernosumRoute	Route Of Administration

2-L	ICORPCAVINJ	Injection, intracorporis cavernosum	Route Of Administration
1-A	_IntradermalRoute	IntradermalRoute	Route Of Administration
2-L	IDIMPLNT	Implantation, intradermal	Route Of Administration
2-L	IDINJ	Injection, intradermal	Route Of Administration
1-A	_IntradiscalRoute	IntradiscalRoute	Route Of Administration
2-L	IDISCINJ	Injection, intradiscal	Route Of Administration
1-A	_IntraductalRoute	IntraductalRoute	Route Of Administration
2-L	IDUCTINJ	Injection, intraductal	Route Of Administration
1-A	_IntraduodenalRoute	IntraduodenalRoute	Route Of Administration
2-L	IDUODINSTIL	Instillation, intraduodenal	Route Of Administration
2-L	IDOUDMAB	Mucosal absorption, intraduodenal	Route Of Administration
1-A	_IntraduralRoute	IntraduralRoute	Route Of Administration
2-L	IDURINJ	Injection, intradural	Route Of Administration
1-A	_IntraepidermalRoute	IntraepidermalRoute	Route Of Administration
2-L	IEPIDINJ	Injection, intraepidermal	Route Of Administration
1-A	_IntraepithelialRoute	IntraepithelialRoute	Route Of Administration
2-L	IEPITHINJ	Injection, intraepithelial	Route Of Administration
1-A	_IntraesophagealRoute	IntraesophagealRoute	Route Of Administration
2-L	IESOPHINSTIL	Instillation, intraesophageal	Route Of Administration
2-L	IESOPHTA	Topical application, intraesophageal	Route Of Administration
1-A	_IntragastricRoute	IntragastricRoute	Route Of Administration
2-L	IGASTINSTIL	Instillation, intragastric	Route Of Administration

2-L	IGASTIRR	Irrigation, intragastric	Route Of Administration
2-L	IGASTLAV	Lavage, intragastric	Route Of Administration
1-A	_IntrailealRoute	IntrailealRoute	Route Of Administration
2-L	IILEALINJ	Instillation, intraileal	Route Of Administration
2-L	IILEALTA	Topical application, intraileal	Route Of Administration
1-A	_IntralesionalRoute	IntralesionalRoute	Route Of Administration
2-L	ILESINJ	Injection, intralesional	Route Of Administration
2-L	ILESIRR	Irrigation, intralesional	Route Of Administration
2-L	ILTOP	Topical application, intralesional	Route Of Administration
1-A	_IntraluminalRoute	IntraluminalRoute	Route Of Administration
2-L	ILUMINJ	Injection, intraluminal	Route Of Administration
2-L	ILUMTA	Topical application, intraluminal	Route Of Administration
1-A	_IntralymphaticRoute	IntralymphaticRoute	Route Of Administration
2-L	ILYMPJINJ	Injection, intralymphatic	Route Of Administration
1-A	_IntramedullaryRoute	IntramedullaryRoute	Route Of Administration
2-L	IMEDULINJ	Injection, intramedullary	Route Of Administration
1-A	_IntramuscularRoute	IntramuscularRoute	Route Of Administration
2-S	IM	Injection, intramuscular	Route Of Administration
3-L	IMD	Injection, intramuscular, deep	Route Of Administration
3-L	IMZ	Injection, intramuscular, z track	Route Of Administration
1-A	_IntraocularRoute	IntraocularRoute	Route Of Administration
2-L	IOINJ	Injection, intraocular	Route Of Administration

2-L	IOSURGINS	Insertion, intraocular, surgical	Route Of Administration
2-L	IOINSTL	Instillation, intraocular	Route Of Administration
2-L	IOIRR	Irrigation, intraocular	Route Of Administration
2-L	IOTOP	Topical application, intraocular	Route Of Administration
1-A	_IntraosseousRoute	IntraosseousRoute	Route Of Administration
2-L	IOSSC	Infusion, intraosseous, continuous	Route Of Administration
2-L	IOSSINJ	Injection, intraosseous	Route Of Administration
1-A	_IntraovarianRoute	IntraovarianRoute	Route Of Administration
2-L	IOVARINJ	Injection, intraovarian	Route Of Administration
1-A	_IntrapericardialRoute	IntrapericardialRoute	Route Of Administration
2-L	IPCARDINJ	Injection, intrapericardial	Route Of Administration
1-A	_IntraperitonealRoute	IntraperitonealRoute	Route Of Administration
2-L	IPERINJ	Injection, intraperitoneal	Route Of Administration
2-L	PDPINJ	Injection, peritoneal dialysis port	Route Of Administration
2-L	CAPDINSTL	Instillation, continuous ambulatory peritoneal dialysis port	Route Of Administration
2-L	PDPINSTL	Instillation, peritoneal dialysis port	Route Of Administration
1-A	_IntrapleuralRoute	IntrapleuralRoute	Route Of Administration
2-L	IPLRINJ	Injection, intrapleural	Route Of Administration
2-L	CTINSTL	Instillation, chest tube	Route Of Administration
1-A	_IntraprostaticRoute	IntraprostaticRoute	Route Of Administration
2-L	IPROSTINJ	Injection, intraprostatic	Route Of Administration
1-A	_IntrapulmonaryRoute	IntrapulmonaryRoute	Route Of Administration

2-L	EXTCORPINJ	Injection, extracorporeal	Route Of Administration
2-L	IPINJ	Injection, intrapulmonary	Route Of Administration
1-A	_IntrasinalRoute	IntrasinalRoute	Route Of Administration
2-L	ISININSTIL	Instillation, intrasinal	Route Of Administration
1-A	_IntraspinalRoute	IntraspinalRoute	Route Of Administration
2-L	ISINJ	Injection, intraspinal	Route Of Administration
1-A	_IntrasternalRoute	IntrasternalRoute	Route Of Administration
2-L	ISTERINJ	Injection, intrasternal	Route Of Administration
1-A	_IntrasynovialRoute	IntrasynovialRoute	Route Of Administration
2-L	ISYNINJ	Injection, intrasynovial	Route Of Administration
1-A	_IntratendinousRoute	IntratendinousRoute	Route Of Administration
2-L	ITENDINJ	Injection, intratendinous	Route Of Administration
1-A	_IntratesticularRoute	IntratesticularRoute	Route Of Administration
2-L	ITESTINJ	Injection, intratesticular	Route Of Administration
1-A	_IntrathecalRoute	IntrathecalRoute	Route Of Administration
2-L	IT	Infusion, intrathecal	Route Of Administration
2-L	ITINJ	Injection, intrathecal	Route Of Administration
1-A	_IntrathoracicRoute	IntrathoracicRoute	Route Of Administration
2-L	ITHORINJ	Injection, intrathoracic	Route Of Administration
1-A	_IntratrachealRoute	IntratrachealRoute	Route Of Administration
2-L	ITRACHINSTIL	Instillation, intratracheal	Route Of Administration
2-L	ITRACHMAB	Mucosal absorption, intratracheal	Route Of Administration

1-A	_IntratubularRoute	IntratubularRoute	Route Of Administration
2-L	ITUBINJ	Injection, intratubular	Route Of Administration
1-A	_IntratumorRoute	IntratumorRoute	Route Of Administration
2-L	ITUMINJ	Injection, intratumor	Route Of Administration
1-A	_IntratympanicRoute	IntratympanicRoute	Route Of Administration
2-L	ITYMPINJ	Injection, intratympanic	Route Of Administration
1-A	_IntrauterineRoute	IntrauterineRoute	Route Of Administration
2-L	IUINJ	Injection, intrauterine	Route Of Administration
2-L	IURETINJ	Injection, intraureteral, retrograde	Route Of Administration
2-L	IU	Insertion, intrauterine	Route Of Administration
2-L	IUINSTL	Instillation, intrauterine	Route Of Administration
1-A	_IntravascularRoute	IntravascularRoute	Route Of Administration
2-L	HEMODIFF	Diffusion, hemodialysis	Route Of Administration
2-L	IVASCINFUS	Infusion, intravascular	Route Of Administration
2-L	HEMOPORT	Injection, hemodialysis port	Route Of Administration
2-L	IVASCINJ	Injection, intravascular	Route Of Administration
1-A	_IntravenousRoute	IntravenousRoute	Route Of Administration
2-L	IVFLUSH	Flush, intravenous catheter	Route Of Administration
2-S	IVINJ	Injection, intravenous	Route Of Administration
3-L	IVINJBOL	Injection, intravenous, bolus	Route Of Administration
3-L	IVPUSH	Injection, intravenous, push	Route Of Administration
3-L	IVRPUSH	Injection, intravenous, rapid push	Route Of Administration

3-L	IVSPUSH	Injection, intravenous, slow push	Route Of Administration
1-A	_IntraventricularRoute	IntraventricularRoute	Route Of Administration
2-L	IVENTINJ	Injection, intraventricular (heart)	Route Of Administration
1-A	_IntravesicleRoute	IntravesicleRoute	Route Of Administration
2-L	IVESINJ	Injection, intravesicle	Route Of Administration
1-A	_IntravitrealRoute	IntravitrealRoute	Route Of Administration
2-L	IVITINJ	Injection, intravitreal	Route Of Administration
1-A	_JejunumRoute	JejunumRoute	Route Of Administration
2-L	GJT	Instillation, gastro-jejunostomy tube	Route Of Administration
2-L	JJTINSTL	Instillation, jejunostomy tube	Route Of Administration
2-L	OJJ	Instillation, orojejunum tube	Route Of Administration
1-A	_LacrimalPunctaRoute	LacrimalPunctaRoute	Route Of Administration
2-L	LPINS	Insertion, lacrimal puncta	Route Of Administration
1-A	_LaryngealRoute	LaryngealRoute	Route Of Administration
2-L	LARYNGINSTIL	Instillation, laryngeal	Route Of Administration
2-L	LARYNGTA	Topical application, laryngeal	Route Of Administration
1-A	_LingualRoute	LingualRoute	Route Of Administration
2-L	TRNSLING	Translingual	Route Of Administration
1-A	_MucousMembraneRoute	MucousMembraneRoute	Route Of Administration
2-L	MUC	Topical application, mucous membrane	Route Of Administration
1-A	_NailRoute	NailRoute	Route Of Administration
2-L	NAIL	Topical application, nail	Route Of Administration

1-A	_NasalRoute	NasalRoute	Route Of Administration
2-S	NASINHL	Inhalation, nasal	Route Of Administration
3-L	NASINHLC	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
3-L	NP	Inhalation, nasal cannula Inhalation, nasal, prongs	Route Of Administration
2-L	NASALINSTIL	Instillation, nasal	Route Of Administration
2-L	NASOGASINSTIL	Instillation, nasogastric	Route Of Administration
2-L	NASAL	Topical application, nasal	Route Of Administration
1-A	_OphthalmicRoute	OphthalmicRoute	Route Of Administration
2-L	OPHTHALTA	Topical application, ophthalmic	Route Of Administration
1-A	_OralRoute	OralRoute	Route Of Administration
2-L	CHEW	Chew, oral	Route Of Administration
2-L	DISSOLVE	Dissolve, oral	Route Of Administration
2-S	IPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	ORINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	RESPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-L	ORALTA	Topical application, oral	Route Of Administration

2-L	ORRINSE	Rinse, oral	Route Of Administration
2-L	PO	Swallow, oral	Route Of Administration
1-A	_OromucosalRoute	OromucosalRoute	Route Of Administration
2-L	GARGLE	Gargle	Route Of Administration
2-L	ORMUC	Topical application, oromucosal	Route Of Administration
2-L	SUCK	Suck, oromucosal	Route Of Administration
2-L	SWISHSPIT	Swish and spit out, oromucosal	Route Of Administration
2-L	SWISHSWAL	Swish and swallow, oromucosal	Route Of Administration
1-A	_OropharyngealRoute	OropharyngealRoute	Route Of Administration
2-L	OROPHARTA	Topical application, oropharyngeal	Route Of Administration
1-A	_OticRoute	OticRoute	Route Of Administration
2-L	OT	Instillation, otic	Route Of Administration
1-A	_ParanasalSinusesRoute	ParanasalSinusesRoute	Route Of Administration
2-L	PNSINJ	Injection, paranasal sinuses	Route Of Administration
2-L	PNSINSTL	Instillation, paranasal sinuses	Route Of Administration
1-A	_ParenteralRoute	ParenteralRoute	Route Of Administration
2-L	PARENTINJ	Injection, parenteral	Route Of Administration
1-A	_PerianalRoute	PerianalRoute	Route Of Administration
2-L	PERIANAL	Topical application, perianal	Route Of Administration
1-A	_PeriarticularRoute	PeriarticularRoute	Route Of Administration
2-L	PAINJ	Injection, periarticular	Route Of Administration
1-A	_PeriduralRoute	PeriduralRoute	Route Of Administration

2-L	PDURINJ	Injection, peridural	Route Of Administration
1-A	_PerinealRoute	PerinealRoute	Route Of Administration
2-L	PERINEAL	Topical application, perineal	Route Of Administration
1-A	_PerineuralRoute	PerineuralRoute	Route Of Administration
2-L	PNINJ	Injection, perineural	Route Of Administration
1-A	_PeriodontalRoute	PeriodontalRoute	Route Of Administration
2-L	PDONTINJ	Injection, periodontal	Route Of Administration
2-L	PDONTTA	Topical application, periodontal	Route Of Administration
1-A	_PulmonaryRoute	PulmonaryRoute	Route Of Administration
2-L	IPPB	Inhalation, intermittent positive pressure breathing (ippb)	Route Of Administration
2-L	VENT	Inhalation, ventilator	Route Of Administration
2-L	VENTMASK	Inhalation, ventimask	Route Of Administration
2-L	ETINSTL	Instillation, endotracheal tube	Route Of Administration
2-L	NTT	Instillation, nasotracheal tube	Route Of Administration
2-L	ETNEB	Nebulization, endotracheal tube	Route Of Administration
1-A	_RectalRoute	RectalRoute	Route Of Administration
2-L	ENEMA	Enema, rectal	Route Of Administration
2-L	RETENEMA	Enema, rectal retention	Route Of Administration
2-L	PR	Insertion, rectal	Route Of Administration
2-S	RECINSTL	Instillation, rectal	Route Of Administration
3-L	RECTINSTL	Instillation, rectal tube	Route Of Administration
2-L	RECIRR	Irrigation, rectal	Route Of Administration

2-L	RECTAL	Topical application, rectal	Route Of Administration
1-A	_RespiratoryTractRoute	RespiratoryTractRoute	Route Of Administration
2-S	IPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	ORINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
2-S	RESPINHL	Inhalation, respiratory Inhalation, intrapulmonary Inhalation, oral	Route Of Administration
3-L	ORIFINHL	Inhalation, oral intermittent flow	Route Of Administration
3-L	REBREATH	Inhalation, oral rebreather mask	Route Of Administration
1-A	_RetrobulbarRoute	RetrobulbarRoute	Route Of Administration
2-L	RBINJ	Injection, retrobulbar	Route Of Administration
1-A	_ScalpRoute	ScalpRoute	Route Of Administration
2-L	SCALP	Topical application, scalp	Route Of Administration
1-A	_SinusUnspecifiedRoute	SinusUnspecifiedRoute	Route Of Administration
2-L	ENDOSININJ	Injection, endosinusial	Route Of Administration
2-L	SININSTIL	Instillation, sinus, unspecified	Route Of Administration
1-A	_SkinRoute	SkinRoute	Route Of Administration
2-L	OCDRESTA	Occlusive dressing technique	Route Of Administration
2-L	SKIN	Topical application, skin	Route Of Administration
1-A	_SoftTissueRoute	SoftTissueRoute	Route Of Administration

2-L	SOFTISINJ	Injection, soft tissue	Route Of Administration
2-L	SOFTISINSTIL	Instillation, soft tissue	Route Of Administration
1-A	_SubarachnoidRoute	SubarachnoidRoute	Route Of Administration
2-L	SUBARACHINJ	Injection, subarachnoid	Route Of Administration
1-A	_SubconjunctivalRoute	SubconjunctivalRoute	Route Of Administration
2-L	SCINJ	Injection, subconjunctival	Route Of Administration
2-L	SUBCONJTA	Subconjunctival	Route Of Administration
1-A	_SubcutaneousRoute	SubcutaneousRoute	Route Of Administration
2-L	SQIMPLNT	Implantation, subcutaneous	Route Of Administration
2-L	SQINFUS	Infusion, subcutaneous	Route Of Administration
2-L	IPUMPINJ	Injection, insulin pump	Route Of Administration
2-L	SQ	Injection, subcutaneous	Route Of Administration
2-L	SQSURGINS	Insertion, subcutaneous, surgical	Route Of Administration
1-A	_SublesionalRoute	SublesionalRoute	Route Of Administration
2-L	SLESINJ	Injection, sublesional	Route Of Administration
1-A	_SublingualRoute	SublingualRoute	Route Of Administration
2-L	SL	Dissolve, sublingual	Route Of Administration
1-A	_SubmucosalRoute	SubmucosalRoute	Route Of Administration
2-L	SUBMUCINJ	Injection, submucosal	Route Of Administration
2-L	SMUCMAB	Mucosal absorption, submucosal	Route Of Administration
1-A	_TracheostomyRoute	TracheostomyRoute	Route Of Administration
2-L	TRACH	Inhalation, tracheostomy	Route Of Administration

2-L	TRACHINSTL	Instillation, tracheostomy	Route Of Administration
1-A	_TransmucosalRoute	TransmucosalRoute	Route Of Administration
2-L	TMUCTA	Topical application, transmucosal	Route Of Administration
1-A	_TransplacentalRoute	TransplacentalRoute	Route Of Administration
2-L	TRPLACINJ	Injection, transplacental	Route Of Administration
1-A	_TranstrachealRoute	TranstrachealRoute	Route Of Administration
2-L	TRTRACHINJ	Injection, transtracheal	Route Of Administration
1-A	_TranstympanicRoute	TranstympanicRoute	Route Of Administration
2-L	TRTYMPINSTIL	Instillation, transtympanic	Route Of Administration
2-L	T'TYMPABSORP	Topical absorption, transtympanic	Route Of Administration
1-A	_UreteralRoute	UreteralRoute	Route Of Administration
2-L	URETINJ	Injection, ureteral	Route Of Administration
1-A	_UrethralRoute	UrethralRoute	Route Of Administration
2-L	URETHINJ	Injection, urethral	Route Of Administration
2-L	URETHINS	Insertion, urethral	Route Of Administration
2-L	URETHINSTL	instillation, urethral	Route Of Administration
2-L	URETHSUP	Suppository, urethral	Route Of Administration
1-A	_UrinaryBladderRoute	UrinaryBladderRoute	Route Of Administration
2-L	BLADINJ	Injection, urinary bladder	Route Of Administration
2-S	BLADIRR	Irrigation, urinary bladder	Route Of Administration
3-L	BLADIRRC	Irrigation, urinary bladder, continuous	Route Of Administration
3-L	BLADIRRT	Irrigation, urinary bladder, tidal	Route Of Administration

1-A	_UrinaryTractRoute	UrinaryTractRoute	Route Of Administration
2-L	BLADINSTL	Instillation, urinary catheter	Route Of Administration
1-A	_VaginalRoute	VaginalRoute	Route Of Administration
2-L	DOUCHE	Douche, vaginal	Route Of Administration
2-L	VAGINSI	Insertion, vaginal	Route Of Administration
2-L	VAGINS	Topical application, vaginal	Route Of Administration
1-A	_VitreousHumourRoute	VitreousHumourRoute	Route Of Administration
2-L	IVITIMPLNT	Implantation, intravitreal	Route Of Administration

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.16 ○ SeverityObservation 2.16.840.1.113883.1.11.16643 - 2014-03-26 (DEFN=UV=VO=1360-20160323) ref (aus Repository: ad2bbr-)

Id		2.16.840.1.113883.1.11.16643 ref (aus Repository: ad2bbr-)	Gültigkeit		gültig ab 2014-03-26
Andere Versionen dieses Value Sets					
▪ SeverityObservation DEFN=UV=VO=1099-20110726 - 2011-07-26					
Status		Final	Versions-Label		DEFN=UV=VO=1360-20160323
Name		SeverityObservation	Anzeigename		SeverityObservation
Beschreibung		History description 2014-03-26: Lock all vaue sets untouched since 2014-03-26 to trackingId 2014T1_2014_03_26 description: Potential values for observations of severity.			
Quell-Codesystem		2.16.840.1.113883.5.1063 - <i>Observation Value</i>			

Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
1-L	H	High	Observation Value
1-L	L	Low	Observation Value
1-L	M	Moderate	Observation Value

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.17 SeverityObservation 2.16.840.1.113883.1.11.16643 - 2011-07-26 (DEFN=UV=VO=1099-20110726) (aus Repository: ad2bbr-)

Id	2.16.840.1.113883.1.11.16643  (aus Repository: ad2bbr-)	Gültigkeit	gültig ab 2011-07-26
Andere Versionen dieses Value Sets			
SeverityObservation DEFN=UV=VO=1360-20160323 - 2014-03-26			
Status	 Final	Versions-Label	DEFN=UV=VO=1099-20110726
Name	SeverityObservation	Anzeigename	SeverityObservation
Beschreibung	 description: Potential values for observations of severity.		
Quell-Codesystem	2.16.840.1.113883.5.1063 - Observation Value		

Alles ausklappen		Alles einklappen	
Level/ Typ	Code	Anzeigename	Codesystem
1-L	H	High	Observation Value
1-L	L	Low	Observation Value

1-L	M	Moderate	Observation Value
-----	---	----------	-------------------

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.18 **Swiss Role Author EPD 2.16.756.5.30.1.1.11.3 - 2016-06-09** (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.11.3  (aus Repository: hl7hcda-)	Gültigkeit	gültig ab 2016-06-09
Status	 Draft	Versions-Label	
Name	SwisRoleAuthor	Anzeigename	Swiss Role Author EPD
Beschreibung	Zu verwendende Metadaten im elektronischen Patientendossier Anhang 3 - EPDV-EDI: Metadaten 1.1 Rolle des Autors Nationale OID: 2.16.756.5.30.1.127.3.10.1.1.3		

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
Swiss Role Author EPD	2.16.756.5.30.1.127.3.10.1.1.3	

Or one of the following:

Quell-Codesystem	2.16.756.5.30.1.127.3.10.1.1.3		
Level/ Typ	Code	Anzeigename	Codesystem
0-L	40001	Pharmacist	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40002	Physician	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40003	Chiropractor	2.16.756.5.30.1.127.3.10.1.1.3

0-L	40004	Dietitian	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40005	Midwife	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40006	Complementary therapist	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40007	Patient	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40008	Professional nurse	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40009	Psychologist	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40010	Social Worker	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40011	Other Therapist	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40012	Dentist	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40900	Unknown	2.16.756.5.30.1.127.3.10.1.1.3
0-L	40999	Other	2.16.756.5.30.1.127.3.10.1.1.3

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.19 Swiss Author Speciality EPD 2.16.756.5.30.1.1.11.4 - 2016-06-09 (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.11.4  (aus Repository: hl7hcda-)	Gültigkeit	gültig ab 2016-06-09
Status	 Draft	Versions-Label	
Name	SwissAuthorSpeciality	Anzeigename	Swiss Author Speciality EPD
Beschreibung	EPDV-EDI: Metadaten		
	Medizinische Fachrichtung des Autors		
	Nationale OID: 2.16.756.5.30.1.127.3.10.1.1.4		

Ein gültiger Code aus der Codesystem:

Codesystem Name	Codesystem Id	Codesystem Version
epd_xds_authorSpeciality	2.16.756.5.30.1.127.3.10.1.1.4	

Or one of the following:

Quell-Codesystem		2.16.756.5.30.1.127.3.10.1.1.4	
Level/ Typ	Code	Anzeigename	Codesystem
0-L	50001	Fachärztin/Facharzt für Allgemeine Innere Medizin	2.16.756.5.30.1.127.3.10.1.1.4
0-L	todo	todo structured import	2.16.756.5.30.1.127.3.10.1.1.4

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.20 Swiss Confidentiality Codes 2.16.756.5.30.1.1.11.1 - 2016-05-27 (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.11.1  (aus Repository: hl7hcda-)	Gültigkeit	gültig ab 2016-05-27	
Status	 Draft	Versions-Label		
Name	SwissConfidentialityCodes	Anzeigename	Swiss Confidentiality Codes	
Quell-Codesystem	2.16.756.5.30.1.127.3.10.1.5			
Level/ Typ	Code	Anzeigename	Codesystem	Beschreibung
0-L	30002	Useful medical data	2.16.756.5.30.1.127.3.10.1.5	
0-L	30003	Medical data	2.16.756.5.30.1.127.3.10.1.5	
0-L	30004	Sensitive data	2.16.756.5.30.1.127.3.10.1.5	
0-L	30005	Secret data	2.16.756.5.30.1.127.3.10.1.5	

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

5.1.21 epSOSHealthcareProfessionalRoles 1.3.6.1.4.1.12559.11.10.1.3.1.42.1 - 2013-06-03 (2008) (aus Repository: epsos-)

Id	1.3.6.1.4.1.12559.11.10.1.3.1.42.1  (aus Repository: epsos-)	Gültigkeit	gültig ab 2013-06-03
Status	 Draft	Versions-Label	2008
Name	epSOSHealthcareProfessionalRoles	Anzeigename	epSOSHealthcareProfessionalRoles
Beschreibung			
Quell-Codesystem	2.16.840.1.113883.2.9.6.2.7		

Level/ Typ	Code	Anzeigename	Codesystem
0-L	22	Health professionals	2.16.840.1.113883.2.9.6.2.7
0-L	221	Medical doctors	2.16.840.1.113883.2.9.6.2.7
0-L	2211	Generalist medical practitioners	2.16.840.1.113883.2.9.6.2.7
0-L	2212	Specialist medical practitioners	2.16.840.1.113883.2.9.6.2.7
0-L	222	Nursing and midwifery professionals	2.16.840.1.113883.2.9.6.2.7
0-L	2221	Nursing professionals	2.16.840.1.113883.2.9.6.2.7
0-L	2222	Midwifery professionals	2.16.840.1.113883.2.9.6.2.7
0-L	223	Traditional and complementary medicine professionals	2.16.840.1.113883.2.9.6.2.7
0-L	224	Paramedical practitioners	2.16.840.1.113883.2.9.6.2.7
0-L	225	Veterinarians	2.16.840.1.113883.2.9.6.2.7
0-L	226	Other health professionals	2.16.840.1.113883.2.9.6.2.7
0-L	2261	Dentists	2.16.840.1.113883.2.9.6.2.7
0-L	2262	Pharmacists	2.16.840.1.113883.2.9.6.2.7

0-L	2263	Environmental and occupational health and hygiene professionals	2.16.840.1.113883.2.9.6.2.7
0-L	2264	Physiotherapists	2.16.840.1.113883.2.9.6.2.7
0-L	2265	Dieticians and nutritionists	2.16.840.1.113883.2.9.6.2.7
0-L	2266	Audiologists and speech therapists	2.16.840.1.113883.2.9.6.2.7
0-L	2267	Optometrists and ophthalmic opticians	2.16.840.1.113883.2.9.6.2.7
0-L	2269	Health professionals not elsewhere classified	2.16.840.1.113883.2.9.6.2.7
0-L	32	Health associate professionals	2.16.840.1.113883.2.9.6.2.7
0-L	321	Medical and pharmaceutical technicians	2.16.840.1.113883.2.9.6.2.7
0-L	3211	Medical imaging and therapeutic equipment technicians	2.16.840.1.113883.2.9.6.2.7
0-L	3212	Medical and pathology laboratory technicians	2.16.840.1.113883.2.9.6.2.7
0-L	3213	Pharmaceutical technicians and assistants	2.16.840.1.113883.2.9.6.2.7
0-L	3214	Medical and dental prosthetic technicians	2.16.840.1.113883.2.9.6.2.7
0-L	322	Nursing and midwifery associate professionals	2.16.840.1.113883.2.9.6.2.7
0-L	3221	Nursing associate professionals	2.16.840.1.113883.2.9.6.2.7
0-L	3222	Midwifery associate professionals	2.16.840.1.113883.2.9.6.2.7
0-L	323	Traditional and complementary medicine associate professionals	2.16.840.1.113883.2.9.6.2.7
0-L	325	Other health associate professionals	2.16.840.1.113883.2.9.6.2.7
0-L	3251	Dental assistants and therapists	2.16.840.1.113883.2.9.6.2.7
0-L	3252	Medical records and health information technicians	2.16.840.1.113883.2.9.6.2.7
0-L	3253	Community health workers	2.16.840.1.113883.2.9.6.2.7
0-L	3254	Dispensing opticians	2.16.840.1.113883.2.9.6.2.7
0-L	3255	Physiotherapy technicians and assistants	2.16.840.1.113883.2.9.6.2.7

0-L	3256	Medical assistants	2.16.840.1.113883.2.9.6.2.7
0-L	3257	Environmental and occupational health inspectors and associates	2.16.840.1.113883.2.9.6.2.7
0-L	3258	Ambulance workers	2.16.840.1.113883.2.9.6.2.7
0-L	3259	Health associate professionals not elsewhere classified	2.16.840.1.113883.2.9.6.2.7

Legende: Typ L=leaf, S=specializable, A=abstract, D=deprecated. NullFlavors werden im @nullFlavor Attribut statt in @code angegeben.

6 Templates

6.1 Transaktionsrepräsentierende Templates

6.1.1 ○ eMedicationComment V1 2.16.756.5.30.1.1.1.1.3.10.4 - 2016-05-21

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
➔ initial	POCD_MT000040DE	eMedicationComment	cdachemed-eMedicationComment.sch

Id	2.16.756.5.30.1.1.1.1.3.10.4	Gültigkeit	gültig ab 2016-05-21
Status	 Draft	Versions-Label	
Name	CDA-CH-EMED-eMedicationComment-V1	Anzeigename	eMedicationComment V1
Beschreibung	 The eMedicationComment is a document in which health professionals track important observations (with the explicit consent of the patient), in regard to the use of medication. These observations are entered in free text. The eMedicationComment does not replace direct interprofessional communication. <i>Benefits of eMedicationComment</i> The eCurrentMedication aids interprofessional communication, which aims at a raised standard of interprofessional accountability within the entire treatment process. The treating health professional should be increasingly accountable to ensure that all required information is readily available to all subsequent treating health professionals, thus guaranteeing an optimal treatment for the patient. <i>eMedicationComment Parameters</i> Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the IPAG Minimal Data Set they are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will revise these. Source: IPAG eMedikation, 19.9.2016		

	Relation to IHE Pharmacy		
	The eMedicationComment is based on the IHE Pharmacy Technical Framework Supplement – Pharmacy Pharmaceutical Advice (PADV).		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.4		
Klassifikation	CDA Document Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz
	cdachemed-dataelement-60	 Ausstelldatum (Erstellungsdatum)	 Parameter e
Benutzt von / Benutzt	Benutzt von 0 Templates, Benutzt 11 Templates		
	Benutzt Template-Id	als	Name
	2.16.756.5.30.1.1.10.2.25	Inklusion	 <CDA-CH-RELM> (2016)
	2.16.756.5.30.1.1.10.2.24	Inklusion	 CDA TypeId
	2.16.756.5.30.1.1.10.2.18	Inklusion	 <CDA-CH-TPLT>
	2.16.756.5.30.1.1.10.9.3	Inklusion	 CDA Document Id
	2.16.756.5.30.1.1.10.2.19	Inklusion	 <CDA-CH-CONF> (2016)
	2.16.756.5.30.1.1.10.2.22	Inklusion	 <CDA-CH-DOCL> (2016)
	2.16.756.5.30.1.1.1.1.3.10.10.2.5	Inklusion	 recordTarget
	2.16.756.5.30.1.1.1.1.3.10.10.2.1	Inklusion	 author
	2.16.756.5.30.1.1.10.2.3	Inklusion	 CDA custodian
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Containment	 Pharmaceutical Advice Section Content Module
	2.16.756.5.30.1.1.10.3.2	Containment	 CDA-CH Remarks Section
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.2 (<i>DYNAMIC</i>)		
	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.1.2 (<i>DYNAMIC</i>)		

Beispiel

Specialization: Template 2.16.756.5.30.1.1.1.1 (DYNAMIC)

header

```
<cda:ClinicalDocument>

  <cda:realmCode code="CHE"/>
  <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <!-- IHE PCC -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/>
  <!-- IHE PHARM PADV -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.9.1.1.2"/>
  <!-- CDA-CH -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/>
  <!-- CDA-CH-EMED-eMedicationComment-V1 -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.4"/>
  <!-- id of this eMedicationComment -->

  <cda:id root="2.16.756.5.30.1.1.1.1" extension="8ed02d0a-2971-11e6-b67b-9e71128cae77"/>
  <!-- IHE PHARM PADV -->

  <cda:code code="61356-2" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Pharmaceutical advice"/>
  <cda:title>Kommentar zur Medikation</cda:title>
  <cda:effectiveTime value="20120204140000+0100"/>
  <cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>
  <cda:languageCode code="de-CH"/>
  <!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappenAlles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-eMedicationComment-V1)
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.25 <CDA-CH-RELM> (DYNAMIC)	
hl7:realmCode	CS	1 ... 1	M		(CDA-CH-EMED-eMedicationComment-V1)
@code	CONF	1 ... 1	F	CHE	
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.24 CDA TypeId (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:typeId	II	1 ... 1	M		(CDA-CH-EMED-eMedication)
@root	uid	1 ... 1	F	2.16.840.1.113883.1.3	
@extension	st	1 ... 1	F	POCD_HD000040	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-eMedication)
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.1.1	
				 IHE PCC	
Eingefügt				von 2.16.756.5.30.1.1.10.2.18 <CDA-CH-TPLT> (DYNAMIC)	
hl7:templateId	II	1 ... 1	R		(CDA-CH-EMED-eMedication)
@extension	st	1 ... 1	F	CDA-CH	
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-eMedication)
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.3.10.4	
				 CDA-CH-EMED-eMedicationComment-V1	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-eMedication)
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.1.2	
				 IHE PHARM PADV	
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.9.3 CDA Document Id (DYNAMIC)	
hl7:id	II	1 ... 1	M		(CDA-CH-EMED-eMedication)

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-59  Referenz-ID des Dokuments  Parameter eMedikation			
hl7:code	CE	1 ... 1	R		(CDA-CH-EMED-eMedication)
@code	CONF	1 ... 1	F	61356-2	
@codeSystem		1 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		1 ... 1	F	Medication Pharmaceutical Advice	
@codeSystemName		1 ... 1	F	LOINC	
hl7:title	ST	0 ... 1		 eMedicationComment	(CDA-CH-EMED-eMedication)
hl7:effectiveTime	TS.CH.TZ	1 ... 1	M		(CDA-CH-EMED-eMedication)
		Ziel der Konzept Id(s): cdachemed-dataelement-60  Ausstelldatum (Erstellungsdatum)  Parameter eMedikation			
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.19 <CDA-CH-CONF> (DYNAMIC)	
hl7:confidentialityCode	CE CNE	1 ... 1	M		(CDA-CH-EMED-eMedication)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 Swiss Confidentiality Codes (DYNAMIC)			
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.22 <CDA-CH-DOCL> (DYNAMIC)	
hl7:languageCode	CS	1 ... 1	M		(CDA-CH-EMED-eMedication)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 HumanLanguage (DYNAMIC)			
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.1.3.10.10.2.5 recordTarget (DYNAMIC)	
hl7:recordTarget		1 ... 1	M		(CDA-CH-EMED-eMedication)

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-3  Patient  Parameter eMedikation			
hl7:patientRole		1 ... 1	M		(CDA-CH-EMED-eMedication)
hl7:id	II	1 ... *	R	 Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-eMedication)
	Beispiel	<id extension="807569999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>			
hl7:addr	AD	0 ... *			(CDA-CH-EMED-eMedication)
hl7:streetAddressLine	ADXP	0 ... *			(CDA-CH-EMED-eMedication)
hl7:postalCode	ADXP	0 ... *			(CDA-CH-EMED-eMedication)
hl7:city	ADXP	0 ... *			(CDA-CH-EMED-eMedication)
hl7:country	ADXP	0 ... *			(CDA-CH-EMED-eMedication)
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-eMedication)
hl7:patient		1 ... 1	M		(CDA-CH-EMED-eMedication)
hl7:name	PN	1 ... 1	M		(CDA-CH-EMED-eMedication)
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-eMedication)
		Ziel der Konzept Id(s): cdachemed-dataelement-24  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-eMedication)

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-23  Name  Parameter eMedikation			
hl7:administrativeGenderCode	CE	1 ... 1	R		(CDA-CH-EMED-eMedication)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			
hl7:birthTime	TS	1 ... 1	M	 The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-eMedication)
		Ziel der Konzept Id(s): cdachemed-dataelement-25  Geburtsjahr  Parameter eMedikation cdachemed-dataelement-26  Geburtsdatum  Parameter eMedikation			
Eingefügt		1 ... *		von 2.16.756.5.30.1.1.1.3.10.10.2.1 author (DYNAMIC)	
hl7:author		1 ... *	R		(CDA-CH-EMED-eMedication)
		Ziel der Konzept Id(s): cdachemed-dataelement-2  Behandelnder  Parameter eMedikation			
hl7:functionCode	CE	0 ... 1			(CDA-CH-EMED-eMedication)
hl7:time	TS	1 ... 1	R		(CDA-CH-EMED-eMedication)
		Ziel der Konzept Id(s): cdachemed-dataelement-52  Verabreichungsweg  Parameter eMedikation			
hl7:assignedAuthor		1 ... 1	M		(CDA-CH-EMED-eMedication)
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R	 The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-eMedication)
		Ziel der Konzept Id(s):			

Item	DT	Kard	Konf	Beschreibung	Label
		cdachemed-dataelement-9  GLN-Nr.			 Parameter eMedikation
	Beispiel	<id root="2.51.1.3" extension="760100000000"/>			
hl7:code	CE	0 ... 1			(CDA-CH-EMED-eMedica
hl7:addr	AD	0 ... *			(CDA-CH-EMED-eMedica
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-eMedica
hl7:assignedPerson		1 ... 1	M		(CDA-CH-EMED-eMedica
Eingefügt		M	von 2.16.756.5.30.1.1.1.3.10.10.2.7 name (DYNAMIC)		
hl7:name	PN	1 ... *	M		(CDA-CH-EMED-eMedica
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-eMedica
		Ziel der Konzept Id(s): cdachemed-dataelement-8  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-eMedica
		Ziel der Konzept Id(s): cdachemed-dataelement-7  Name  Parameter eMedikation			
hl7:representedOrganization		1 ... 1	M		(CDA-CH-EMED-eMedica
Eingefügt			von 2.16.756.5.30.1.1.1.3.10.10.2.3 representedOrganisationPart (DYNAMIC)		
hl7:id	II	1 ... *	R		(CDA-CH-EMED-eMedica
hl7:name	ON	1 ... *	R		(CDA-CH-EMED-eMedica
hl7:addr	AD	1 ... 1	R		(CDA-CH-EMED-eMedica

Item	DT	Kard	Konf	Beschreibung	Label
hl7:streetAddressLine	ADXP	1 ... *	M		(CDA-CH-EMED-eMedication)
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			
hl7:postalCode	ADXP	1 ... 1	M		(CDA-CH-EMED-eMedication)
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			
hl7:city	ADXP	1 ... 1	M		(CDA-CH-EMED-eMedication)
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		(CDA-CH-EMED-eMedication)
Eingefügt		1 ... 1	R	von 2.16.756.5.30.1.1.10.2.3 CDA custodian (DYNAMIC)	
hl7:custodian		1 ... 1	R		(CDA-CH-EMED-eMedication)
@typeCode	CS	0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1	R		(CDA-CH-EMED-eMedication)
@classCode	CS	0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1	R		(CDA-CH-EMED-eMedication)
@classCode	CS	0 ... 1	F	ORG	
@determinerCode	CS	0 ... 1	F	INSTANCE	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... *	M		(CDA-CH-EMED-eMedica
hl7:name	ON	0 ... 1			(CDA-CH-EMED-eMedica
hl7:telecom	TEL	0 ... 1			(CDA-CH-EMED-eMedica
hl7:addr	AD	0 ... 1			(CDA-CH-EMED-eMedica
hl7:component		1 ... 1	R		(CDA-CH-EMED-eMedica
@contextConductionInd	bl	1 ... 1	R		
hl7:structuredBody		1 ... 1	M		(CDA-CH-EMED-eMedica
hl7:component		1 ... 1	M	Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.4.10.3.1 <i>Pharmaceutical Advice Section Content Module</i> (DYNAMIC)	(CDA-CH-EMED-eMedica
wo [hl7:section [hl7:templateId/@root='2.16.756.5.30.1.127.77.4.10.9' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.2.2' and hl7:templateId/@root='2.16.756.5.30.1.1.1.3.10.2.10.4.10.3.1']]					
hl7:component		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.10.3.2 <i>CDA-CH Remarks Section</i> (DYNAMIC)	(CDA-CH-EMED-eMedica
wo [hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]					

6.1.2 eAbgabe V1 2.16.756.5.30.1.1.1.3.10.3 - 2016-05-21

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
 initial	POCD_MT000040DE	eAbgabeAnwendung	cdachemed-eAbgabeAnwendung.sch

Id	2.16.756.5.30.1.1.1.3.10.3	Gültigkeit	gültig ab 2016-05-21
Status	 Draft	Versions-Label	

Name	CDA-CH-EMED-AbgabeAnwendung-V1	Anzeigename	eAbgabe V1
Beschreibung	 The eAbgabe documents the direct dispensation of a drug to a patient or legitimized third party with regard to a later application of the product by a qualified health professional. When a drug is dispensed to the patient, the eAbgabe can be created by a qualified health professional (in accordance with their respective country's regulations).		
	<i>Benefits of eAbgabe</i>		
	▪ Transparency regarding the acquisition of a drug by the patient. ▪ The possession of a drug is the basic requirement for the patient to be able to take the drug. ▪ Evidence of the adherence to a given therapy by the patient through the comparison with eCurrentMedication. (medication adherence). ▪ Documentation of Information which will be provided to the patient during the dispensation.		
	<i>eAbgabe Parameters</i>		
	Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the IPAG report, the parameters of the Minimal Data Set are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will be updated to revise these.		
Kontext	Source: IPAG eMedikation, 19.9.2016		
	Relation to IHE Pharmacy		
Klassifikation	The eAbgabe is based on the IHE Pharmacy Technical Framework Supplement – Pharmacy Dispense (DIS).		
Offen/Geschlossen	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.3		
Assoziiert mit	CDA Document Level Template		
	Offen (auch andere als die definierten Elemente sind erlaubt)		
	Assoziiert mit 2 Konzepte		
Assoziiert mit	Id	Name	Datensatz
	cdachemed-dataelement-60	 Ausstelldatum (Erstellungsdatum)	 Parameter eMedication
	cdachemed-dataelement-65	 Datum, Zeit der Abgabe/Anwendung	 Parameter eMedication

Benutzt von / Benutzt	Benutzt von 0 Templates, Benutzt 12 Templates			
	Benutzt Template-Id	als	Name	Version
	2.16.756.5.30.1.1.10.2.25	Inklusion	 <CDA-CH-RELM> (2016)	DYNAMIC
	2.16.756.5.30.1.1.10.2.24	Inklusion	 CDA TypeId	DYNAMIC
	2.16.756.5.30.1.1.10.2.18	Inklusion	 <CDA-CH-TPLT>	DYNAMIC
	2.16.756.5.30.1.1.10.9.3	Inklusion	 CDA Document Id	DYNAMIC
	2.16.756.5.30.1.1.10.2.19	Inklusion	 <CDA-CH-CONF> (2016)	DYNAMIC
	2.16.756.5.30.1.1.10.2.22	Inklusion	 <CDA-CH-DOCL> (2016)	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.10.2.5	Inklusion	 recordTarget	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.10.2.1	Inklusion	 author	DYNAMIC
	2.16.756.5.30.1.1.10.2.3	Inklusion	 CDA custodian	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.10.2.6	Inklusion	 receiver	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	Containment	 Dispense Section Content Module	DYNAMIC
	2.16.756.5.30.1.1.10.3.2	Containment	 CDA-CH Remarks Section	DYNAMIC
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.2 (<i>DYNAMIC</i>)			
	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.1.3 (<i>DYNAMIC</i>)			
	Specialization: Template 2.16.756.5.30.1.1.1.1 (<i>DYNAMIC</i>)			
Beispiel	<pre>header <cda:ClinicalDocument> <cda:realmCode code="CHE"/> <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/> <!-- IHE PCC --> <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/> <!-- IHE PARM DIS --> <cda:templateId root="1.3.6.1.4.1.19376.1.9.1.1.3"/></pre>			

```
<!-- CDA-CH -->

<cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/>
<!-- CDA-CH-EMED-Abgabe-V1 -->

<cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.3"/>
<!-- id of the eAbgabe -->

<cda:id root="2.16.756.5.30.1.1.1.1" extension="488bd23a-20c6-11e6-b67b-9e71128cae77"/>
<!-- IHE PHARM DIS -->

<cda:code code="60593-1" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medication dispensed"/>
<cda:title>eAbgabeDokument</cda:title>
<cda:effectiveTime value="20111129110100+0100"/>
<cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>
<cda:languageCode code="de-CH"/>
<!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-AbgabeAn
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.25 <CDA-CH-RELM> (DYNAMIC)	
hl7:realmCode	CS	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
@code	CONF	1 ... 1	F	CHE	
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.24 CDA TypeId (DYNAMIC)	
hl7:typeId	II	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
@root	uid	1 ... 1	F	2.16.840.1.113883.1.3	
@extension	st	1 ... 1	F	POCD_HD000040	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-AbgabeAn

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.1.1	
				 IHE PCC	
Eingefügt				von 2.16.756.5.30.1.1.10.2.18 <CDA-CH-TPLT> (DYNAMIC)	
hl7:templateId	II	1 ... 1	R		(CDA-CH-EMED-AbgabeAnwendung)
@extension	st	1 ... 1	F	CDA-CH	
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-AbgabeAnwendung)
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1.3.10.3	
				 CDA-CH-EMED-AbgabeAnwendung-V1	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-AbgabeAnwendung)
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.1.3	
				 IHE PHARM DIS	
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.9.3 CDA Document Id (DYNAMIC)	
hl7:id	II	1 ... 1	M		(CDA-CH-EMED-AbgabeAnwendung)
		Ziel der Konzept Id(s): cdachemed-dataelement-59  Referenz-ID des Dokuments  Parameter eMedikation			
hl7:code	CE	1 ... 1	R		(CDA-CH-EMED-AbgabeAnwendung)
@code	CONF	1 ... 1	F	60593-1	

Item	DT	Kard	Konf	Beschreibung	Label
@codeSystem		1 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		1 ... 1	F	Medication dispensed	
@codeSystemName		1 ... 1	F	LOINC	
hl7:title	ST	0 ... 1		 eAbgabeAnwendung	(CDA-CH-EMED-AbgabeAnwendung)
hl7:effectiveTime	TS.CH.TZ	1 ... 1	M		(CDA-CH-EMED-AbgabeAnwendung)
		Ziel der Konzept Id(s): cdachemed-dataelement-60  Ausstelldatum (Erstellungsdatum)  Parameter eMedikation cdachemed-dataelement-65  Datum, Zeit der Abgabe/Anwendung  Parameter eMedikation			
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.19 <CDA-CH-CONF> (DYNAMIC)	
hl7:confidentialityCode	CE CNE	1 ... 1	M		(CDA-CH-EMED-AbgabeAnwendung)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 <i>Swiss Confidentiality Codes</i> (DYNAMIC)			
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.22 <CDA-CH-DOCL> (DYNAMIC)	
hl7:languageCode	CS	1 ... 1	M		(CDA-CH-EMED-AbgabeAnwendung)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYNAMIC)			
Eingefügt		1 ... *	R	von 2.16.756.5.30.1.1.1.1.3.10.10.2.5 <i>recordTarget</i> (DYNAMIC)	
hl7:recordTarget		1 ... *	R		(CDA-CH-EMED-AbgabeAnwendung)
		Ziel der Konzept Id(s): cdachemed-dataelement-3  Patient  Parameter eMedikation			
hl7:patientRole		1 ... 1	M		(CDA-CH-EMED-AbgabeAnwendung)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... *	R	 Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-AbgabeAn
	Beispiel	<id extension="80756999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>			
hl7:addr	AD	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:streetAddressLine	ADXP	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:postalCode	ADXP	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:city	ADXP	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:country	ADXP	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:patient		1 ... 1	M		(CDA-CH-EMED-AbgabeAn
hl7:name	PN	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-24  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-23  Name  Parameter eMedikation			
hl7:administrativeGenderCode	CE	1 ... 1	R		(CDA-CH-EMED-AbgabeAn

Item	DT	Kard	Konf	Beschreibung	Label
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			
hl7:birthTime	TS	1 ... 1	M	🇺🇸 The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-AbgabeAn
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-25 🇺🇸 Geburtsjahr 🇺🇸 Parameter eMedikation cdachemed-dataelement-26 🇺🇸 Geburtsdatum 🇺🇸 Parameter eMedikation			
Eingefügt		1 ... 1	R	von 2.16.756.5.30.1.1.1.1.3.10.10.2.1 author (DYNAMIC)	
hl7:author		1 ... 1	R		(CDA-CH-EMED-AbgabeAn
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-2 🇺🇸 Behandelnder 🇺🇸 Parameter eMedikation			
hl7:functionCode	CE	0 ... 1			(CDA-CH-EMED-AbgabeAn
hl7:time	TS	1 ... 1	R		(CDA-CH-EMED-AbgabeAn
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-52 🇺🇸 Verabreichungsweg 🇺🇸 Parameter eMedikation			
hl7:assignedAuthor		1 ... 1	M		(CDA-CH-EMED-AbgabeAn
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R	🇺🇸 The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-AbgabeAn
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-9 🇺🇸 GLN-Nr. 🇺🇸 Parameter eMedikation			
	Beispiel	<id root="2.51.1.3" extension="7601000000000"/>			
hl7:code	CE	0 ... 1			(CDA-CH-EMED-AbgabeAn

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-AbgabeAn
hl7:assignedPerson		1 ... 1	M		(CDA-CH-EMED-AbgabeAn
Eingefügt			M	von 2.16.756.5.30.1.1.1.3.10.10.2.7 name (DYNAMIC)	
hl7:name	PN	1 ... *	M		(CDA-CH-EMED-AbgabeAn
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-8  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-7  Name  Parameter eMedikation			
hl7:representedOrganization		1 ... 1	M		(CDA-CH-EMED-AbgabeAn
Eingefügt				von 2.16.756.5.30.1.1.1.3.10.10.2.3 representedOrganisationPart (DYNAMIC)	
hl7:id	II	1 ... *	R		(CDA-CH-EMED-AbgabeAn
hl7:name	ON	1 ... *	R		(CDA-CH-EMED-AbgabeAn
hl7:addr	AD	1 ... 1	R		(CDA-CH-EMED-AbgabeAn
hl7:streetAddressLine	ADXP	1 ... *	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:postalCode	ADXP	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			
hl7:city	ADXP	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		(CDA-CH-EMED-AbgabeAn
Eingefügt		1 ... 1	R	von 2.16.756.5.30.1.1.10.2.3 CDA custodian (DYNAMIC)	
hl7:custodian		1 ... 1	R		(CDA-CH-EMED-AbgabeAn
@typeCode	cs	0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1	R		(CDA-CH-EMED-AbgabeAn
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1	R		(CDA-CH-EMED-AbgabeAn
@classCode	cs	0 ... 1	F	ORG	
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDA-CH-EMED-AbgabeAn
hl7:name	ON	0 ... 1			(CDA-CH-EMED-AbgabeAn
hl7:telecom	TEL	0 ... 1			(CDA-CH-EMED-AbgabeAn

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... 1			(CDA-CH-EMED-AbgabeAn
Eingefügt		0 ... 1		von 2.16.756.5.30.1.1.1.1.3.10.10.2.6 receiver (DYNAMIC)	
hl7:participant		0 ... 1			(CDA-CH-EMED-AbgabeAn
@typeCode	cs	1 ... 1	F	RCV	
hl7:associatedEntity		1 ... 1	R		(CDA-CH-EMED-AbgabeAn
@classCode	cs	1 ... 1	F	CON	
hl7:associatedPerson		1 ... 1	R		(CDA-CH-EMED-AbgabeAn
hl7:name	PN	1 ... 1	M		(CDA-CH-EMED-AbgabeAn
		Ziel der Konzept Id(s): cdachemed-dataelement-69  Identifikation des Empfängers  Parameter eMedikation			
hl7:component		1 ... 1	R		(CDA-CH-EMED-AbgabeAn
@contextConductionInd	bl	1 ... 1	R		
hl7:structuredBody		1 ... 1	M		(CDA-CH-EMED-AbgabeAn
hl7:component		1 ... 1	M	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1 Dispense Section Content Module (DYNAMIC)	(CDA-CH-EMED-AbgabeAn
wo [hl7:section [hl7:code [(@code='60590-7' and @codeSystem='2.16.840.1.113883.6.1') or (@code='60590-7' and @codeSystem='2.16.840.1.113883.6.1')][not(@nullFlavor)]]]					
hl7:component		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.10.3.2 CDA-CH Remarks Section (DYNAMIC)	(CDA-CH-EMED-AbgabeAn
wo [hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]					

6.1.3 ○ eRezept V1 2.16.756.5.30.1.1.1.1.3.10.2 - 2016-05-21

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
➔ initial	POCD_MT000040DE	eRezept	cdachemed-eRezept.sch

Id	2.16.756.5.30.1.1.1.1.3.10.2	Gültigkeit	gültig ab 2016-05-21
Status	 Draft	Versions-Label	
Name	CDA-CH-EMED-eRezept-V1	Anzeigename	eRezept V1
Beschreibung	 The eRezept represents the electronic form of a prescription of a drug by a qualified healthcare professional. <i>Benefits of eRezept</i> Increase in patient safety through: ▪ Increased legibility and completeness of the prescription compared to handwritten prescriptions. ▪ No change in media and thus a reduction of potential sources of error when entering a prescription into the primary system of a healthcare professional. <i>eRezept Parameters</i> Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the ART-DECOR Dataset they are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will continue to revise these. Source: IPAG eMedikation, 19.9.2016 Relation to IHE Pharmacy The eRezept is based on the IHE Pharmacy Technical Framework Supplement – Pharmacy Prescription (PRE).		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2		
Klassifikation	CDA Document Level Template		

Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz
	cdachemed-dataelement-60	 Ausstelldatum (Erstellungsdatum)	 Parameter eMedikation
Benutzt von / Benutzt	Benutzt von 0 Templates, Benutzt 12 Templates		
	Benutzt Template-Id	als	Name
	2.16.756.5.30.1.1.10.2.25	Inklusion	 <CDA-CH-RELM> (2016)
	2.16.756.5.30.1.1.10.2.24	Inklusion	 CDA TypeId
	2.16.756.5.30.1.1.10.2.18	Inklusion	 <CDA-CH-TPLT>
	2.16.756.5.30.1.1.10.9.3	Inklusion	 CDA Document Id
	2.16.756.5.30.1.1.10.2.19	Inklusion	 <CDA-CH-CONF> (2016)
	2.16.756.5.30.1.1.10.2.22	Inklusion	 <CDA-CH-DOCL> (2016)
	2.16.756.5.30.1.1.1.1.3.10.10.2.5	Inklusion	 recordTarget
	2.16.756.5.30.1.1.1.1.3.10.10.2.1	Inklusion	 author
	2.16.756.5.30.1.1.10.2.3	Inklusion	 CDA custodian
	2.16.756.5.30.1.1.10.2.5	Inklusion	 CDA legalAuthenticator
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Containment	 Prescription Section Content Module
	2.16.756.5.30.1.1.10.3.2	Containment	 CDA-CH Remarks Section
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.2 (<i>DYNAMIC</i>)		
	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.1.1 (<i>DYNAMIC</i>)		
	Specialization: Template 2.16.756.5.30.1.1.1.1 (<i>DYNAMIC</i>)		
Beispiel	Beispiel		


```
<cda:ClinicalDocument>

  <cda:realmCode code="CHE"/>
  <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/>
  <!-- IHE PCC -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/>
  <!-- IHE PHARM PRE -->

  <cda:templateId root="1.3.6.1.4.1.19376.1.9.1.1.1"/>
  <!-- CDA-CH -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/>
  <!-- CDA-CH-EMED-eRezept-V1 -->

  <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.2"/>
  <!-- id of this eRezept -->

  <cda:id root="2.16.756.5.30.1.1.1.1" extension="d41d72ba-2100-11e6-b67b-9e71128cae77"/>
  <!-- IHE PHARM PRE -->

  <cda:code code="57833-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Prescription for medication"/>
  <cda:title>eRezept</cda:title>
  <cda:effectiveTime value="20120204140000+0100"/>
  <cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>
  <!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-eRezept-V1)
Eingefügt		1 .. 1	M	von 2.16.756.5.30.1.1.10.2.25 <CDA-CH-RELM> (DYNAMIC)	
hl7:realmCode	CS	1 .. 1	M		(CDA-CH-EMED-eRezept-V1)
@code	CONF	1 .. 1	F	CHE	
Eingefügt		1 .. 1	M	von 2.16.756.5.30.1.1.10.2.24 CDA TypeId (DYNAMIC)	
hl7:typeId	II	1 .. 1	M		(CDA-CH-EMED-eRezept-V1)

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 .. 1	F	2.16.840.1.113883.1.3	
@extension	st	1 .. 1	F	POCD_HD000040	
hl7:templateId	II	1 .. 1	M		(CDA-CH-EMED-eRezept-V1)
@root	uid	1 .. 1	F	2.16.756.5.30.1.127.77.4.10.2	
				CD-EMED eRezept	
hl7:templateId	II	1 .. 1	M		(CDA-CH-EMED-eRezept-V1)
@root	uid	1 .. 1	F	1.3.6.1.4.1.19376.1.5.3.1.1.1	
				 IHE PCC	
Eingefügt				von 2.16.756.5.30.1.1.10.2.18 <CDA-CH-TPLT> (DYNAMIC)	
hl7:templateId	II	1 .. 1	R		(CDA-CH-EMED-eRezept-V1)
@extension	st	1 .. 1	F	CDA-CH	
@root	uid	1 .. 1	F	2.16.756.5.30.1.1.1.1	
hl7:templateId	II	1 .. 1	M		(CDA-CH-EMED-eRezept-V1)
@root	uid	1 .. 1	F	2.16.756.5.30.1.1.1.1.3.10.2	
				 CDA-CH-EMED-eRezept-V1	
hl7:templateId	II	1 .. 1	M		(CDA-CH-EMED-eRezept-V1)
@root	uid	1 .. 1	F	1.3.6.1.4.1.19376.1.9.1.1.1	
				 IHE PHARM PRE	

Item	DT	Kard	Konf	Beschreibung	Label
<i>Eingefügt</i>		1 ... 1	M	von 2.16.756.5.30.1.1.10.9.3 CDA Document Id (DYNAMIC)	
hl7:id	II	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-59  Referenz-ID des Dokuments  Parameter eMedikation			
hl7:code	CE	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
@code	CONF	1 ... 1	F	57833-6	
@codeSystem		1 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		1 ... 1	F	Prescription for medication	
@codeSystemName		1 ... 1	F	LOINC	
hl7:title	ST	0 ... 1		 eRezept	(CDA-CH-EMED-eRezept-V1)
hl7:effectiveTime	TS.CH.TZ	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-60  Ausstelldatum (Erstellungsdatum)  Parameter eMedikation			
<i>Eingefügt</i>		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.19 <CDA-CH-CONF> (DYNAMIC)	
hl7:confidentialityCode	CE CNE	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 Swiss Confidentiality Codes (DYNAMIC)			
<i>Eingefügt</i>		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.22 <CDA-CH-DOCL> (DYNAMIC)	
hl7:languageCode	CS	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 HumanLanguage (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.1.3.10.10.2.5 recordTarget (DYNAMIC)	
hl7:recordTarget		1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-3  Patient  Parameter eMedikation			
hl7:patientRole		1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
hl7:id	II	1 ... *	R	 Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-eRezept-V1)
	Beispiel	<id extension="807569999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>			
hl7:addr	AD	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:streetAddressLine	ADXP	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:postalCode	ADXP	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:city	ADXP	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:country	ADXP	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:patient		1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
hl7:name	PN	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-eRezept-V1)
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-24  Vorname  Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
	⊙	Ziel der Konzept Id(s): cdachemed-dataelement-23  Name  Parameter eMedikation			
hl7:administrativeGenderCode	CE	1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			
hl7:birthTime	TS	1 ... 1	M	 The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-eRezept-V1)
	⊙	Ziel der Konzept Id(s): cdachemed-dataelement-25  Geburtsjahr  Parameter eMedikation cdachemed-dataelement-26  Geburtsdatum  Parameter eMedikation			
Eingefügt		1 ... *	R	von 2.16.756.5.30.1.1.1.1.3.10.10.2.1 author (DYNAMIC)	
hl7:author		1 ... *	R		(CDA-CH-EMED-eRezept-V1)
	⊙	Ziel der Konzept Id(s): cdachemed-dataelement-2  Behandelnder  Parameter eMedikation			
hl7:functionCode	CE	0 ... 1			(CDA-CH-EMED-eRezept-V1)
hl7:time	TS	1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
	⊙	Ziel der Konzept Id(s): cdachemed-dataelement-52  Verabreichungsweg  Parameter eMedikation			
hl7:assignedAuthor		1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R	 The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-eRezept-V1)

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-9  GLN-Nr.  Parameter eMedikation			
	Beispiel	<id root="2.51.1.3" extension="7601000000000"/>			
hl7:code	CE	0 ... 1			(CDA-CH-EMED-eRezept-V1)
hl7:addr	AD	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-eRezept-V1)
hl7:assignedPerson		1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
Eingefügt		M	von 2.16.756.5.30.1.1.1.1.3.10.10.2.7 name (DYNAMIC)		
hl7:name	PN	1 ... *	M		(CDA-CH-EMED-eRezept-V1)
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-8  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-7  Name  Parameter eMedikation			
hl7:representedOrganization		1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
Eingefügt			von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 representedOrganisationPart (DYNAMIC)		
hl7:id	II	1 ... *	R		(CDA-CH-EMED-eRezept-V1)
hl7:name	ON	1 ... *	R		(CDA-CH-EMED-eRezept-V1)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
hl7:streetAddressLine	ADXP	1 ... *	M		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			
hl7:postalCode	ADXP	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			
hl7:city	ADXP	1 ... 1	M		(CDA-CH-EMED-eRezept-V1)
		Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		(CDA-CH-EMED-eRezept-V1)
Eingefügt		1 ... 1	R	von 2.16.756.5.30.1.1.10.2.3 CDA custodian (DYNAMIC)	
hl7:custodian		1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
@typeCode	CS	0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
@classCode	CS	0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
@classCode	CS	0 ... 1	F	ORG	

Item	DT	Kard	Konf	Beschreibung	Label
@determinerCode	CS	0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDA-CH-EMED-eRezept-V1)
hl7:name	ON	0 ... 1			(CDA-CH-EMED-eRezept-V1)
hl7:telecom	TEL	0 ... 1			(CDA-CH-EMED-eRezept-V1)
hl7:addr	AD	0 ... 1			(CDA-CH-EMED-eRezept-V1)
Eingefügt		0 ... 1		von 2.16.756.5.30.1.1.10.2.5 CDA legalAuthenticator (DYNAMIC)	
hl7:legalAuthenticator		0 ... 1			(CDA-CH-EMED-eRezept-V1)
@typeCode	CS	0 ... 1	F	LA	
@contextControlCode	CS	0 ... 1	F	OP	
		Ziel der Konzept Id(s): cdachemed-dataelement-37  Signatur des Erstellers  Parameter eMedikation			
hl7:time	TS	1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
hl7:signatureCode	CS	1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10282 ParticipationSignature (DYNAMIC)			
hl7:assignedEntity		1 ... 1	R	Beinhaltet 2.16.756.5.30.1.1.10.9.12 CDA AssignedEntity (DYNAMIC)	(CDA-CH-EMED-eRezept-V1)
hl7:component		1 ... 1	R		(CDA-CH-EMED-eRezept-V1)
@contextConductionInd	bl	1 ... 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
hl7:structuredBody		1 .. 1	M		(CDA-CH-EMED-eRezept-V1)
hl7:component		1 .. 1	M	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.3.1 <i>Prescription Section Content Module</i> (DYNAMIC)	(CDA-CH-EMED-eRezept-V1)
wo [hl7:section [hl7:code [(@code='57828-6' and @codeSystem='2.16.840.1.113883.6.1') or (@code='57828-6' and @codeSystem='2.16.840.1.113883.6.1')]] [not(@nullFlavor)]]]					
hl7:component		0 .. 1		Beinhaltet 2.16.756.5.30.1.1.10.3.2 <i>CDA-CH Remarks Section</i> (DYNAMIC)	(CDA-CH-EMED-eRezept-V1)
wo [hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]					

6.1.4 ○ eCurrentMedication V1 2.16.756.5.30.1.1.1.1.3.10.1 - 2016-05-13

Richtung	zu Grunde liegendes Modell	Templatename	Schematron
➔ initial	POCD_MT000040DE	eCurrentMedication	cdachemed-eCurrentMedication.sch

Id	2.16.756.5.30.1.1.1.1.3.10.1	Gültigkeit	gültig ab 2016-05-13
Status	 Draft	Versions-Label	
Name	CDA-CH-EMED-eCurrentMedication-V1	Anzeigename	eCurrentMedication V1
Beschreibung	 The eCurrentMedication aims to fully comprise the current medication of a patient. <i>Information in eCurrentMedication</i> ▪ Identification of the healthcare professional who created the current eCurrentMedication and his signature and the date of creation. ▪ Patient for whom the treatment is intended. ▪ For each listed medication, the following should be entered: the Medication Brand Name (proprietary name) and/or the corresponding active substance per unit, the dose quantity, the pharmaceutical dose form, the route of administration, the method of administration, the duration of treatment, the treatment general information, as well as information provided by the health care professional in charge of the indication. ▪ Parts of this information or additional information should be enterable in free text form.		

	Changing the eCurrentMedication A change in the medication of a patient should, if necessary, be justified by the healthcare professional by use of the eMedicationComment. This will generally result in a new version of the eCurrentMedication. eCurrentMedication Parameters Parameters recommended by the IPAG for implementation represent the current eMedication "Minimal Data Set" and can be found in the IPAG report. In the Minimal Data Set they are marked with MDS for Minimal Data Set. The remaining parameters are not recommended for implementation at this point in time. The IPAG will revise these. Source: IPAG eMedikation, 19.9.2016 Relation to IHE Pharmacy The eCurrentMedication is derived from the IHE Pharmacy PML Supplement (Pharmacy Medication List) and the IHE Pharmacy MTP Supplement (Medication Timing Profile). The planned medication entries in the eCurrentMedication follow the constraints of the IHE MTP entries.																
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.3.10.1																
Klassifikation	CDA Document Level Template																
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																
Assoziiert mit	Assoziiert mit 1 Konzept <table><tr><th>Id</th><th>Name</th><th>Datensatz</th></tr><tr><td>cdachemed-dataelement-60</td><td> Ausstelldatum (Erstellungsdatum)</td><td> Parameter e</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-60	 Ausstelldatum (Erstellungsdatum)	 Parameter e										
Id	Name	Datensatz															
cdachemed-dataelement-60	 Ausstelldatum (Erstellungsdatum)	 Parameter e															
Benutzt von / Benutzt	Benutzt von 0 Templates, Benutzt 14 Templates <table><tr><th>Benutzt Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.10.2.25</td><td>Inklusion</td><td> <CDA-CH-RELM> (2016)</td><td>DYNAMIC</td></tr><tr><td>2.16.756.5.30.1.1.10.2.24</td><td>Inklusion</td><td> CDA TypeId</td><td>DYNAMIC</td></tr><tr><td>2.16.756.5.30.1.1.10.2.18</td><td>Inklusion</td><td> <CDA-CH-TPLT></td><td>DYNAMIC</td></tr></table>	Benutzt Template-Id	als	Name	Version	2.16.756.5.30.1.1.10.2.25	Inklusion	 <CDA-CH-RELM> (2016)	DYNAMIC	2.16.756.5.30.1.1.10.2.24	Inklusion	 CDA TypeId	DYNAMIC	2.16.756.5.30.1.1.10.2.18	Inklusion	 <CDA-CH-TPLT>	DYNAMIC
Benutzt Template-Id	als	Name	Version														
2.16.756.5.30.1.1.10.2.25	Inklusion	 <CDA-CH-RELM> (2016)	DYNAMIC														
2.16.756.5.30.1.1.10.2.24	Inklusion	 CDA TypeId	DYNAMIC														
2.16.756.5.30.1.1.10.2.18	Inklusion	 <CDA-CH-TPLT>	DYNAMIC														

	2.16.756.5.30.1.1.10.9.3	Inklusion	 CDA Document Id	DYNAMIC
	2.16.756.5.30.1.1.10.2.19	Inklusion	 <CDA-CH-CONF> (2016)	DYNAMIC
	2.16.756.5.30.1.1.10.2.22	Inklusion	 <CDA-CH-DOCL> (2016)	DYNAMIC
	2.16.756.5.30.1.1.10.9.7	Inklusion	 CDA SetId VersionNumber	DYNAMIC
	2.16.756.5.30.1.1.1.3.10.10.2.5	Inklusion	 recordTarget	DYNAMIC
	2.16.756.5.30.1.1.1.3.10.10.2.1	Inklusion	 author	DYNAMIC
	2.16.756.5.30.1.1.10.2.3	Inklusion	 CDA custodian	DYNAMIC
	2.16.756.5.30.1.1.10.2.5	Inklusion	 CDA legalAuthenticator	DYNAMIC
	2.16.756.5.30.1.1.10.2.13	Inklusion	 <CDA-CH-REPL> (2016)	DYNAMIC
	2.16.756.5.30.1.1.1.3.10.2.10.1.10.3.1	Containment	 eCurrentMedication Section Content Module	DYNAMIC
	2.16.756.5.30.1.1.10.3.2	Containment	 CDA-CH Remarks Section	DYNAMIC

Beziehung	Specialization: Template 2.16.840.1.113883.10.12.2 (<i>DYNAMIC</i>)
	Specialization: Template 2.16.756.5.30.1.1.1.1 (<i>DYNAMIC</i>)

Beispiel	<pre>header <cda:ClinicalDocument> <cda:realmCode code="CHE"/> <cda:typeId root="2.16.840.1.113883.1.3" extension="POCD_HD000040"/> <!-- IHE PCC --> <cda:templateId root="1.3.6.1.4.1.19376.1.5.3.1.1.1"/> <!-- IHE PML --> <cda:templateId root="1.3.6.1.4.1.19376.1.9.1.1.5"/> <!-- CDA-CH --> <cda:templateId root="2.16.756.5.30.1.1.1.1" extension="CDA-CH"/> <!-- CDA-CH-EMED-eCurrentMedication-V1 --> <cda:templateId root="2.16.756.5.30.1.1.1.1.3.10.1"/> <!-- id of this eCurrentMedication --> <cda:id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/></pre>
----------	---

```
<!-- Coding equivalent IHE PHARM PML -->

<cda:code code="56445-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Medication summary Document"/>
<cda:title>eCurrentMedication</cda:title>
<cda:effectiveTime value="20111129110000+0100"/>
<cda:confidentialityCode code="30003" codeSystem="2.16.756.5.30.1.127.3.10.1.5" displayName="Medical data"/>
<cda:languageCode code="de-CH"/>
<!-- snip -->

</cda:ClinicalDocument>
```

Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:ClinicalDocument					(CDA-CH-EMED-eCurr
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.25 <CDA-CH-RELM> (DYNAMIC)	
hl7:realmCode	CS	1 ... 1	M		(CDA-CH-EMED-eCurr
@code	CONF	1 ... 1	F	CHE	
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.24 CDA TypeId (DYNAMIC)	
hl7:typeId	II	1 ... 1	M		(CDA-CH-EMED-eCurr
@root	uid	1 ... 1	F	2.16.840.1.113883.1.3	
@extension	st	1 ... 1	F	POCD_HD000040	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-eCurr
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.1.1	
				 IHE PCC	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-eCurr
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.1.5	

Item	DT	Kard	Konf	Beschreibung	Label
				 IHE PHARM PML	
<i>Eingefügt</i>				von 2.16.756.5.30.1.1.10.2.18 <CDA-CH-TPLT> (DYNAMIC)	
hl7:templateId	II	1 ... 1	R		(CDA-CH-EMED-eCurr
@extension	st	1 ... 1	F	CDA-CH	
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1	
hl7:templateId	II	1 ... 1	M		(CDA-CH-EMED-eCurr
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1.3.10.1	
				 CDA-CH-EMED-eCurrentMedication-V1	
<i>Eingefügt</i>				von 2.16.756.5.30.1.1.10.9.3 CDA Document Id (DYNAMIC)	
hl7:id	II	1 ... 1	M		(CDA-CH-EMED-eCurr
			Ziel der Konzept Id(s): cdachemed-dataelement-59  Referenz-ID des Dokuments  Parameter eMedikation		
hl7:code	CE	1 ... 1	M		(CDA-CH-EMED-eCurr
@code	CONF	1 ... 1	F	56445-0	
@codeSystem		1 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		1 ... 1	F	Medication summary Document	
@codeSystemName		1 ... 1	F	LOINC	
hl7:title	ST	0 ... 1		 eCurrentMedication	(CDA-CH-EMED-eCurr

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	TS.CH.TZ	1 ... 1	M		(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-60 Ausstelldatum (Erstellungsdatum) Parameter eMedikation			
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.10.2.19 <CDA-CH-CONF> (DYNAMIC)	
hl7:confidentialityCode	CE CNE	1 ... 1	M		(CDA-CH-EMED-eCurr
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 <i>Swiss Confidentiality Codes</i> (DYN			
Eingefügt		1 ... *	M	von 2.16.756.5.30.1.1.10.2.22 <CDA-CH-DOCL> (DYNAMIC)	
hl7:languageCode	CS	1 ... *	M		(CDA-CH-EMED-eCurr
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 <i>HumanLanguage</i> (DYN			
Eingefügt		0 ... 1		von 2.16.756.5.30.1.1.10.9.7 <i>CDA SetId VersionNumber</i> (DYNAMIC)	
hl7:setId	II	0 ... 1	R	Die setId wird als Globally Unique Identifier (GUID) angegeben. Die GUID entspricht der Dokumenten-Id der ersten Version des Dokuments	(CDA-CH-EMED-eCurr
	Beispiel	<setId extension="807563C2-5146-11D5-A672-00B0D022E945" root="2.16.756.5.30.1.1.1.1"/>			
hl7:versionNumber	INT.NONNEG	0 ... 1	R	Wenn dieses Feld nicht angegeben wird, impliziert das die Versionsnummer 1. Ab der zweiten Versionsnummer ist die Angabe von setId und versionNumber zwingend.	(CDA-CH-EMED-eCurr
	Beispiel	<versionNumber value="1"/>			
Eingefügt		1 ... 1	M	von 2.16.756.5.30.1.1.1.3.10.10.2.5 <i>recordTarget</i> (DYNAMIC)	
hl7:recordTarget		1 ... 1	M		(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-3 Patient Parameter eMedikation			
hl7:patientRole		1 ... 1	M		(CDA-CH-EMED-eCurr

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... *	R	 Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CDA-CH-EMED-eCurr
	Beispiel	<id extension="807569999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>			
hl7:addr	AD	0 ... *			(CDA-CH-EMED-eCurr
hl7:streetAddressLine	ADXP	0 ... *			(CDA-CH-EMED-eCurr
hl7:postalCode	ADXP	0 ... *			(CDA-CH-EMED-eCurr
hl7:city	ADXP	0 ... *			(CDA-CH-EMED-eCurr
hl7:country	ADXP	0 ... *			(CDA-CH-EMED-eCurr
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-eCurr
hl7:patient		1 ... 1	M		(CDA-CH-EMED-eCurr
hl7:name	PN	1 ... 1	M		(CDA-CH-EMED-eCurr
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-eCurr
		Ziel der Konzept Id(s): cdachemed-dataelement-24  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-eCurr
		Ziel der Konzept Id(s): cdachemed-dataelement-23  Name  Parameter eMedikation			
hl7:administrativeGenderCode	CE	1 ... 1	R		(CDA-CH-EMED-eCurr

Item	DT	Kard	Konf	Beschreibung	Label
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNA			
hl7:birthTime	TS	1 ... 1	M	🇺🇸 The birthday SHALL be provided at least to the birth year.	(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-25 🇺🇸 Geburtsjahr 🇺🇸 Parameter eMedikation cdachemed-dataelement-26 🇺🇸 Geburtsdatum 🇺🇸 Parameter eMedikation			
Eingefügt		1 ... *	R	von 2.16.756.5.30.1.1.1.1.3.10.10.2.1 author (DYNAMIC)	
hl7:author		1 ... *	R		(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-2 🇺🇸 Behandelnder 🇺🇸 Parameter eMedikation			
hl7:functionCode	CE	0 ... 1			(CDA-CH-EMED-eCurr
hl7:time	TS	1 ... 1	R		(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-52 🇺🇸 Verabreichungsweg 🇺🇸 Parameter eMedikation			
hl7:assignedAuthor		1 ... 1	M		(CDA-CH-EMED-eCurr
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R	🇺🇸 The GLN identifier for the health care professional SHOULD be provided.	(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-9 🇺🇸 GLN-Nr. 🇺🇸 Parameter eMedikation			
	Beispiel	<id root="2.51.1.3" extension="7601000000000"/>			
hl7:code	CE	0 ... 1			(CDA-CH-EMED-eCurr

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... *			(CDA-CH-EMED-eCurr
hl7:telecom	TEL	0 ... *			(CDA-CH-EMED-eCurr
hl7:assignedPerson		1 ... 1	M		(CDA-CH-EMED-eCurr
Eingefügt			M	von 2.16.756.5.30.1.1.1.3.10.10.2.7 name (DYNAMIC)	
hl7:name	PN	1 ... *	M		(CDA-CH-EMED-eCurr
hl7:given	ENXP	1 ... *	M		(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-8  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-7  Name  Parameter eMedikation			
hl7:representedOrganization		1 ... 1	M		(CDA-CH-EMED-eCurr
Eingefügt				von 2.16.756.5.30.1.1.1.3.10.10.2.3 representedOrganisationPart (DYNAMIC)	
hl7:id	II	1 ... *	R		(CDA-CH-EMED-eCurr
hl7:name	ON	1 ... *	R		(CDA-CH-EMED-eCurr
hl7:addr	AD	1 ... 1	R		(CDA-CH-EMED-eCurr
hl7:streetAddressLine	ADXP	1 ... *	M		(CDA-CH-EMED-eCurr
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:postalCode	ADXP	1 ... 1	M		(CDA-CH-EMED-eCurr
		Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			
hl7:city	ADXP	1 ... 1	M		(CDA-CH-EMED-eCurr
		Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		(CDA-CH-EMED-eCurr
Eingefügt		1 ... 1	R	von 2.16.756.5.30.1.1.10.2.3 CDA custodian (DYNAMIC)	
hl7:custodian		1 ... 1	R		(CDA-CH-EMED-eCurr
@typeCode	cs	0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1	R		(CDA-CH-EMED-eCurr
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1	R		(CDA-CH-EMED-eCurr
@classCode	cs	0 ... 1	F	ORG	
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDA-CH-EMED-eCurr
hl7:name	ON	0 ... 1			(CDA-CH-EMED-eCurr
hl7:telecom	TEL	0 ... 1			(CDA-CH-EMED-eCurr

Item	DT	Kard	Konf	Beschreibung	Label
hl7:addr	AD	0 ... 1			(CDA-CH-EMED-eCurr
Eingefügt		0 ... 1		von 2.16.756.5.30.1.1.10.2.5 CDA legalAuthenticator (DYNAMIC)	
hl7:legalAuthenticator		0 ... 1			(CDA-CH-EMED-eCurr
@typeCode	cs	0 ... 1	F	LA	
@contextControlCode	cs	0 ... 1	F	OP	
		Ziel der Konzept Id(s): cdachemed-dataelement-37  Signatur des Erstellers  Parameter eMedikation			
hl7:time	TS	1 ... 1	R		(CDA-CH-EMED-eCurr
hl7:signatureCode	CS	1 ... 1	R		(CDA-CH-EMED-eCurr
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10282 ParticipationSignature (			
hl7:assignedEntity		1 ... 1	R	Beinhaltet 2.16.756.5.30.1.1.10.9.12 CDA AssignedEntity (DYNAMIC)	(CDA-CH-EMED-eCurr
Eingefügt		0 ... 1		von 2.16.756.5.30.1.1.10.2.13 <CDA-CH-REPL> (DYNAMIC)	
hl7:relatedDocument		0 ... 1		Beziehung zu einem anderen Dokument.	(CDA-CH-EMED-eCurr
@typeCode	cs	1 ... 1	F	RPLC	
				Gibt an, dass es sich um eine Beziehung zu einem anderen Dokument handelt, welches ersetzt werden	
hl7:parentDocument		1 ... 1	R	Beziehung zum Dokument, dass ersetzt werden soll.	(CDA-CH-EMED-eCurr
hl7:id	II	1 ... 1	M	Die Dokumenten-Id des zu ersetzenden Dokuments MUSS angegeben werden.	(CDA-CH-EMED-eCurr
@extension	st	1 ... 1	R	MUSS die Dokumenten-Id des zu ersetzenden Dokuments enthalten.	

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	R	MUSS die gleiche OID wie bei der Dokumenten-Id im zu ersetzenden Dokument enthalten.	
hl7:setId	II	1 ... 1	M	MUSS die Set-Id des zu ersetzenden Dokuments enthalten.	(CDA-CH-EMED-eCurr
@extension	st	1 ... 1	R	MUSS die Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der Set-Id des aktue	
@root	uid	1 ... 1	R	MUSS die OID der Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der OID bei aktuellen Dokuments.	
	Schematron assert	role	error		
		test		(@root=/ClinicalDocument/id/@root) and (@extension=/ClinicalDocument/ id/@extension)	
		Meldung		ClinicalDocument/setId: MUST be identical to the one of the replaced document	
hl7:versionNumber	INT	1 ... 1	M	MUSS die Versionsnummer des zu ersetzenden Dokuments enthalten.	(CDA-CH-EMED-eCurr
	Schematron assert	role	error		
		test		@value > /ClinicalDocument/versionNumber/@value	
		Meldung		ClinicalDocument/versionNumber: MUST be higher than the one of the replaced document	
hl7:component		1 ... 1	R		(CDA-CH-EMED-eCurr
@contextConductionInd	bl	1 ... 1	R		
hl7:structuredBody		1 ... 1	M		(CDA-CH-EMED-eCurr
hl7:component		1 ... 1	M	Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.1.10.3.1 <i>eCurrentMedication Section Content Module</i> (DYNAMIC)	(CDA-CH-EMED-eCurr
wo [hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.1.3.10.2.10.1.10.3.1' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.2.5']]					
hl7:component		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.10.3.2 <i>CDA-CH Remarks Section</i> (DYNAMIC)	(CDA-CH-EMED-eCurr
wo [hl7:section [hl7:templateId/@root='2.16.756.5.30.1.1.10.3.2']]					

6.2 Templates

6.2.1 ○ CDA-CH Remarks Section 2.16.756.5.30.1.1.10.3.2 - 2016-03-17 ^{ref} (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.3.2  (aus Repository: hl7chcda-)		Gültigkeit	gültig ab 2016-03-17	
Status	 Draft		Versions-Label		
Name	CDA-CH-RemarksSection		Anzeigename	CDA-CH Remarks Section	
Beschreibung	Mit diesem Element können Bemerkungen und weitere Informationen angegeben werden, die in keinem anderen Kapitel deklariert werden können.				
Klassifikation	CDA Section Level Template				
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Assoziiert mit	Assoziiert mit 1 Konzept				
	Id	Name		Datensatz	
	cdachemed-dataelement-61	 Allgemeine Bemerkungen		 Parameter eMedikation	
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 1 Template				
	Benutzt von Template-Id	als	Name		Version
	2.16.756.5.30.1.1.1.1.3.10.1	Containment	 eCurrentMedication V1		2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2	Containment	 eRezept V1		2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.3	Containment	 eAbgabe V1		2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.4	Containment	 eMedicationComment V1		2016-05-21
	Benutzt Template-Id	als	Name		Version
	2.16.756.5.30.1.1.10.4.2	Containment	 CDA-CH Remarks Reference Entry		DYNAMIC
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.201 (<i>DYNAMIC</i>)				
Beispiel	Beispiel				

```
<component>

  <section>

    <templateId root="2.16.756.5.30.1.1.1.1.1" extension="CDA-CH.Body.Rem"/>
    <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="ANNOTATION COMMENT"/>
    <title>Kommentar</title>
    <text>

      <content ID="comment1"> Es handelt sich beim vorliegenden Dokument um ein Muster zur Illustration. </content>
    </text>
  </entry>

  <act classCode="ACT" moodCode="EVN">

    <templateId root="2.16.840.1.113883.10.20.1.40"/>
    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>
    <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation
comment"/>
    <text>

      <reference value="#comment1"/>
    </text>
    <statusCode code="completed"/>
  </act>
</entry>
</section>
</component>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CDA-CH-RemarksSection)
hl7:templateId	II	1 .. 1	R		(CDA-CH-RemarksSection)
@root	uid	1 .. 1	F	2.16.756.5.30.1.1.10.3.2	
hl7:code	CE	1 .. 1	R		(CDA-CH-RemarksSection)
@code		1 .. 1	F	48767-8	
@codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	

Item	DT	Kard	Konf	Beschreibung	Label
@displayName		1 ... 1	F	ANNOTATION COMMENT	
@codeSystemName		1 ... 1	F	LOINC	
hl7:title	ST	0 ... 1			(CDA-CH-RemarksSection)
hl7:text	SD.TEXT	1 ... 1	M		(CDA-CH-RemarksSection)
	CONF			Elementinhalt muss "Kommentar" sein -oder- Elementinhalt muss "Comment" sein -oder- Elementinhalt muss "Commentaire" sein -oder- Elementinhalt muss "Osservazione" sein	
				 Ziel der Konzept Id(s): cdachemed-dataelement-61  Allgemeine Bemerkungen  Parameter eMedikation	
hl7:entry		0 ... *		Beinhaltet 2.16.756.5.30.1.1.10.4.2 CDA-CH Remarks Reference Entry (DYNAMIC)	(CDA-CH-RemarksSection)
wo [hl7:act [hl7:templateId/@root='2.16.840.1.113883.10.20.1.40' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.2']]					

6.2.2 <CDA-CH-TPLT> 2.16.756.5.30.1.1.10.2.18 - 2016-06-06 (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.18  (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2016-06-06
Status	 Draft	Versions-Label	
Name	CDA-CH-TPLT	Anzeigenname	<CDA-CH-TPLT>
Beschreibung	CDA-CH Header Template für templateId CDA-CH V2		
Klassifikation	CDA Header Level Template		

Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates				
	Benutzt von Template-Id	als	Name		Version
	2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1		2016-05-13
	2.16.756.5.30.1.1.1.3.10.2		eRezept V1		2016-05-21
	2.16.756.5.30.1.1.1.3.10.3		eAbgabe V1		2016-05-21
	2.16.756.5.30.1.1.1.3.10.4		eMedicationComment V1		2016-05-21
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.102 (2005-09-07)				
	Specialization: Template 2.16.756.5.30.1.1.10.2.2 (2009-01-27)				

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 ... 1	M		(CDA-CH-TPLT)
@extension	st	1 ... 1	F	CDA-CH	
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1	

6.2.3 CDA AssignedEntity 2.16.756.5.30.1.1.10.9.12 - 2015-12-18 (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.12 (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2015-12-18
Status	Draft	Versions-Label	
Name	CDAAssignedEntity	Anzeigename	CDA AssignedEntity
Beschreibung			
Klassifikation	Template type not specified		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt	Benutzt von 3 Templates, Benutzt 2 Templates				
	Benutzt von Template-Id	als	Name		Version
	2.16.756.5.30.1.1.10.2.5	Containment		CDA legalAuthenticator	2009-01-27
	2.16.756.5.30.1.1.1.1.3.10.1			eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2			eRezept V1	2016-05-21
	Benutzt Template-Id	als	Name		Version
	2.16.756.5.30.1.1.10.9.10	Inklusion		CDA Person	DYNAMIC
	2.16.756.5.30.1.1.10.9.11	Inklusion		CDA Organization	DYNAMIC
Beziehung		Specialization: Template 2.16.840.1.113883.10.12.153 (2005-09-07)			
Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R		(CDAAssignedEntity)
hl7:code	CE	0 ... 1			(CDAAssignedEntity)
@codeSystem	CONF	1 ... 1	F	2.16.840.1.113883.5.111	
hl7:addr	AD	0 ... *			(CDAAssignedEntity)
hl7:telecom	TEL	0 ... *			(CDAAssignedEntity)
hl7:assignedPerson		0 ... 1			(CDAAssignedEntity)
Eingefügt				von 2.16.756.5.30.1.1.10.9.10 CDA Person (DYNAMIC)	
@classCode	cs	0 ... 1	F	PSN	

Item	DT	Kard	Konf	Beschreibung	Label
@determinerCode	cs	0 .. 1	F	INSTANCE	
hl7:name	PN	1 .. *	R		(CDAAssignedEntity)
hl7:representedOrganization		0 .. 1			(CDAAssignedEntity)
Eingefügt				von 2.16.756.5.30.1.1.10.9.11 CDA Organization (DYNAMIC)	
@classCode	cs	0 .. 1	F	ORG	
@determinerCode	cs	0 .. 1	F	INSTANCE	
hl7:id	II	0 .. *			(CDAAssignedEntity)
hl7:name	ON	1 .. 1			(CDAAssignedEntity)
hl7:telecom	TEL	0 .. *			(CDAAssignedEntity)
hl7:addr	AD	0 .. 1			(CDAAssignedEntity)

6.2.4 ○ CDA-CH Remarks Reference Entry 2.16.756.5.30.1.1.10.4.2 - 2016-03-17 ref (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.10.4.2 ref (aus Repository: hl7hcda-)	Gültigkeit	gültig ab 2016-03-17
Status	 Draft	Versions-Label	
Name	CDACH-RemarksEntry	Anzeigename	CDA-CH Remarks Reference Entry
Beschreibung	Dieses Element ermöglicht zu jedem Entry einen Kommentar anzugeben.		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt	Benutzt von 13 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	 Prescription Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		 Prescription Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2		 eRezept V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	 Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		 Dispense Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.3		 eAbgabe V1	2016-05-21
	2.16.756.5.30.1.1.10.3.2	Containment	 CDA-CH Remarks Section	2016-03-17
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.301 (2005-09-07)			
	Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.2 (2009-12-04)			
Beispiel	Beispiel			
	<pre> <act classCode="ACT" moodCode="EVN"> <templateId root="2.16.840.1.113883.10.20.1.40"/> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/> <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation comment"/> <text> <reference value="#comment1"/> </text> <statusCode code="completed"/> </pre>			

</act>					
Alles ausklappen Alles einklappen					
Item	DT	Kard	Konf	Beschreibung	Label
hl7:act					(CDACH-RemarksEntry)
@classCode	cs	1 ... 1	F	ACT	
@moodCode	cs	1 ... 1	F	EVN	
hl7:templateId	II	1 ... 1	R		(CDACH-RemarksEntry)
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.40	
hl7:templateId	II	1 ... 1	R		(CDACH-RemarksEntry)
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.2	
hl7:code	CD	1 ... 1	M		(CDACH-RemarksEntry)
@code	CONF	1 ... 1	F	48767-8	
@codeSystem		1 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		1 ... 1	F	Annotation Comment	
@codeSystemName		1 ... 1	F	LOINC	
hl7:text	ED	1 ... 1	M	Referenz auf Status im narrativen Teil der Section	(CDACH-RemarksEntry)
hl7:statusCode	CS	1 ... 1	M		(CDACH-RemarksEntry)

Item	DT	Kard	Konf	Beschreibung	Label
@code	CONF	1 ... 1	F	completed	

6.2.5 CDA Organization 2.16.756.5.30.1.1.10.9.11 - 2015-12-18 (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.11  (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2015-12-18
Status	 Draft	Versions-Label	
Name	CDAOrganization	Anzeigenname	CDA Organization
Beschreibung			
Klassifikation	Template type not specified		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates		
	Benutzt von Template-Id	als	Name
	2.16.756.5.30.1.1.10.9.12		CDA AssignedEntity
	2.16.756.5.30.1.1.10.2.5		CDA legalAuthenticator
	2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1
	2.16.756.5.30.1.1.1.3.10.2		eRezept V1
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.151 (2005-09-07)		

Alles ausklappen  Alles einklappen 

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	0 ... 1	F	ORG	
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:id	II	0 ... *			(CDAOrganization)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:name	ON	1 ... 1	M		(CDAOrganization)
hl7:telecom	TEL	0 ... *			(CDAOrganization)
hl7:addr	AD	0 ... 1			(CDAOrganization)

6.2.6 ○ CDA Person 2.16.756.5.30.1.1.10.9.10 - 2015-12-18 ref (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.10.9.10  (aus Repository: hl7hcda-)			Gültigkeit	gültig ab 2015-12-18		
Status	 Draft			Versions-Label			
Name	CDAPerson			Anzeigename	CDA Person		
Beschreibung							
Klassifikation	Template type not specified						
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)						
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates						
	Benutzt von Template-Id	als	Name			Version	
	2.16.756.5.30.1.1.10.9.12			CDA AssignedEntity			2015-12-18
	2.16.756.5.30.1.1.10.2.5			CDA legalAuthenticator			2009-01-27
	2.16.756.5.30.1.1.1.1.3.10.1			eCurrentMedication V1			2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2			eRezept V1			2016-05-21
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.152 (2005-09-07)						
Alles ausklappen Alles einklappen							
Item	DT	Kard	Konf	Beschreibung		Label	
@classCode	cs	0 ... 1	F	PSN			

Item	DT	Kard	Konf	Beschreibung	Label
@determinerCode	cs	0 ... 1	F	INSTANCE	
hl7:name	PN	1 ... *	R		(CDAPerson)

6.2.7 <CDA-CH-CONF> 2.16.756.5.30.1.1.10.2.19 - 2016-06-06 (2016) (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.10.2.19  (aus Repository: hl7hcda-)			Gültigkeit	gültig ab 2016-06-06
Status	 Draft			Versions-Label	2016
Name	CDA_CH_CONF			Anzeigename	<CDA-CH-CONF>
Beschreibung	Der Confidentialy Code MUSS aus dem Schweizer Confidentiality Valueset angegeben werden.				
Klassifikation	CDA Header Level Template				
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates				
	Benutzt von Template-Id	als	Name		Version
	2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1		2016-05-13
	2.16.756.5.30.1.1.1.3.10.2		eRezept V1		2016-05-21
	2.16.756.5.30.1.1.1.3.10.3		eAbgabe V1		2016-05-21
	2.16.756.5.30.1.1.1.3.10.4		eMedicationComment V1		2016-05-21

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:confidentialityCode	CE CNE	1 ... 1	M		(CDA_CH_CONF)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.1.11.1 <i>Swiss Confidentiality Codes</i> (DYNAMIC)			

6.2.8 <CDA-CH-DOCL> 2.16.756.5.30.1.1.10.2.22 - 2015-12-18 (2016) (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.22  (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2015-12-18																				
Status	 Draft	Versions-Label	2016																				
Name	CDA_CH_DOCL	Anzeigename	<CDA-CH-DOCL>																				
Beschreibung	Die Sprache, in welcher das Dokument geschrieben ist, MUSS angegeben werden. Als Vereinfachung für den Leser geben wir hier die, in der Schweiz gebräuchlichen Language Codes gemäss RFC 1766 (ISO-639-1 und ISO 3166) an: ▪ de-CH ▪ fr-CH ▪ it-CH																						
Klassifikation	CDA Header Level Template																						
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																						
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates <table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.1</td><td></td><td>eCurrentMedication V1</td><td>2016-05-13</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2</td><td></td><td>eRezept V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.3</td><td></td><td>eAbgabe V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td>eMedicationComment V1</td><td>2016-05-21</td></tr></table>			Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
Benutzt von Template-Id	als	Name	Version																				
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13																				
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21																				
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21																				
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21																				

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:languageCode	CS	0 ... 1			(CDA_CH_DOCL)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.11526 HumanLanguage (DYNAMIC)			

6.2.9 <CDA-CH-RELM> 2.16.756.5.30.1.1.10.2.25 - 2015-12-18 (2016) (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.25  (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2015-12-18	
Status	 Draft	Versions-Label	2016	
Name	CDA_CH_RELM	Anzeigename	<CDA-CH-RELM>	
Beschreibung	Der realmCode MUSS folgendermassen deklariert werden: code='CHE'.			
Klassifikation	CDA Header Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.3.10.2		eRezept V1	2016-05-21
	2.16.756.5.30.1.1.1.3.10.3		eAbgabe V1	2016-05-21
	2.16.756.5.30.1.1.1.3.10.4		eMedicationComment V1	2016-05-21

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:realmCode	CS	1 ... 1	M		(CDA_CH_RELM)
@code	CONF	1 ... 1	F	CHE	

6.2.10 <CDA-CH-REPL> 2.16.756.5.30.1.1.10.2.13 - 2016-05-18 (2016) (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.13  (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2016-05-18
Status	 Draft	Versions-Label	2016
Name	CDA_CH_REPL	Anzeigename	<CDA-CH-REPL>

Beschreibung	Für die Korrektur falsch übermittelter Werte MUSS ein neues Dokument erstellt werden, welches das frühere Dokument ersetzt. Dies gilt ebenfalls für den Fall, dass Daten im CDA Header korrigiert wurden (z.B. wenn das ursprüngliche Dokument für den falschen Patienten ausgestellt worden ist).											
	Beim Verarbeiten des neuen Dokuments MÜSSEN beim Empfänger sämtliche Werte aus dem zu ersetzenden Dokument als veraltet interpretiert (gelöscht oder als gelöscht resp. veraltet markiert) und alle Werte im neuen Dokument als gültig markiert werden.											
	▪ Werte, die nur im alten Dokument enthalten waren, gelten als gelöscht. ▪ Werte, die in beiden Dokumenten vorhanden sind, werden mit dem Inhalt des neuen Dokuments überschrieben. ▪ Werte, die nur im neuen Dokument enthalten sind, werden neu erfasst.											
Klassifikation	CDA Header Level Template											
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)											
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 0 Templates											
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.3.10.1</td><td></td><td>eCurrentMedication V1</td><td>2016-05-13</td></tr></table>				Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
	Benutzt von Template-Id	als	Name	Version								
2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13									
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.111 (2005-09-07)											
	Specialization: Template 2.16.756.5.30.1.1.10.2.9 (2009-01-27)											

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:relatedDocument		0 ... *		Beziehung zu einem anderen Dokument.	(CDA_CH_REPL)
@typeCode	cs	1 ... 1	F	RPLC	
				Gibt an, dass es sich um eine Beziehung zu einem anderen Dokument handelt, welches ersetzt werden soll.	
hl7:parentDocument		1 ... 1	R	Beziehung zum Dokument, dass ersetzt werden soll.	(CDA_CH_REPL)
hl7:id	II	1 ... 1	M	Die Dokumenten-Id des zu ersetzenden Dokuments MUSS angegeben werden.	(CDA_CH_REPL)
@extension	st	1 ... 1	R	MUSS die Dokumenten-Id des zu ersetzenden Dokuments enthalten.	

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	R	MUSS die gleiche OID wie bei der Dokumenten-Id im zu ersetzenden Dokument enthalten.	
hl7:setId	II	1 ... 1	M	MUSS die Set-Id des zu ersetzenden Dokuments enthalten.	(CDA_CH_REPL)
@extension	st	1 ... 1	R	MUSS die Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der Set-Id des aktuellen Dokuments.	
@root	uid	1 ... 1	R	MUSS die OID der Set-Id des zu ersetzenden Dokuments enthalten und identisch sein mit der OID bei der Set-Id des aktuellen Dokuments.	
Schematron assert	role		● error		
	test			(@root=/ClinicalDocument/id/@root) and (@extension=/ClinicalDocument/id/@extension)	
	Meldung			ClinicalDocument/setId: MUST be identical to the one of the replaced document	
hl7:versionNumber	INT	1 ... 1	M	MUSS die Versionsnummer des zu ersetzenden Dokuments enthalten.	(CDA_CH_REPL)
Schematron assert	role		● error		
	test			@value > /ClinicalDocument/versionNumber/@value	
	Meldung			ClinicalDocument/versionNumber: MUST be higher than the one of the replaced document	

6.2.11 ○ CDA custodian 2.16.756.5.30.1.1.10.2.3 - 2009-01-27 ^{ref} (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.10.2.3 ^{ref} (aus Repository: hl7hcda-)	Gültigkeit	gültig ab 2009-01-27
Status	🟡 Draft	Versions-Label	
Name	CDAcustodian	Anzeigename	CDA custodian
Beschreibung	Es wird diejenige Organisation angegeben, in deren Namen das medizinische Dokument ausgetauscht wird (entspricht dem Absender eines Briefes). Hier wird die EAN/GLN Nummer des Leistungserbringers angegeben, der den Patienten im Zusammenhang mit dem aktuellen medizinischen Dokument betreut hat.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates		

	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.1</td><td></td><td>eCurrentMedication V1</td><td>2016-05-13</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2</td><td></td><td>eRezept V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.3</td><td></td><td>eAbgabe V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td>eMedicationComment V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
Benutzt von Template-Id	als	Name	Version																		
2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13																		
2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21																		
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21																		
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21																		
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.104 (2005-09-07)																				
Beispiel	Beispiel <pre><custodian> <assignedCustodian> <representedCustodianOrganization> <id extension="7601234567890" root="1.3.88"/> <name>Gruppenpraxis CH</name> <telecom value="tel:+41.32.234.55.66" use="WP"/> <addr use="WP"> <streetName>Doktorgasse</streetName> <houseNumber>2</houseNumber> <city>Musterhausen</city> <postalCode>8888</postalCode> <country>CHE</country> </addr> </representedCustodianOrganization> </assignedCustodian> </custodian></pre>																				

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:custodian		1 ... 1	R		(CDAcustodian)
@typeCode	cs	0 ... 1	F	CST	
hl7:assignedCustodian		1 ... 1	R		(CDAcustodian)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	CS	0 ... 1	F	ASSIGNED	
hl7:representedCustodianOrganization		1 ... 1	R		(CDAcustodian)
@classCode	CS	0 ... 1	F	ORG	
@determinerCode	CS	0 ... 1	F	INSTANCE	
hl7:id	II	1 ... *	M		(CDAcustodian)
hl7:name	ON	0 ... 1			(CDAcustodian)
hl7:telecom	TEL	0 ... 1			(CDAcustodian)
hl7:addr	AD	0 ... 1			(CDAcustodian)

6.2.12 CDA Document Id 2.16.756.5.30.1.1.10.9.3 - 2015-12-18 (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.10.9.3  (aus Repository: hl7hcda-)	Gültigkeit	gültig ab 2015-12-18
Status	 Draft	Versions-Label	
Name	CDAid	Anzeigename	CDA Document Id
Beschreibung	Die Dokumenten-Id wird als Globally Unique Identifier (GUID) angegeben.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz
	cdachemed-dataelement-59	 Referenz-ID des Dokuments	 Parameter eMedikation

Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.3.10.2		eRezept V1	2016-05-21
	2.16.756.5.30.1.1.1.3.10.3		eAbgabe V1	2016-05-21
	2.16.756.5.30.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
Beispiel	Beispiel			
	<id root="2.16.756.5.30.1.1.1.1" extension="807563C2-5146-11D5-A672-00B0D022E945"/>			

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... 1	M		(CDAid)
Ziel der Konzept Id(s): cdachemed-dataelement-59 Referenz-ID des Dokuments Parameter eMedikation					

6.2.13 CDA legalAuthenticator 2.16.756.5.30.1.1.10.2.5 - 2009-01-27 (aus Repository: hl7hcda-)

Id	2.16.756.5.30.1.1.10.2.5 (aus Repository: hl7hcda-)	Gültigkeit	gültig ab 2009-01-27
Status	Draft	Versions-Label	
Name	CDAlegalAuthenticator	Anzeigenname	CDA legalAuthenticator
Beschreibung	Der rechtsgültige Unterzeichner soll ein Arzt sein, der über eine EAN/GLN Nummer verfügt (OID 1.3.88 für EAN angeben) oder im Medizinalberuferegister geführt wird (OID für MedBG angeben). Sobald weitere Register für andere Leistungserbringer existieren, sollen die entsprechenden Teilnehmer (betrifft alle Participants) mit der entsprechenden OID angegeben werden.		
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit	Assoziiert mit 1 Konzept														
	<table><tr><th>Id</th><th>Name</th><th>Datensatz</th></tr><tr><td>cdachemed-dataelement-37</td><td> Signatur des Erstellers</td><td> Parameter eMedikation</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-37	 Signatur des Erstellers	 Parameter eMedikation								
Id	Name	Datensatz													
cdachemed-dataelement-37	 Signatur des Erstellers	 Parameter eMedikation													
Benutzt von / Benutzt	Benutzt von 2 Templates, Benutzt 1 Template														
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.3.10.1</td><td></td><td> eCurrentMedication V1</td><td>2016-05-13</td></tr><tr><td>2.16.756.5.30.1.1.1.3.10.2</td><td></td><td> eRezept V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13	2.16.756.5.30.1.1.1.3.10.2		 eRezept V1	2016-05-21		
	Benutzt von Template-Id	als	Name	Version											
	2.16.756.5.30.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13											
2.16.756.5.30.1.1.1.3.10.2		 eRezept V1	2016-05-21												
<table><tr><th>Benutzt Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.10.9.12</td><td>Containment</td><td> CDA AssignedEntity</td><td>DYNAMIC</td></tr></table>	Benutzt Template-Id	als	Name	Version	2.16.756.5.30.1.1.10.9.12	Containment	 CDA AssignedEntity	DYNAMIC							
Benutzt Template-Id	als	Name	Version												
2.16.756.5.30.1.1.10.9.12	Containment	 CDA AssignedEntity	DYNAMIC												
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.106 (2005-09-07)														
Beispiel	Beispiel														
	<pre><legalAuthenticator> <time value="20120204140000+0100"/> <signatureCode code="S"/> <assignedEntity> <id nullFlavor="NI"/> <assignedPerson> <name> <family>Hausarzt</family> </name> </assignedPerson> </assignedEntity> </legalAuthenticator></pre>														
Beispiel	Beispiel														
	<pre><legalAuthenticator> <time value="20150604"/> <signatureCode code="S"/> <assignedEntity></pre>														

```
<id extension="7601234567890" root="1.3.88"/>
<assignedPerson>

  <name>

    <given>Allzeit</given>
    <family>Bereit</family>
    <prefix>Dr. med.</prefix>
  </name>
</assignedPerson>
<representedOrganization>

  <id root="1.3.88" extension="7608888888888"/>
  <name>Gruppenpraxis CH</name>
  <telecom value="tel:+41.32.234.55.66" use="WP"/>
  <telecom value="fax:+41.32.234.55.67" use="WP"/>
  <telecom value="mailto:bereit@gruppenpraxis.ch" use="WP"/>
  <telecom value="http://www.gruppenpraxis.ch" use="WP"/>
  <addr use="WP">

    <streetName>Doktorgasse</streetName>
    <houseNumber>2</houseNumber>
    <city>Musterhausen</city>
    <postalCode>8888</postalCode>
    <country>CHE</country>
  </addr>
</representedOrganization>
</assignedEntity>
</legalAuthenticator>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:legalAuthenticator		0 .. 1			(CDAlegalAuthenticator)
@typeCode	cs	0 .. 1	F	LA	
@contextControlCode	cs	0 .. 1	F	OP	
	Ziel der Konzept Id(s): cdachemed-dataelement-37 Signatur des Erstellers Parameter eMedikation				
hl7:time	TS	1 .. 1	R		(CDAlegalAuthenticator)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:signatureCode	CS	1 ... 1	R		(CDAlegalAuthenticator)
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.10282 ParticipationSignature (DYNAMIC)	
hl7:assignedEntity		1 ... 1	R	Beinhaltet 2.16.756.5.30.1.1.10.9.12 CDA AssignedEntity (DYNAMIC)	(CDAlegalAuthenticator)

6.2.14 CDA relatedDocument 2.16.756.5.30.1.127.77.4.10.6 - 2016-06-06

Id	2.16.756.5.30.1.127.77.4.10.6	Gültigkeit	gültig ab 2016-06-06
Status	 Draft	Versions-Label	
Name	CDArelatedDocument	Anzeigename	CDA relatedDocument
Beschreibung			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Keine Elemente, Attribute, Includes oder Choices in dieser Template-Definition.			

6.2.15 CDA SetId VersionNumber 2.16.756.5.30.1.1.10.9.7 - 2015-12-18 (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.9.7  (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2015-12-18
Status	 Draft	Versions-Label	
Name	CDAsetIdversionNumber	Anzeigename	CDA SetId VersionNumber
Beschreibung			
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 0 Templates		
	Benutzt von Template-Id	als	Name
	2.16.756.5.30.1.1.1.3.10.1		eCurrentMedication V1
			Version
			2016-05-13

Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:setId	II	1 .. 1	M	Die setId wird als Globally Unique Identifier (GUID) angegeben. Die GUID entspricht der Dokumenten-Id der ersten Version des Dokuments	(CDAsetIdversionNumber)
	Beispiel	<setId extension="807563C2-5146-11D5-A672-00B0D022E945" root="2.16.756.5.30.1.1.1.1"/>			
hl7:versionNumber	INT.NONNEG	1 .. 1	M	Wenn dieses Feld nicht angegeben wird, impliziert das die Versionsnummer 1. Ab der zweiten Versionsnummer ist die Angabe von setId und versionNumber zwingend.	(CDAsetIdversionNumber)
	Beispiel	<versionNumber value="1"/>			

6.2.16 CDA Typeld 2.16.756.5.30.1.1.10.2.24 - 2015-12-18 (aus Repository: hl7chcda-)

Id	2.16.756.5.30.1.1.10.2.24  (aus Repository: hl7chcda-)	Gültigkeit	gültig ab 2015-12-18
Status	 Draft	Versions-Label	
Name	CDAtypeId	Anzeigename	CDA TypeId
Beschreibung			
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates		
	Benutzt von Template-Id	als	Name
			Version
	2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1
	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1
	2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1
	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1
Alles ausklappen	Alles einklappen		

Item	DT	Kard	Konf	Beschreibung	Label
hl7:typeId	II	1 ... 1	M		(CDAtypeId)
@root	uid	1 ... 1	F	2.16.840.1.113883.1.3	
@extension	st	1 ... 1	F	POCD_HD000040	

6.2.17 author 2.16.756.5.30.1.1.1.1.3.10.10.2.1 - 2016-06-09

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.1	Gültigkeit	gültig ab 2016-06-09	
Status	 Draft	Versions-Label		
Name	CH-EMED-AUTO	Anzeigename	author	
Beschreibung				
Klassifikation	CDA Header Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Assoziiert mit	Assoziiert mit 3 Konzepte			
	Id	Name		Datensatz
	cdachemed-dataelement-9	 GLN-Nr.		 Parameter eMedikation
	cdachemed-dataelement-2	 Behandelnder		 Parameter eMedikation
	cdachemed-dataelement-52	 Verabreichungsweg		 Parameter eMedikation
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 2 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13

	2.16.756.5.30.1.1.1.1.3.10.2	 eRezept V1	2016-05-21												
	2.16.756.5.30.1.1.1.1.3.10.3	 eAbgabe V1	2016-05-21												
	2.16.756.5.30.1.1.1.1.3.10.4	 eMedicationComment V1	2016-05-21												
	<table><tr><th>Benutzt Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.10.2.7</td><td>Inklusion</td><td> name</td><td>DYNAMIC</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.10.2.3</td><td>Inklusion</td><td> representedOrganisationPart</td><td>DYNAMIC</td></tr></table>	Benutzt Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.10.2.7	Inklusion	 name	DYNAMIC	2.16.756.5.30.1.1.1.1.3.10.10.2.3	Inklusion	 representedOrganisationPart	DYNAMIC		
Benutzt Template-Id	als	Name	Version												
2.16.756.5.30.1.1.1.1.3.10.10.2.7	Inklusion	 name	DYNAMIC												
2.16.756.5.30.1.1.1.1.3.10.10.2.3	Inklusion	 representedOrganisationPart	DYNAMIC												
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.102 (2005-09-07)														
	Specialization: Template 2.16.756.5.30.1.1.10.2.2 (2009-01-27)														
Beispiel	Beispiel <pre><author> <time value="20111129110000+0100"/> <assignedAuthor> <id nullFlavor="NI"/> <assignedPerson> <name> <given>Familien</given> <family>Hausarzt</family> </name> </assignedPerson> <representedOrganization> <addr> <streetAddressLine>Krankenstrasse 2</streetAddressLine> <postalCode>8005</postalCode> <city>Zürich</city> </addr> </representedOrganization> </assignedAuthor> </author></pre>														
Beispiel	Beispiel <pre><author></pre>														

```
<time value="20111129110000+0100"/>
<assignedAuthor>

  <!-- GS1 GLN ex 1.3.88-->

  <id root="2.51.1.3" extension="7601000000000"/>
  <assignedPerson>

    <name>

      <prefix>Dr.</prefix>
      <given>Familien</given>
      <family>Hausarzt</family>
    </name>
  </assignedPerson>
  <representedOrganization>

    <addr>

      <streetAddressLine>Krankenstrasse 2</streetAddressLine>
      <postalCode>8005</postalCode>
      <city>Zürich</city>
    </addr>
  </representedOrganization>
</assignedAuthor>
</author>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:author		1 ... 1	M		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-2  Behandelnder  Parameter eMedikation			
hl7:functionCode	CE	0 ... 1			(CH-EMED-AUTO)
hl7:time	TS	1 ... 1	R		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-52  Verabreichungsweg  Parameter eMedikation			
hl7:assignedAuthor		1 ... 1	M		(CH-EMED-AUTO)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	CS	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R	The GLN identifier for the health care professional SHOULD be provided.	(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-9 GLN-Nr. Parameter eMedikation			
	Beispiel	<id root="2.51.1.3" extension="7601000000000"/>			
hl7:code	CE	0 ... 1			(CH-EMED-AUTO)
hl7:addr	AD	0 ... *			(CH-EMED-AUTO)
hl7:telecom	TEL	0 ... *			(CH-EMED-AUTO)
hl7:assignedPerson		1 ... 1	M		(CH-EMED-AUTO)
Eingefügt			M	von 2.16.756.5.30.1.1.1.1.3.10.10.2.7 name (DYNAMIC)	
hl7:name	PN	1 ... *	M		(CH-EMED-AUTO)
hl7:given	ENXP	1 ... *	M		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-7 Name Parameter eMedikation			
hl7:representedOrganization		1 ... 1	M		(CH-EMED-AUTO)
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 representedOrganisationPart (DYNAMIC)	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... *	R		(CH-EMED-AUTO)
hl7:name	ON	1 ... *	R		(CH-EMED-AUTO)
hl7:addr	AD	1 ... 1	R		(CH-EMED-AUTO)
hl7:streetAddressLine	ADXP	1 ... *	M		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			
hl7:postalCode	ADXP	1 ... 1	M		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			
hl7:city	ADXP	1 ... 1	M		(CH-EMED-AUTO)
		Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		(CH-EMED-AUTO)

6.2.18 DIS Reference Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.2 - 2017-01-11 12:32:40

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.2	Gültigkeit	gültig ab 2017-01-11 12:32:40
Status	 Draft	Versions-Label	
Name	CH-EMED-DISReferenceEntryContentModule	Anzeigename	DIS Reference Entry Content Module
Beschreibung	 Reference to Dispense Item		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Assoziiert mit	Assoziiert mit 1 Konzept																		
	<table><tr><th>Id</th><th>Name</th><th>Datensatz</th></tr><tr><td>cdachemed-dataelement-5</td><td> Referenz auf eAbgabe/Anwendung</td><td> Parameter eMedikation</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-5	Referenz auf eAbgabe/Anwendung	Parameter eMedikation												
Id	Name	Datensatz																	
cdachemed-dataelement-5	Referenz auf eAbgabe/Anwendung	Parameter eMedikation																	
Benutzt von / Benutzt	Benutzt von 3 Templates, Benutzt 0 Templates																		
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1</td><td>Containment</td><td> Pharmaceutical Advice Item Entry Content Module</td><td>2016-06-25</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1</td><td></td><td> Pharmaceutical Advice Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td> eMedicationComment V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	Pharmaceutical Advice Item Entry Content Module	2016-06-25	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21		
	Benutzt von Template-Id	als	Name	Version															
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	Pharmaceutical Advice Item Entry Content Module	2016-06-25															
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06																
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21																
Beziehung	Specialization: Template 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 (2016-07-07)																		
Beispiel	Beispiel																		
	<pre><substanceAdministration classCode="SBADM" moodCode="INT"> <templateId root="1.3.6.1.4.1.19376.1.9.1.3.12"/> <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/> <code code="DISItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Dispense Item" codeSystemName="IHE Pharmacy Item Type List"/> <consumable> <manufacturedProduct> <manufacturedMaterial nullFlavor="NA"/> </manufacturedProduct> </consumable> </substanceAdministration></pre>																		
Alles ausklappen Alles einklappen																			
Item	DT	Kard	Konf	Beschreibung	Label														
hl7:entryRelationship		0 ... 1			(CH-EMED-DISReferenceEntryContentModule)														
wo [hl7:supply/hl7:code/@code='DISItem']																			
@typeCode		1 ... 1 F		REFR															

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-5  Referenz auf eAbgabe/Anwendung  Parameter eMedikation			
hl7:supply					(CH-EMED-DISReferenceEntryContentModule)
@classCode		1 ... 1	F	SPLY	
@moodCode		1 ... 1	F	EVN	
hl7:templateId	II	1 ... 1	M		(CH-EMED-DISReferenceEntryContentModule)
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.12	
hl7:id		1 ... 1	M		(CH-EMED-DISReferenceEntryContentModule)
hl7:code	CD	1 ... 1	M		(CH-EMED-DISReferenceEntryContentModule)
@code		1 ... 1	F	DISItem	
@codeSystem	CONF	1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	

6.2.19 Dispense Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 - 2016-06-17

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Gültigkeit	gültig ab 2016-06-17
Status	 Draft	Versions-Label	
Name	CH-EMED-DispenseItemEntryContentModule	Anzeigename	Dispense Item Entry Content Module
Beschreibung	 A Dispense Item belongs to one Dispensation and represents one dispensed medication. It contains the dispensed medicinal product including information product code, brand name and packaging information.		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1		
Klassifikation	CDA Entry Level Template		

Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																																																					
Assoziiert mit	Assoziiert mit 1 Konzept																																																					
	<table><tr><th colspan="2">Id</th><th>Name</th><th>Datensatz</th></tr><tr><td colspan="2">cdachemed-dataelement-4</td><td> Arzneimittel/Herstellung</td><td> Parameter eMed</td></tr></table>	Id		Name	Datensatz	cdachemed-dataelement-4		Arzneimittel/Herstellung	Parameter eMed																																													
Id		Name	Datensatz																																																			
cdachemed-dataelement-4		Arzneimittel/Herstellung	Parameter eMed																																																			
Benutzt von / Benutzt	Benutzt von 2 Templates, Benutzt 9 Templates																																																					
	<table><tr><th colspan="2">Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1</td><td>Containment</td><td> Dispense Section Content Module</td><td>2016-06-06</td></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.3</td><td></td><td> eAbgabe V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id		als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Containment	Dispense Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.3			eAbgabe V1	2016-05-21																																						
	Benutzt von Template-Id		als	Name	Version																																																	
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Containment	Dispense Section Content Module	2016-06-06																																																	
	2.16.756.5.30.1.1.1.1.3.10.3			eAbgabe V1	2016-05-21																																																	
	<table><tr><th colspan="2">Benutzt Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2</td><td>Containment</td><td> Manufactured Material Entry Content Module</td><td>DYNAMIC</td></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6</td><td>Containment</td><td> MTP Reference Entry Content Module</td><td>DYNAMIC</td></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3</td><td>Containment</td><td> PRE Reference Entry Content Module</td><td>DYNAMIC</td></tr><tr><td colspan="2">1.3.6.1.4.1.19376.1.5.3.1.4.3</td><td>Containment</td><td> IHE Patient Medication Instructions (2014)</td><td>DYNAMIC</td></tr><tr><td colspan="2">1.3.6.1.4.1.19376.1.5.3.1.4.4.1</td><td>Containment</td><td> IHE Internal Reference Entry (2014)</td><td>DYNAMIC</td></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4</td><td>Containment</td><td> Treatment Reason Entry Content Module</td><td>DYNAMIC</td></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1</td><td>Inklusion</td><td> Dosage Instructions CH P1</td><td>DYNAMIC</td></tr><tr><td colspan="2">2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12</td><td>Inklusion</td><td> Dosage Instructions CH P2</td><td>DYNAMIC</td></tr><tr><td colspan="2">2.16.756.5.30.1.1.10.4.2</td><td>Containment</td><td> CDA-CH Remarks Reference Entry</td><td>DYNAMIC</td></tr></table>	Benutzt Template-Id		als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2		Containment	Manufactured Material Entry Content Module	DYNAMIC	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6		Containment	MTP Reference Entry Content Module	DYNAMIC	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3		Containment	PRE Reference Entry Content Module	DYNAMIC	1.3.6.1.4.1.19376.1.5.3.1.4.3		Containment	IHE Patient Medication Instructions (2014)	DYNAMIC	1.3.6.1.4.1.19376.1.5.3.1.4.4.1		Containment	IHE Internal Reference Entry (2014)	DYNAMIC	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4		Containment	Treatment Reason Entry Content Module	DYNAMIC	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1		Inklusion	Dosage Instructions CH P1	DYNAMIC	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12		Inklusion	Dosage Instructions CH P2	DYNAMIC	2.16.756.5.30.1.1.10.4.2		Containment	CDA-CH Remarks Reference Entry	DYNAMIC			
	Benutzt Template-Id		als	Name	Version																																																	
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2		Containment	Manufactured Material Entry Content Module	DYNAMIC																																																	
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6		Containment	MTP Reference Entry Content Module	DYNAMIC																																																	
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3		Containment	PRE Reference Entry Content Module	DYNAMIC																																																	
	1.3.6.1.4.1.19376.1.5.3.1.4.3		Containment	IHE Patient Medication Instructions (2014)	DYNAMIC																																																	
	1.3.6.1.4.1.19376.1.5.3.1.4.4.1		Containment	IHE Internal Reference Entry (2014)	DYNAMIC																																																	
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4		Containment	Treatment Reason Entry Content Module	DYNAMIC																																																	
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1		Inklusion	Dosage Instructions CH P1	DYNAMIC																																																		
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12		Inklusion	Dosage Instructions CH P2	DYNAMIC																																																		
2.16.756.5.30.1.1.10.4.2		Containment	CDA-CH Remarks Reference Entry	DYNAMIC																																																		
Beziehung																																																						
Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.4 (2016-01-08 11:13:04)																																																						
Beispiel	Beispiel <pre><supply classCode="SPLY" moodCode="EVN"> <!-- CH-EMED-DispenseItemEntryContentModule --> <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1"/></pre>																																																					

```

<!-- IHE PARM DIS 6.3.4.5.1 -->

<templateId root="2.16.840.1.113883.10.20.1.34"/>
<templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.3"/>
<templateId root="1.3.6.1.4.1.19376.1.9.1.3.4"/>
<!-- ID of dis item, IHE PARM DIS 6.3.4.5.3.3 -->

<id root="2.16.756.5.30.1.1.1.1" extension="5712fffe-20c6-11e6-b67b-9e71128cae77"/>
<text>

  <reference value="#dis.1"/>
</text>
<quantity unit="1" value="1"/>
<product>

  <manufacturedProduct classCode="MANU">

    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.2"/>
    <templateId root="2.16.840.1.113883.10.20.1.53"/>
    <manufacturedMaterial classCode="MMAT" determinerCode="KIND">

      <!-- CDACH-EMED Manufactured Material Content Module -->

      <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/>
      <!-- http://compendium.ch/prod/triatec-tabl-2-5-mg/de -->

      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/>
      <code code="C09AA05" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="ramipril">

        <originalText>

          <reference value="#dis.1.ingredient"/>
        </originalText>
      </code>
      <name>TRIA TEC Tabl 2.5 mg</name>
      <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>
      <pharm:asContent classCode="CONT">

        <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE">

          <!-- National medicinal product code (package-level) -->

          <pharm:code code="7680538751228" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="TRIA TEC Tabl 2.5 mg 100 Stk"/>
          <!-- Brand name (package) -->

          <pharm:name>TRIA TEC Tabl 2.5 mg</pharm:name>
          <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>
          <pharm:capacityQuantity value="20"/>
        </pharm:containerPackagedMedicine>
      </pharm:asContent>
    </manufacturedMaterial>
  </manufacturedProduct>
</product>

```

```

    <pharm:ingredient classCode="ACTI">

      <pharm:quantity>

        <pharm:numerator unit="mg" value="2.5" xsi:type="pharm:PQ"/>
        <pharm:denominator value="1" xsi:type="pharm:PQ"/>
      </pharm:quantity>
      <pharm:ingredient classCode="MMAT" determinerCode="KIND">

        <pharm:code code="C09AA05" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="ramipril"/>
        <pharm:name>Ramipril</pharm:name>
      </pharm:ingredient>
    </pharm:ingredient>
  </manufacturedMaterial>
</manufacturedProduct>
</product>
<entryRelationship typeCode="REFR">

  <substanceAdministration classCode="SBADM" moodCode="INT">

    <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>
    <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item" codeSystemName="IHE P
Item Type List"/>
    <consumable>

      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>
      </manufacturedProduct>
      <reference typeCode="XCRPT">

        <externalDocument>

          <id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/>
          </externalDocument>
        </reference>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <!-- dosage insruction -->

  <entryRelationship typeCode="COMP">

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.6"/>
      <!-- A normal substanceAdministration act that may not contain any
subordinate substanceAdministration acts. -->

      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/>

```

```

<effectiveTime xsi:type="IVL_TS">
  <low value="20111129"/>
</effectiveTime>
<effectiveTime xsi:type="EIVL_TS" operator="A">

  <event code="ACM"/>
</effectiveTime>
<routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/>
<doseQuantity>

  <center value="0.5"/>
</doseQuantity>
<consumable>

  <manufacturedProduct>

    <manufacturedMaterial nullFlavor="NA"/>
  </manufacturedProduct>
</consumable>
</substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">

  <substanceAdministration moodCode="INT" classCode="SBADM">

    <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11"/>
    <text>

      <reference value="#dis.1.dosageintakemode"/>
    </text>
    <consumable>

      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>
      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">

  <act classCode="ACT" moodCode="EVN">

    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>
    <templateId root="2.16.840.1.113883.10.20.1.40"/>
    <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation comment"/>
    <text>

      <reference value="#dis.1.note"/>
    </text>
  </act>
</entryRelationship>

```

<pre><statusCode code="completed"/> </act> </entryRelationship> </supply></pre>					
Alles ausklappen	Alles einklappen				
Item	DT	Kard	Konf	Beschreibung	Label
hl7:supply					(CH-EMED-DispenseItemEntryCon
		Ziel der Konzept Id(s): cdachemed-dataelement-4  Arzneimittel/Herstellung  Parameter eMedikation			
hl7:templateId	II	1 ... 1	M		CH-EMED-DispenseItemEntryCon
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.3.10.2.10.3.10.4.1	
hl7:templateId	II	1 ... 1	M		IHE PARM DIS 6.3.4.5.1
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.4	
hl7:templateId	II	1 ... 1	M		IHE PARM DIS 6.3.4.5.1
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.3	
hl7:templateId	II	1 ... 1	M		IHE PARM DIS 6.3.4.5.1
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.34	
hl7:id	II	1 ... 1	M	 This ID represents the Supply Item ID and SHALL be present. ID created by the software which created it or @root='2.16.756.5.30.1.1.3.5.1' with a GUID as @extension	IHE PARM DIS 6.3.4.5.3.3
hl7:code	CD	0 ... 1			IHE PARM DIS 6.3.4.5.3.4
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.7 DispenseSupplyType (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:text		1 ... 1	M	 This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication dispensed.	IHE PARM DIS 6.3.4.5.3.5
hl7:reference		1 ... 1	M		IHE PARM DIS 6.3.4.5.3.5
hl7:quantity		1 ... 1	M	 The supply entry SHALL be present and indicate the quantity supplied, see IHE PARM DIS 6.3.4.5.3.7 for the different cases.	IHE PARM DIS 6.3.4.5.3.7
hl7:product		1 ... 1	M		(CH-EMED-DispenseItemEntryCor
hl7:manufacturedProduct		1 ... 1	M	Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.2 <i>Manufactured Material Entry Content Module</i> (DYNAMIC)	(CH-EMED-DispenseItemEntryCor
wo [hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.2' and hl7:templateId/@root='2.16.840.1.113883.10.20.1.53']					
hl7:templateId	II	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.2	
hl7:templateId	II	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.53	
hl7:entryRelationship		0 ... 1		 If the dispense is related to a Medication Treatment Plan Item, the reference to it SHALL be present. Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 <i>MTP Reference Entry Content Module</i> (DYNAMIC)	IHE PARM DIS 6.3.4.5.3.12
wo [@typeCode='REFR']					
@typeCode	cs	1 ... 1	F	REFR	
hl7:entryRelationship		0 ... 1		 The reference to the Prescription Item this dispense is related to SHALL be present	IHE PARM DIS 6.3.4.5.3.13

Item	DT	Kard	Konf	Beschreibung	Label
				Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3 <i>PRE Reference Entry Content Module</i> (DYNAMIC)	
wo [@typeCode='REFR']					
@typeCode	cs	1 ... 1	F	REFR	
hl7:entryRelationship		0 ... 1		Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.3 <i>IHE Patient Medication Instructions</i> (DYNAMIC)	(CH-EMED-DispenseItemEntryCor
wo [@typeCode='SUBJ']					
@typeCode	cs	1 ... 1	F	SUBJ	
@inversionInd	bl	1 ... 1	F	true	
hl7:entryRelationship		0 ... 1		 IHE DIS Reason. Referencing to the Treatment Reason Entry Content Module below (required by IHE PHARM) Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.4.1 <i>IHE Internal Reference Entry</i> (DYNAMIC)	(CH-EMED-DispenseItemEntryCor
wo [hl7:act [hl7:templateId [@root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1']]]					
@typeCode	cs	1 ... 1	F	RSO	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4 <i>Treatment Reason Entry Content Module</i> (DYNAMIC)	(CH-EMED-DispenseItemEntryCor
wo [hl7:observation]					
@typeCode	cs	1 ... 1	F	RSO	
hl7:entryRelationship		0 ... 1			(CH-EMED-DispenseItemEntryCor

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:substanceAdministration [hl7:templateId [@root='1.3.6.1.4.1.19376.1.9.1.3.6']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:substanceAdministration					(CH-EMED-DispenseItemEntryCor
@moodCode	cs	1 ... 1	F	INT	
hl7:id		1 ... 1	M		(CH-EMED-DispenseItemEntryCor
hl7:templateId	II	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@root	uid	1 ... 1	F	2.16.756.5.30.1.127.77.4.10.21	
hl7:templateId	II	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.6	
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 Dosage Instructions CH P1 (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 ... 1			(CH-EMED-DispenseItemEntryCor
wo [@xsi:type='IVL_TS']					
			Ziel der Konzept Id(s):		
			cdachemed-dataelement-55		 Anwendungsdauer
					 Parameter eMedikation
hl7:low	TS	0 ... 1		 Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DispenseItemEntryCor
hl7:high	TS	0 ... 1		 End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DispenseItemEntryCor
hl7:effectiveTime	EIVL_TS	0 ... 1		 Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-DispenseItemEntryCor

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@operator='A' and @xsi:type='EIVL_TS'</i>]					
@operator	cs	1 ... 1	F	A	
hl7:event	CS	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:effectiveTime	SXPR_TS	0 ... 1		 Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-DispenseItemEntryCor
wo [<i>@operator='A' and @xsi:type='SXPR_TS'</i>]					
@operator	cs	1 ... 1	F	A	
@xsi:type	cs	1 ... 1	F	SXPR_TS	
hl7:comp		1 ... 1	M		(CH-EMED-DispenseItemEntryCor
wo [<i>@xsi:type='EIVL_TS'</i>]					
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:comp		1 ... *	M		(CH-EMED-DispenseItemEntryCor
wo [<i>@operator='I' and @xsi:type='EIVL_TS'</i>]					

Item	DT	Kard	Konf	Beschreibung	Label
@operator	CS	1 ... 1	F	I	
@xsi:type	CS	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@code	CS	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:repeatNumber	IVL_INT	0 ... 1			(CH-EMED-DispenseItemEntryCor
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-44  Wiederholter Bezug pro Arzneimittel  Parameter eMedikation			
hl7:routeCode		0 ... 1			(CH-EMED-DispenseItemEntryCor
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 <i>RouteOfAdministration</i> (DYNAMIC)			
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-52  Verabreichungsweg  Parameter eMedikation			
hl7:doseQuantity		0 ... 1			(CH-EMED-DispenseItemEntryCor
hl7:rateQuantity		0 ... 1			(CH-EMED-DispenseItemEntryCor
hl7:consumable		1 ... 1	R		(CH-EMED-DispenseItemEntryCor
hl7:manufacturedProduct		1 ... 1	R		(CH-EMED-DispenseItemEntryCor
hl7:manufacturedMaterial		1 ... 1	R		(CH-EMED-DispenseItemEntryCor
@nullFlavor	CS	1 ... 1	F	NA	

Item	DT	Kard	Konf	Beschreibung	Label
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12 Dosage Instructions CH P2 (DYNAMIC)	
hl7:entryRelationship		0 ... *		 Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-DispenseItemEntryCor
wo [@typeCode='COMP' and hl7:substanceAdministration]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:sequenceNumber	INT	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
hl7:substanceAdministration		0 ... 1	R		(CH-EMED-DispenseItemEntryCor
hl7:effectiveTime	EIVL_TS	0 ... 1		 timing purpose	(CH-EMED-DispenseItemEntryCor
wo [@xsi:type='EIVL_TS']					
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-DispenseItemEntryCor
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 TimingEvent (DYNAMIC)			
hl7:doseQuantity		0 ... 1			(CH-EMED-DispenseItemEntryCor
hl7:rateQuantity		0 ... 1			(CH-EMED-DispenseItemEntryCor
hl7:consumable		0 ... 1			(CH-EMED-DispenseItemEntryCor
hl7:manufacturedProduct		0 ... 1	R		(CH-EMED-DispenseItemEntryCor
hl7:manufacturedMaterial		0 ... 1			(CH-EMED-DispenseItemEntryCor

Item	DT	Kard	Konf	Beschreibung	Label
@nullFlavor	cs	1 ... 1	F	NA	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.10.4.2 CDA-CH Remarks Reference Entry (DYNAMIC)	(CH-EMED-DispenseItemEntryCor
wo [hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:reference		0 ... *			6.3.4.5.3.18
@typeCode	cs	1 ... 1	F	XCRPT	
hl7:externalDocument		1 ... 1			6.3.4.5.3.18
hl7:id		1 ... *			6.3.4.5.3.18

6.2.20 Dispense Section Content Module 2.16.756.5.30.1.1.1.3.10.2.10.3.10.3.1 - 2016-06-06

Id	2.16.756.5.30.1.1.1.3.10.2.10.3.10.3.1	Gültigkeit	gültig ab 2016-06-06
Status	 Draft	Versions-Label	
Name	CH-EMED-DispenseSectionContentModule	Anzeigename	Dispense Section Content Module
Beschreibung	 The Dispense Section contains a description of a medication dispensed for the patient. It includes exactly one Dispense Item entry as described in the Disp Item Entry Content Module. See also IHE Pharmacy DIS Suppl		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.3.10.2.10.3.10.3.1		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz

	cdachemed-dataelement-65	 Datum, Zeit der Abgabe/Anwendung	 Parameter eMedika
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 3 Templates		
	Benutzt von Template-Id	als	Name
	2.16.756.5.30.1.1.1.1.3.10.3	Containment	 eAbgabe V1
	Benutzt Template-Id	als	Name
	2.16.756.5.30.1.1.1.1.3.10.10.2.7	Inklusion	 name
	2.16.756.5.30.1.1.1.1.3.10.10.2.3	Inklusion	 representedOrganisationPart
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	 Dispense Item Entry Content Module
Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.2.3 (2016-01-08 11:13:04)		
Beispiel	Beispiel		
	<pre><section> <!-- DIS --> <templateId root="2.16.840.1.113883.10.20.1.8"/> <templateId root="1.3.6.1.4.1.19376.1.9.1.2.3"/> <!-- CH-EMED-DispenseSectionContentModule --> <templateId root="2.16.756.5.30.1.1.1.1.3.10.3"/> <!-- id of the eAbgabeAwendung --> <id root="2.16.756.5.30.1.1.1.1.1" extension="488bd23a-20c6-11e6-b67b-9e71128cae77"/> <code code="60590-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="MEDICATION DISPENSED.BRIEF"/> <title>Abgabe von Medikamenten</title> <text> <table> <thead> <tr> <th>Präpartenname</th> <th>Wirkstoffname</th> <th>Dosis pro Einheit</th> <th>Galenische Form</th> <th>Anzahl Packungen</th> </tr> </thead> </table> </text> </section></pre>		

```
<th>Packungsgrösse</th>
<th>Verabreichungsweg</th>
<th>Anwendungsschema (Einnahmemodus)</th>
<th>Dos.Morgen</th>
<th>Dos.Mittag</th>
<th>Dos.Aabend</th>
<th>Dos.Nacht</th>
<th>Anwendungsdauer</th>
<th>Abgabe an</th>
<th>Hinweis</th>
</tr>
</thead>
<tbody>

<tr ID="dis.1">

<td ID="dis.1.brandedmedication">Triatec</td>
<td ID="dis.1.ingredient">Ramipril</td>
<td ID="dis.1.dosequantity">2.5 mg</td>
<td ID="dis.1.packageform">Tbl</td>
<td ID="dis.1.nopackages">1</td>
<td ID="dis.1.packagesize">20</td>
<td ID="dis.1.routecode">oral</td>
<td ID="dis.1.dosageintakemode">Morgens 1/2 Tablette nehmen</td>
<td ID="dis.1.dosagemorning">0.5</td>
<td ID="dis.1.dosagelunch">0</td>
<td ID="dis.1.dosageevening">0</td>
<td ID="dis.1.dosagenight">0</td>
<td ID="dis.1.datefromto"/>
<td ID="dis.1.dipsenseto">Patient</td>
<td ID="dis.1.note"/>
</td>
</tbody>
</table>
</text>
<entry>

<!-- .. -->

</entry>
</section>
```

Alles ausklappen		Alles einklappen				
Item	DT	Kard	Konf	Beschreibung	Label	
hl7:section					(CH-EMED-DispenseSectionContent	

Item	DT	Kard	Konf	Beschreibung	Label	
hl7:templateId	II	1 ... 1	M		IHE PHARM DIS 6.3.3.3	
wo [@root='1.3.6.1.4.1.19376.1.9.1.2.3']						
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.2.3		
hl7:templateId	II	1 ... 1	M		IHE PHARM DIS 6.3.3.3	
wo [@root='2.16.840.1.113883.10.20.1.8']						
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.8		
hl7:templateId	II	1 ... 1	M		CH-EMED DIS	
wo [@root='2.16.756.5.30.1.1.1.3.10.2.10.3.10.3.1']						
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.3.10.2.10.3.10.3.1		
hl7:id	II	1 ... 1	R		IHE PHARM DIS 6.3.3.3.2	
hl7:code	CE	1 ... 1	M		IHE PHARM DIS 6.3.3.3	
	CONF	@code muss "60590-7" sein @codeSystem muss "2.16.840.1.113883.6.1" sein oder @code muss "60590-7" sein @codeSystem muss "2.16.840.1.113883.6.1" sein @displayName muss "MEDICATION DISPENSED.BRIEF" sein @codeSystemName muss "LOINC" sein				
hl7:title	ST	1 ... 1	M		CH-EMED DIS	

Item	DT	Kard	Konf	Beschreibung	Label
	CONF	Elementinhalt muss "Abgabe von Medikamenten" sein -oder- Elementinhalt muss "Dispensation" sein -oder- Elementinhalt muss "Dispensa" sein -oder- Elementinhalt muss "Pharmacy Dispense" sein			
hl7:author		0 ... 1			IHE PHARM DIS 6.3.3.3
hl7:functionCode	CE	0 ... 1			IHE PHARM DIS 6.3.3.3
hl7:time	TS	1 ... 1	R		IHE PHARM DIS 6.3.3.3
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-65 🇺🇸 Datum, Zeit der Abgabe/Anwendung 🇺🇸 Parameter eMedikation			
hl7:assignedAuthor		1 ... 1	M		IHE PHARM DIS 6.3.3.3
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R	🇺🇸 The GLN identifier for the health care professional SHOULD be provided.	IHE PHARM DIS 6.3.3.3
	Beispiel	<id root="2.51.1.3" extension="7601000000000"/>			
hl7:code	CE	0 ... 1			IHE PHARM DIS 6.3.3.3
hl7:addr	AD	0 ... *			IHE PHARM DIS 6.3.3.3
hl7:telecom	TEL	0 ... *			IHE PHARM DIS 6.3.3.3
hl7:assignedPerson		1 ... 1	M		IHE PHARM DIS 6.3.3.3

Item	DT	Kard	Konf	Beschreibung	Label
<i>Eingefügt</i>			M	von 2.16.756.5.30.1.1.1.1.3.10.10.2.7 <i>name</i> (DYNAMIC)	
hl7:name	PN	1 ... *	M		IHE PHARM DIS 6.3.3.3
hl7:given	ENXP	1 ... *	M		IHE PHARM DIS 6.3.3.3
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-8  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		IHE PHARM DIS 6.3.3.3
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-7  Name  Parameter eMedikation			
hl7:representedOrganization		1 ... 1	M		IHE PHARM DIS 6.3.3.3
<i>Eingefügt</i>				von 2.16.756.5.30.1.1.1.1.3.10.10.2.3 <i>representedOrganisationPart</i> (DYNAMIC)	
hl7:id	II	1 ... *	R		IHE PHARM DIS 6.3.3.3
hl7:name	ON	1 ... *	R		IHE PHARM DIS 6.3.3.3
hl7:addr	AD	1 ... 1	R		IHE PHARM DIS 6.3.3.3
hl7:streetAddressLine	ADXP	1 ... *	M		IHE PHARM DIS 6.3.3.3
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			
hl7:postalCode	ADXP	1 ... 1	M		IHE PHARM DIS 6.3.3.3
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:city	ADXP	1 ... 1	M		IHE PHARM DIS 6.3.3.3
		Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		IHE PHARM DIS 6.3.3.3
hl7:text	SD.TEXT	1 ... 1	M		(CH-EMED-DispenseSectionContent)
hl7:entry		1 ... 1	R	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 Dispense Item Entry Content Module (DYNAMIC)	(CH-EMED-DispenseSectionContent)
wo [hl7:supply [hl7:templateId/@root='2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.4' and hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.3' and hl7:templateId/@root='2.16.840.1.113883.10.20.1.34']]					

6.2.21 Dosage Instructions CH P1 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Gültigkeit	gültig ab 2016-06-13					
Status	 Draft	Versions-Label						
Name	CH-EMED-DosageInstructionsEntryCHP1	Anzeigename	Dosage Instructions CH P1					
Beschreibung	 Dosage Instructions are a set of data elements which together represent the dosage instructions to a medication such as duration of treatment, medication frequency, dose quantity, route of administration, etc. Dosage Instructions may be provided structured and/or narrative. This entry describes structured dosage instructions.							
Klassifikation	CDA Entry Level Template							
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)							
Assoziiert mit	Assoziiert mit 3 Konzepte							
	<table><tr><th>Id</th><th>Name</th><th>Datensatz</th></tr><tr><td>cdachemed-dataelement-44</td><td> Wiederholter Bezug pro Arzneimittel</td><td> Parameter eMedikation</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-44	 Wiederholter Bezug pro Arzneimittel	 Parameter eMedikation	
Id	Name	Datensatz						
cdachemed-dataelement-44	 Wiederholter Bezug pro Arzneimittel	 Parameter eMedikation						

	cdachemed-dataelement-52	 Verabreichungsweg	 Parameter eMedikation	
	cdachemed-dataelement-55	 Anwendungsdauer	 Parameter eMedikation	
Benutzt von / Benutzt	Benutzt von 12 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1		 Medication Treatment Plan Item Entry Content Module	2016-06-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		 Prescription Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		 Prescription Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2		 eRezept V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1		 Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		 Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3		 eAbgabe V1	2016-05-21	
Beispiel	Dosis Option 1			
	<pre><!-- 0.5x morgens ab 20111129 --> <snip> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/> <!-- ... --></pre>			

	<pre> <effectiveTime xsi:type="IVL_TS"> <low value="20111129"/> </effectiveTime> <effectiveTime operator="A" xsi:type="EIVL_TS"> <event code="ACM"/> </effectiveTime> <!-- ... --> <doseQuantity> <center value="0.5"/> </doseQuantity> </snip> </pre>
Beispiel	Dosage Option 2 <pre> <!-- 1 morgens, 1 abends ab 20120204 --> <snip> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/> <!-- ... --> <effectiveTime xsi:type="IVL_TS"> <low value="20120204"/> </effectiveTime> <effectiveTime xsi:type="SXPR_TS" operator="A"> <comp xsi:type="EIVL_TS"> <event code="ACM"/> </comp> <comp xsi:type="EIVL_TS" operator="I"> <event code="ACV"/> </comp> </effectiveTime> </snip> </pre>
Beispiel	Dosage Option 3 <pre> <!-- 1 morgens, 0.5 abends ab 20120204 --> <snip> <!-- Split dosing --> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.9"/> </pre>

```

<effectiveTime xsi:type="IVL_TS">
  <low value="20120204"/>
</effectiveTime>
<routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112"
codeSystemName="RouteOfAdministration"/>
<consumable>

  <manufacturedProduct>

    <manufacturedMaterial nullFlavor="NA"/>
  </manufacturedProduct>
</consumable>
<entryRelationship typeCode="COMP">

  <!-- morgens 1 stück -->

  <sequenceNumber value="1"/>
  <substanceAdministration classCode="SBADM" moodCode="INT">

    <effectiveTime xsi:type="EIVL_TS">

      <event code="ACM"/>
    </effectiveTime>
    <doseQuantity>

      <center value="1"/>
    </doseQuantity>
    <consumable>

      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>
      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">

  <!-- abends 0.5 stück -->

  <sequenceNumber value="2"/>
  <substanceAdministration classCode="SBADM" moodCode="INT">

    <effectiveTime xsi:type="EIVL_TS">

      <event code="ACV"/>
    </effectiveTime>
    <doseQuantity>

      <center value="0.5"/>
    </doseQuantity>
  </substanceAdministration>
</entryRelationship>

```

```

</doseQuantity>
<consumable>

  <manufacturedProduct>

    <manufacturedMaterial nullFlavor="NA"/>
  </manufacturedProduct>
</consumable>
</substanceAdministration>
</entryRelationship>
</snip>

```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	IVL_TS	0 ... 1			(CH-EMED-DosageInstructionsEntryCHP1)
wo [@xsi:type='IVL_TS']					
		 Ziel der Konzept Id(s): cdachemed-dataelement-55  Anwendungsdauer  Parameter eMedikation			
hl7:low	TS	0 ... 1		 Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DosageInstructionsEntryCHP1)
hl7:high	TS	0 ... 1		 End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-DosageInstructionsEntryCHP1)
hl7:effectiveTime	EIVL_TS	0 ... 1		 Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-DosageInstructionsEntryCHP1)
wo [@operator='A' and @xsi:type='EIVL_TS']					
@operator	cs	1 ... 1	F	A	
hl7:event	CS	1 ... 1	M		(CH-EMED-DosageInstructionsEntryCHP1)
@code	cs	1 ... 1	R		
		CONF Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	SXPR_TS	0 ... 1		 Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-DosageInstructionsEntryCHP1)
wo [@operator='A' and @xsi:type='SXPR_TS']					
@operator	CS	1 ... 1	F	A	
@xsi:type	CS	1 ... 1	F	SXPR_TS	
hl7:comp		1 ... 1	M		(CH-EMED-DosageInstructionsEntryCHP1)
wo [@xsi:type='EIVL_TS']					
@xsi:type	CS	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-DosageInstructionsEntryCHP1)
@code	CS	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:comp		1 ... *	M		(CH-EMED-DosageInstructionsEntryCHP1)
wo [@operator='I' and @xsi:type='EIVL_TS']					
@operator	CS	1 ... 1	F	I	
@xsi:type	CS	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-DosageInstructionsEntryCHP1)
@code	CS	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:repeatNumber	IVL_INT	0 ... 1			(CH-EMED-DosageInstructionsEntryCHP1)
	⊙	Ziel der Konzept Id(s): cdachemed-dataelement-44 Wiederholter Bezug pro Arzneimittel Parameter eMedikation			
hl7:routeCode		0 ... 1			(CH-EMED-DosageInstructionsEntryCHP1)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 <i>RouteOfAdministration</i> (DYNAMIC)			
	⊙	Ziel der Konzept Id(s): cdachemed-dataelement-52 Verabreichungsweg Parameter eMedikation			
hl7:doseQuantity		0 ... 1			(CH-EMED-DosageInstructionsEntryCHP1)
hl7:rateQuantity		0 ... 1			(CH-EMED-DosageInstructionsEntryCHP1)

6.2.22 Dosage Instructions CH P2 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12 - 2017-01-23 16:30:55

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12	Gültigkeit	gültig ab 2017-01-23 16:30:55
Status	Draft	Versions-Label	
Name	CH-EMED-DosageInstructionsEntryCHP2	Anzeigenname	Dosage Instructions CH P2
Beschreibung	Dosage Instructions are a set of data elements which together represent the dosage instructions to a medication such as duration of treatment, medication frequency, dose quantity, route of administration, etc. Dosage Instructions may be provided structured and/or narrative. This entry describes structured dosage instructions.		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 12 Templates, Benutzt 0 Templates		
	Benutzt von Template-Id	als	Name
			Version

	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	 Medication Treatment Plan Item Entry Content Module	2016-06-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	  eCurrentMedication Section Content Module	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.1	  eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	  Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	  Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4	  eMedicationComment V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	 Prescription Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	  Prescription Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2	  eRezept V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	 Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1	  Dispense Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.3	  eAbgabe V1	2016-05-21
Beispiel	Dosage Option 3		
	<pre> <!-- 1 morgens, 0.5 abends ab 20120204 --> <snip> <!-- Split dosing --> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.9"/> <effectiveTime xsi:type="IVL_TS"> <low value="20120204"/> </effectiveTime> <routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/> <consumable> <manufacturedProduct> <manufacturedMaterial nullFlavor="NA"/> </manufacturedProduct> </consumable> </pre>		

```
<entryRelationship typeCode="COMP">

  <!-- morgens 1 stück -->

  <sequenceNumber value="1"/>
  <substanceAdministration classCode="SBADM" moodCode="INT">

    <effectiveTime xsi:type="EIVL_TS">

      <event code="ACM"/>
    </effectiveTime>
    <doseQuantity>

      <center value="1"/>
    </doseQuantity>
    <consumable>

      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>
      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">

  <!-- abends 0.5 stück -->

  <sequenceNumber value="2"/>
  <substanceAdministration classCode="SBADM" moodCode="INT">

    <effectiveTime xsi:type="EIVL_TS">

      <event code="ACV"/>
    </effectiveTime>
    <doseQuantity>

      <center value="0.5"/>
    </doseQuantity>
    <consumable>

      <manufacturedProduct>

        <manufacturedMaterial nullFlavor="NA"/>
      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
</snip>
```

Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		0 ... *		 Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-DosageInstructionsEntryCHP2)
wo [@typeCode='COMP' and hl7:substanceAdministration]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:sequenceNumber	INT	1 ... 1	M		(CH-EMED-DosageInstructionsEntryCHP2)
hl7:substanceAdministration		0 ... 1	R		(CH-EMED-DosageInstructionsEntryCHP2)
hl7:effectiveTime	EIVL_TS	0 ... 1		 timing purpose	(CH-EMED-DosageInstructionsEntryCHP2)
wo [@xsi:type='EIVL_TS']					
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-DosageInstructionsEntryCHP2)
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:doseQuantity		0 ... 1			(CH-EMED-DosageInstructionsEntryCHP2)
hl7:rateQuantity		0 ... 1			(CH-EMED-DosageInstructionsEntryCHP2)
hl7:consumable		0 ... 1			(CH-EMED-DosageInstructionsEntryCHP2)
hl7:manufacturedProduct		0 ... 1	R		(CH-EMED-DosageInstructionsEntryCHP2)
hl7:manufacturedMaterial		0 ... 1			(CH-EMED-DosageInstructionsEntryCHP2)

Item	DT	Kard	Konf	Beschreibung	Label
@nullFlavor	cs	1 .. 1	F	NA	

6.2.23 Dosage Instructions Non Structured Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10 - 2016-09-13 15:33:18

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10		Gültigkeit	gültig ab 2016-09-13 15:33:18																												
Status	 Draft		Versions-Label																													
Name	CH-EMED-DosageInstructionsNonStructuredEntryContentModule		Anzeigename	Dosage Instructions Non Structured Entry Content Module																												
Beschreibung	 Dosage Instructions reference to free text (non structured) in narrative part.																															
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10																															
Klassifikation	CDA Entry Level Template																															
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																															
Assoziiert mit	Assoziiert mit 1 Konzept																															
	<table><tr><th>Id</th><th>Name</th><th>Datensatz</th></tr><tr><td>cdachemed-dataelement-50</td><td> Dosierung</td><td> Parameter eMedikation</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-50	 Dosierung	 Parameter eMedikation																									
Id	Name	Datensatz																														
cdachemed-dataelement-50	 Dosierung	 Parameter eMedikation																														
Benutzt von / Benutzt	Benutzt von 9 Templates, Benutzt 0 Templates																															
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1</td><td>Containment</td><td> Medication Treatment Plan Item Entry Content Module</td><td>2016-06-13</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1</td><td></td><td> eCurrentMedication Section Content Module</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.1</td><td></td><td> eCurrentMedication V1</td><td>2016-05-13</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1</td><td></td><td> Pharmaceutical Advice Item Entry Content Module</td><td>2016-06-25</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1</td><td></td><td> Pharmaceutical Advice Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td> eMedicationComment V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21			
	Benutzt von Template-Id	als	Name	Version																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21																												
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06																												
2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21																													

2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1

Containment



Prescription Item Entry Content Module

2016-06-25

2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1





Prescription Section Content Module

2016-06-06

2.16.756.5.30.1.1.1.1.3.10.2





eRezept V1

2016-05-21

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
@classCode	cs	1 ... 1	F	SBADM	
@moodCode	cs	1 ... 1	F	INT	
hl7:templateId	II	1 ... 1	M		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	
hl7:text		1 ... 1	M	 This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the non strutured dosage instructions.	(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
hl7:reference		1 ... 1	M		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
		Ziel der Konzept Id(s): cdachemed-dataelement-50  Dosierung  Parameter eMedikation			
hl7:consumable		1 ... 1	R		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
hl7:manufacturedProduct		1 ... 1	R		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)
hl7:manufacturedMaterial		1 ... 1	R		(CH-EMED-DosageInstructionsNonStructuredEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
@nullFlavor	cs	1 ... 1	F	NA	

6.2.24 Dosage Intake Mode Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11 - 2016-09-13 16:06:07

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11		Gültigkeit	gültig ab 2016-09-13 16:06:07																												
Status	 Draft		Versions-Label																													
Name	CH-EMED-DosageIntakeModeEntryContentModule		Anzeigename	Dosage Intake Mode Entry Content Module																												
Beschreibung	 Dosage intake mode reference to free text (non structured) in narrative part.																															
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11																															
Klassifikation	CDA Entry Level Template																															
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																															
Assoziiert mit	Assoziiert mit 1 Konzept																															
	<table><tr><th>Id</th><th>Name</th><th>Datensatz</th></tr><tr><td>cdachemed-dataelement-51</td><td> Anwendungsschema</td><td> Parameter eMedikation</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-51	 Anwendungsschema	 Parameter eMedikation																									
Id	Name	Datensatz																														
cdachemed-dataelement-51	 Anwendungsschema	 Parameter eMedikation																														
Benutzt von / Benutzt	Benutzt von 9 Templates, Benutzt 0 Templates																															
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1</td><td>Containment</td><td> Medication Treatment Plan Item Entry Content Module</td><td>2016-06-13</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1</td><td></td><td> eCurrentMedication Section Content Module</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.1</td><td></td><td> eCurrentMedication V1</td><td>2016-05-13</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1</td><td></td><td> Pharmaceutical Advice Item Entry Content Module</td><td>2016-06-25</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1</td><td></td><td> Pharmaceutical Advice Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td> eMedicationComment V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21			
	Benutzt von Template-Id	als	Name	Version																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21																												
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25																												
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06																												
2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21																													

		2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1	Containment		Prescription Item Entry Content Module	2016-06-25
		2.16.756.5.30.1.1.1.3.10.2.10.2.10.3.1			Prescription Section Content Module	2016-06-06
		2.16.756.5.30.1.1.1.3.10.2			eRezept V1	2016-05-21

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-DosageIntakeModeEntryContentModule)
@classCode	cs	1 ... 1	F	SBADM	
@moodCode	cs	1 ... 1	F	INT	
hl7:templateId	II	1 ... 1	M		(CH-EMED-DosageIntakeModeEntryContentModule)
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.3.10.2.10.10.4.11	
hl7:text		1 ... 1	M	 This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the dosage intake mode.	(CH-EMED-DosageIntakeModeEntryContentModule)
hl7:reference		1 ... 1	M		(CH-EMED-DosageIntakeModeEntryContentModule)
		Ziel der Konzept Id(s): cdachemed-dataelement-51  Anwendungsschema  Parameter eMedikation			
hl7:consumable		1 ... 1	R		(CH-EMED-DosageIntakeModeEntryContentModule)
hl7:manufacturedProduct		1 ... 1	R		(CH-EMED-DosageIntakeModeEntryContentModule)
hl7:manufacturedMaterial		1 ... 1	R		(CH-EMED-DosageIntakeModeEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
@nullFlavor	cs	1 ... 1	F	NA	

6.2.25 name 2.16.756.5.30.1.1.1.1.3.10.10.2.7 - 2016-06-09

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.7	Gültigkeit	gültig ab 2016-06-09	
Status	 Draft	Versions-Label		
Name	CH-EMED-HNAME	Anzeigename	name	
Beschreibung				
Klassifikation	CDA Header Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Assoziiert mit	Assoziiert mit 2 Konzepte			
	Id	Name	Datensatz	
	cdachemed-dataelement-7	 Name	 Parameter eMedikation	
	cdachemed-dataelement-8	 Vorname	 Parameter eMedikation	
Benutzt von / Benutzt	Benutzt von 10 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.10.2.1		author	2016-06-09
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2		 eRezept V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.3		 eAbgabe V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1		Prescription Item Entry Content Module	2016-06-25

	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1			Prescription Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1			Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1			Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1			Dispense Section Content Module	2016-06-06
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.152 (2005-09-07)				
	Specialization: Template 2.16.756.5.30.1.1.10.9.10 (2015-12-18)				

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:name	PN	1 ... *	M		(CH-EMED-HNAME)
hl7:given	ENXP	1 ... *	M		(CH-EMED-HNAME)
		Ziel der Konzept Id(s): cdachemed-dataelement-8  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CH-EMED-HNAME)
		Ziel der Konzept Id(s): cdachemed-dataelement-7  Name  Parameter eMedikation			

6.2.26 MTP Reference Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 - 2016-07-07

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	Gültigkeit	gültig ab 2016-07-07
Status	 Draft	Versions-Label	
Name	CH-EMED-MTPReferenceEntryContentModule	Anzeigename	MTP Reference Entry Content Module
Beschreibung	Reference to a Medication Treatment Plan Entry		
Klassifikation	CDA Entry Level Template		

Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																																											
Assoziiert mit	Assoziiert mit 1 Konzept																																											
	<table><tr><th> Id </th><th> Name </th><th> Datensatz </th></tr><tr><td>cdachemed-dataelement-73</td><td> Referenz auf eCurrent Medication</td><td> Parameter eMedikation</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-73	Referenz auf eCurrent Medication	Parameter eMedikation																																					
Id	Name	Datensatz																																										
cdachemed-dataelement-73	Referenz auf eCurrent Medication	Parameter eMedikation																																										
Benutzt von / Benutzt	Benutzt von 9 Templates, Benutzt 0 Templates																																											
	<table><tr><th> Benutzt von Template-Id </th><th> als </th><th> Name </th><th> Version </th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1</td><td>Containment</td><td> Prescription Item Entry Content Module</td><td>2016-06-25</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1</td><td></td><td> Prescription Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2</td><td></td><td> eRezept V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1</td><td></td><td> Pharmaceutical Advice Item Entry Content Module</td><td>2016-06-25</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1</td><td></td><td> Pharmaceutical Advice Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td> eMedicationComment V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1</td><td>Containment</td><td> Dispense Item Entry Content Module</td><td>2016-06-17</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1</td><td></td><td> Dispense Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.3</td><td></td><td> eAbgabe V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	Dispense Item Entry Content Module	2016-06-17	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Dispense Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21			
	Benutzt von Template-Id	als	Name	Version																																								
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25																																								
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06																																								
	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21																																								
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25																																								
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06																																								
	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21																																								
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	Dispense Item Entry Content Module	2016-06-17																																								
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Dispense Section Content Module	2016-06-06																																									
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21																																									
Beispiel	Beispiel																																											
	<pre><substanceAdministration classCode="SBADM" moodCode="INT"> <templateId root="1.3.6.1.4.1.19376.1.9.1.3.10"/> <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/> <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item" codeSystemName="IHE Pharmacy Item Type List"/> <consumable> <manufacturedProduct> <manufacturedMaterial nullFlavor="NA"/> </manufacturedProduct> </consumable> </substanceAdministration></pre>																																											

Beispiel

Beispiel

```
<substanceAdministration classCode="SBADM" moodCode="INT">

  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.10"/>
  <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>
  <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item" codeSystemName="IHE Pharmacy Item Type List"/>
  <consumable>

    <manufacturedProduct>

      <manufacturedMaterial nullFlavor="NA"/>
    </manufacturedProduct>
  </consumable>
  <!-- reference to eCurrentMedication document -->

  <reference typeCode="XCRPT">

    <externalDocument>

      <id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/>
    </externalDocument>
  </reference>
</substanceAdministration>
```

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-MTPReferenceEntryContentModule)
@classCode	cs	1 .. 1	F	SBADM	
@moodCode	cs	1 .. 1	F	INT	
		Ziel der Konzept Id(s):			
		cdachemed-dataelement-73		 Referenz auf eCurrent Medication	 Parameter eMedikation
hl7:templateId	II	1 .. 1	M		(CH-EMED-MTPReferenceEntryContentModule)
@root	uid	1 .. 1	F	1.3.6.1.4.1.19376.1.9.1.3.10	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id		1 ... 1	M	 Id of the Medication Treatmen Plan Item referenced	(CH-EMED-MTPReferenceEntryContentModule)
hl7:code	CD	1 ... 1	M		(CH-EMED-MTPReferenceEntryContentModule)
@code	CONF	1 ... 1	F	MTPItem	
@codeSystem		1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		1 ... 1	R		(CH-EMED-MTPReferenceEntryContentModule)
hl7:manufacturedProduct		1 ... 1	R		(CH-EMED-MTPReferenceEntryContentModule)
hl7:manufacturedMaterial		1 ... 1	R		(CH-EMED-MTPReferenceEntryContentModule)
@nullFlavor	CS	1 ... 1	F	NA	
hl7:reference		0 ... 1	R		(CH-EMED-MTPReferenceEntryContentModule)
@typeCode	CS	1 ... 1	F	XCRPT	
hl7:externalDocument		0 ... 1	R		(CH-EMED-MTPReferenceEntryContentModule)
hl7:id		1 ... 1	M		(CH-EMED-MTPReferenceEntryContentModule)

6.2.27 Manufactured Material Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Gültigkeit	gültig ab 2016-06-13
Status	 Draft	Versions-Label	
Name	CH-EMED-ManufacturedMaterialEntryContentModule	Anzeigename	Manufactured Material Entry Content Mo

Beschreibung	 A Medicine entry describes a medicine and is used within Medication Treatment- Prescription- or Dispensation Items. It describes either a medicinal product generic/scientific name or a magistral preparation/compound medicine and contains information such as name, medication form, packaging information and ingredients.			
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2			
Klassifikation	CDA Entry Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Assoziiert mit	Assoziiert mit 7 Konzepte			
	Id	Name	Datensatz	
	cdachemed-dataelement-38	 Präparatename	 Parameter eMed	
	cdachemed-dataelement-39	 Wirkstoffname	 Parameter eMed	
	cdachemed-dataelement-40	 Dosis pro Wirkstoff	 Parameter eMed	
	cdachemed-dataelement-41	 Dosis pro Einheit	 Parameter eMed	
	cdachemed-dataelement-43	 Packungsgrösse	 Parameter eMed	
	cdachemed-dataelement-47	 GTIN	 Parameter eMed	
Benutzt von / Benutzt	cdachemed-dataelement-62	 Galenische Form	 Parameter eMed	
	Benutzt von 12 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21	
2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	 Prescription Item Entry Content Module	2016-06-25	

	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1 	 Prescription Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2 	 eRezept V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 Containment 	 Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1 	 Dispense Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.3 	 eAbgabe V1	2016-05-21
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.311 (2005-09-07)		
	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.1 (2016-01-08 13:04:49)		
Beispiel	Beispiel <pre><manufacturedMaterial classCode="MMAT" determinerCode="KIND"> <!-- CDACH-EMED Manufactured Material Content Module --> <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/> <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/> <code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol"/> <originalText> <reference value="#mtp.1.ingredient"/> </originalText> </code> <name>BELOC ZOK Ret Tabl 50 mg</name> <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/> <pharm:asContent classCode="CONT"> <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE"> <!-- National medicinal product code (package-level) --> <pharm:code code="7680521101306" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="BELOC ZOK Ret Tabl 50 mg 30 Stk"/> <!-- Brand name (package) --> <pharm:name>BELOC ZOK Ret Tabl 50 mg</pharm:name> <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/> <pharm:capacityQuantity value="30"/> </pharm:containerPackagedMedicine> </pharm:asContent> <pharm:ingredient classCode="ACTI"></pre>		

```
<pharm:quantity>

  <pharm:numerator unit="mg" value="50" xsi:type="pharm:PQ"/>
  <pharm:denominator value="1" xsi:type="pharm:PQ"/>
</pharm:quantity>
<pharm:ingredient classCode="MMAT" determinerCode="KIND">

  <pharm:code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol"/>
  <pharm:name>Metoprolol</pharm:name>
</pharm:ingredient>
</pharm:ingredient>
</manufacturedMaterial>
```

Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:manufacturedMaterial					(CH-EMED-ManufacturedMaterialEntryCor
@classCode	cs	0 ... 1	F	MMAT	
@determinerCode	cs	0 ... 1	F	KIND	
hl7:templateId	II	1 ... 1	M	CDACH-EMED Manufactured Material Content Module	(CH-EMED-ManufacturedMaterialEntryCor
wo [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2']					
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	
hl7:templateId	II	1 ... 1	M		(CH-EMED-ManufacturedMaterialEntryCor
wo [@root='1.3.6.1.4.1.19376.1.9.1.3.1']					
@root	uid	0 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.1	
hl7:code	CE	1 ... 1	R	 ATC Code of the medicine, if it as magistral preparation/compound medicin nullFlavor SHALL be NA	(CH-EMED-ManufacturedMaterialEntryCor
@codeSystem	oid	0 ... 1	F	2.16.840.1.113883.6.73	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:originalText	ED	0 ... 1			(CH-EMED-ManufacturedMaterialEntryCon
hl7:reference	TEL	1 ... 1	R		(CH-EMED-ManufacturedMaterialEntryCon
@nullFlavor	cs	0 ... 1	F	NA	
hl7:name	EN	1 ... 1	R	The element SHALL contain the name of the medication.	IHE PHARM PRE 6.3.4.1.3.4
@nullFlavor	cs	0 ... 1	F	NA	
		Ziel der Konzept Id(s): cdachemed-dataelement-38 Präparatename Parameter eMedikation			
pharm:formCode	CE	0 ... 1		This code represents the pharmaceutical dose form (e.g., tablet, capsule, liquid) and SHOULD be present, if not implied by the product.	(CH-EMED-ManufacturedMaterialEntryCon
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14411 <i>OrderableDrugForm</i> (DYNAMIC)			
		Ziel der Konzept Id(s): cdachemed-dataelement-62 Galenische Form Parameter eMedikation			
hl7:lotNumberText	ST	0 ... 1			IHE PHARM PRE 6.3.4.1.3.6
pharm:expirationTime	CE	0 ... *			IHE PHARM PRE 6.3.4.1.3.7
@value		1 ... 1	R		
pharm:asContent		0 ... *			IHE PHARM PRE 6.3.4.1.3.8
@classCode	cs	1 ... 1	F	CONT	
pharm:containerPackagedMedicine		1 ... 1	M	packaging of the medication	IHE PHARM PRE 6.3.4.1.3.8

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	1 ... 1	F	CONT	
@determinerCode	cs	1 ... 1	F	INSTANCE	
pharm:code		0 ... 1		In case the medicine describes a product, the GTIN code of the medication package SHOULD be specified.	IHE PHARM PRE 6.3.4.1.3.8
		Ziel der Konzept Id(s): cdachemed-dataelement-47 GTIN Parameter eMedikation			
pharm:name		0 ... 1		In case the package describes a product, and the package has a brand name, it SHOULD be described.	IHE PHARM PRE 6.3.4.1.3.8
pharm:formCode		0 ... 1			IHE PHARM PRE 6.3.4.1.3.8
pharm:capacityQuantity	PQ	1 ... 1	R	The element SHALL be present and describes the capacity of the packaging.	IHE PHARM PRE 6.3.4.1.3.8
@unit	cs	0 ... 1			
@value		1 ... 1	R		
		Ziel der Konzept Id(s): cdachemed-dataelement-43 Packungsgrösse Parameter eMedikation			
pharm:ingredient		0 ... *		One or more active ingredients SHOULD be represented with this structure.	(CH-EMED-ManufacturedMaterialEntryCo
@classCode	cs	1 ... 1	F	ACTI	
pharm:quantity		0 ... 1		The medication strength is represented as the ratio of the active ingredient(s) to a unit of medication	(CH-EMED-ManufacturedMaterialEntryCo
		Ziel der Konzept Id(s): cdachemed-dataelement-40 Dosis pro Wirkstoff Parameter eMedikation cdachemed-dataelement-41 Dosis pro Einheit Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
pharm:numerator		0 ... 1			(CH-EMED-ManufacturedMaterialEntryCor
pharm:denominator		0 ... 1			(CH-EMED-ManufacturedMaterialEntryCor
pharm:ingredient		0 ... *			(CH-EMED-ManufacturedMaterialEntryCor
@classCode	cs	1 ... 1	F	MMAT	
@determinerCode	cs	1 ... 1	F	KIND	
pharm:code		0 ... 1			(CH-EMED-ManufacturedMaterialEntryCor
pharm:name		1 ... 1	R		(CH-EMED-ManufacturedMaterialEntryCor
Ziel der Konzept Id(s): cdachemed-dataelement-39 Wirkstoffname Parameter eMedikation					

6.2.28 ○ Medication Treatment Plan Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Gültigkeit	gültig ab 2016-06-13
Status	Draft	Versions-Label	
Name	CH-EMED-MedicationTreatmentPlanEntryContentModule	Anzeigename	Medication Treatment Plan Item Entry
Beschreibung	A medication treatment plan item is an entity describing a medication included in the medication treatment plan of the patient. See also IHE Pharmacy M		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz

	cdachemed-dataelement-4	 Arzneimittel/Herstellung	 Parameter	
Benutzt von / Benutzt	Benutzt von 5 Templates, Benutzt 9 Templates			
	Benutzt von Template-Id	als	Name	Versi
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	Containment	 eCurrentMedication Section Content Module	2016
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	 Pharmaceutical Advice Item Entry Content Module	2016
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016
	Benutzt Template-Id	als	Name	Versi
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	 Dosage Instructions CH P1	DYNA
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Containment	 Manufactured Material Entry Content Module	DYNA
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12	Inklusion	 Dosage Instructions CH P2	DYNA
	1.3.6.1.4.1.19376.1.5.3.1.4.4.1	Containment	 IHE Internal Reference Entry (2014)	DYNA
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	Containment	 Treatment Reason Entry Content Module	DYNA
	1.3.6.1.4.1.19376.1.5.3.1.4.3	Containment	 IHE Patient Medication Instructions (2014)	DYNA
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10	Containment	 Dosage Instructions Non Structured Entry Content Module	DYNA
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11	Containment	 Dosage Intake Mode Entry Content Module	DYNA	
2.16.756.5.30.1.1.10.4.2	Containment	 CDA-CH Remarks Reference Entry	DYNA	
Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.7 (2005-09-07)			
	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.7 (DYNAMIC)			
	Specialization: Template 2.16.840.1.113883.10.20.1.24 (DYNAMIC)			
Beispiel	Beispiel			

```

<substanceAdministration classCode="SBADM" moodCode="INT">

  <!-- IHE PHARM MTP Required element indicating the Medication Treatment
Plan entry content module -->

  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.7"/>
  <!-- CCD -->

  <templateId root="2.16.840.1.113883.10.20.1.24"/>
  <!-- PCC Medication Entry Content Module -->

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7"/>
  <!-- CH-EMED Medication Treatment Plan Item Entry Content Module -->

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1"/>
  <!-- Split dosing -->

  <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.9"/>
  <!-- ID of mtp item, PCC TF2 6.3.4.16.6 -->

  <id root="2.16.756.5.30.1.1.1.1" extension="bcd9970-4778-11e6-beb8-9e71128cae77"/>
  <text>

    <reference value="#mtp.1"/>
  </text>
  <statusCode code="completed"/>
  <effectiveTime xsi:type="IVL_TS">

    <low value="20120204"/>
  </effectiveTime>
  <routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/>
  <consumable>

    <manufacturedProduct classCode="MANU">

      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.2"/>
      <templateId root="2.16.840.1.113883.10.20.1.53"/>
      <manufacturedMaterial classCode="MMAT" determinerCode="KIND">

        <!-- CDACH-EMED Manufactured Material Content Module -->

        <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/>
        <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/>
        <code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol">

          <originalText>

            <reference value="#mtp.1.ingredient"/>
          </originalText>
        </code>
      </manufacturedMaterial>
    </manufacturedProduct>
  </consumable>
</substanceAdministration>

```

```

<name>BELOC ZOK Ret Tabl 50 mg</name>
<pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>
<pharm:asContent classCode="CONT">

  <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE">

    <!-- National medicinal product code (package-level) -->

    <pharm:code code="7680521101306" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="BELOC ZOK Ret Tabl 50 mg 30 St
    <!-- Brand name (package) -->

    <pharm:name>BELOC ZOK Ret Tabl 50 mg</pharm:name>
    <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>
    <pharm:capacityQuantity value="30"/>
  </pharm:containerPackagedMedicine>
</pharm:asContent>
<pharm:ingredient classCode="ACTI">

  <pharm:quantity>

    <pharm:numerator unit="mg" value="50" xsi:type="pharm:PQ"/>
    <pharm:denominator value="1" xsi:type="pharm:PQ"/>
  </pharm:quantity>
  <pharm:ingredient classCode="MMAT" determinerCode="KIND">

    <pharm:code code="C07AB02" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="Metoprolol"/>
    <pharm:name>Metoprolol</pharm:name>
  </pharm:ingredient>
</pharm:ingredient>
</manufacturedMaterial>
</manufacturedProduct>
</consumable>
<entryRelationship typeCode="COMP">

  <!-- morgens 1 stück -->

  <sequenceNumber value="1"/>
  <substanceAdministration classCode="SBADM" moodCode="INT">

    <effectiveTime xsi:type="EIVL_TS">

      <event code="ACM"/>
    </effectiveTime>
    <doseQuantity>

      <center value="1"/>
    </doseQuantity>
  </substanceAdministration>
</entryRelationship>
</consumable>

</manufacturedProduct>

```

```

        <manufacturedMaterial nullFlavor="NA"/>
      </manufacturedProduct>
    </consumable>
  </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">

  <!-- abends 0.5 stück -->

  <sequenceNumber value="2"/>
  <substanceAdministration classCode="SBADM" moodCode="INT">

    <effectiveTime xsi:type="EIVL_TS">

      <event code="ACV"/>
    </effectiveTime>
    <doseQuantity>

      <center value="0.5"/>
    </doseQuantity>
  </consumable>

  <manufacturedProduct>

    <manufacturedMaterial nullFlavor="NA"/>
  </manufacturedProduct>
</consumable>
</substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="RSN">

  <observation classCode="OBS" moodCode="EVN">

    <templateId root="2.16.756.5.30.1.127.77.4.10.20"/>
    <code code="75326-9" codeSystem="2.16.840.1.113883.6.1" displayName="Problem"/>
    <statusCode code="completed"/>
    <value xsi:type="CD" nullFlavor="OTH">

      <originalText>

        <reference value="#mtp.1.reason"/>
      </originalText>
    </value>
  </observation>
</entryRelationship>
<entryRelationship typeCode="SUBJ" inversionInd="true">

  <act classCode="ACT" moodCode="INT">

    <templateId root="2.16.840.1.113883.10.20.1.49"/>
    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.3"/>

```

```
<code code="PINSTRUCT" codeSystem="1.3.6.1.4.1.19376.1.5.3.2" codeSystemName="IHEActCode"/>
<text>

    <reference value="#mtp.1.pinstruct"/>
</text>
<statusCode code="completed"/>
</act>
</entryRelationship>
<entryRelationship typeCode="COMP">

    <!-- CH-EMED-DosageIntakeModeEntryContentModule -->

    <substanceAdministration moodCode="INT" classCode="SBADM">

        <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11"/>
        <text>

            <reference value="#mtp.1.dosageintakemode"/>
        </text>
        <consumable>

            <manufacturedProduct>

                <manufacturedMaterial nullFlavor="NA"/>
            </manufacturedProduct>
        </consumable>
    </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="COMP">

    <act classCode="ACT" moodCode="EVN">

        <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.2"/>
        <templateId root="2.16.840.1.113883.10.20.1.40"/>
        <code code="48767-8" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="Annotation comment"/>
        <text>

            <reference value="#mtp.1.note"/>
        </text>
        <statusCode code="completed"/>
    </act>
</entryRelationship>
</substanceAdministration>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
h17:substanceAdministration					(CH-EMED-MedicationTreatmentPla

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	1 ... 1	F	SBADM	
@moodCode	cs	1 ... 1	F	INT	
		Ziel der Konzept Id(s): cdachemed-dataelement-4  Arzneimittel/Herstellung  Parameter eMedikation			
hl7:templateId	II	1 ... 1	M	 IHE PHARM MTP	(CH-EMED-MedicationTreatmentPla
wo [@root='1.3.6.1.4.1.19376.1.9.1.3.7']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.7	
hl7:templateId	II	1 ... 1	M	 CCD	(CH-EMED-MedicationTreatmentPla
wo [@root='2.16.840.1.113883.10.20.1.24']					
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.24	
hl7:templateId	II	1 ... 1	M	 PCC Medication Entry Content Module	(CH-EMED-MedicationTreatmentPla
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.4.7']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7	
hl7:templateId	II	1 ... 1	M	 CH-EMED Medication Treatment Plan Item Entry Content Module	(CH-EMED-MedicationTreatmentPla
wo [@root='2.16.756.5.30.1.1.1.3.10.2.10.1.10.4.1']					
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.3.10.2.10.1.10.4.1	
Auswahl		1 ...		Elemente in der Auswahl: ▪ hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1']	

Item	DT	Kard	Konf	Beschreibung	Label
				hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']	
hl7:templateId	II	0 ... 1		 A normal substanceAdministration act that may not contain any subordinate substanceAdministration acts.	(CH-EMED-MedicationTreatmentPlan)
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.1	
hl7:templateId	II	0 ... 1		 A substanceAdministration act that records split dose information in subordinate substanceAdministration acts.	(CH-EMED-MedicationTreatmentPlan)
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.9	
hl7:id		1 ... 1	M	 This ID represents the Medication Treatment Plan Item ID and SHALL be present. ID created by the software which created it or @root='2.16.756.5.30.1.1.3.5.1' with a GUID as @extension	(CH-EMED-MedicationTreatmentPlan)
hl7:text		1 ... 1	M		(CH-EMED-MedicationTreatmentPlan)
hl7:reference		1 ... 1	M	 This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication included in the plan.	(CH-EMED-MedicationTreatmentPlan)
hl7:statusCode		1 ... 1	M		(CH-EMED-MedicationTreatmentPlan)
@code		1 ... 1	F	completed	
Eingefügt				von 2.16.756.5.30.1.1.1.3.10.2.10.10.4.1 Dosage Instructions CH P1 (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 ... 1			(CH-EMED-MedicationTreatmentPlan)
wo [@xsi:type='IVL_TS']					
			Ziel der Konzept Id(s):		

Item	DT	Kard	Konf	Beschreibung	Label
		cdachemed-dataelement-55			Parameter eMedikation
hl7:low	TS	0 ... 1		Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-MedicationTreatmentPla
hl7:high	TS	0 ... 1		End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-MedicationTreatmentPla
hl7:effectiveTime	EIVL_TS	0 ... 1		Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-MedicationTreatmentPla
wo [@operator='A' and @xsi:type='EIVL_TS']					
@operator	cs	1 ... 1	F	A	
hl7:event	CS	1 ... 1	M		(CH-EMED-MedicationTreatmentPla
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:effectiveTime	SXPR_TS	0 ... 1		Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-MedicationTreatmentPla
wo [@operator='A' and @xsi:type='SXPR_TS']					
@operator	cs	1 ... 1	F	A	
@xsi:type	cs	1 ... 1	F	SXPR_TS	
hl7:comp		1 ... 1	M		(CH-EMED-MedicationTreatmentPla
wo [@xsi:type='EIVL_TS']					
@xsi:type	cs	1 ... 1	F	EIVL_TS	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:event	CS	1 ... 1	M		(CH-EMED-MedicationTreatmentPla
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:comp		1 ... *	M		(CH-EMED-MedicationTreatmentPla
wo [<i>@operator='I' and @xsi:type='EIVL_TS'</i>]					
@operator	cs	1 ... 1	F	I	
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-MedicationTreatmentPla
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:repeatNumber	IVL_INT	0 ... 1			(CH-EMED-MedicationTreatmentPla
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-44  Wiederholter Bezug pro Arzneimittel  Parameter eMedikation			
hl7:routeCode		0 ... 1			(CH-EMED-MedicationTreatmentPla
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 <i>RouteOfAdministration</i> (DYNA			
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-52  Verabreichungsweg  Parameter eMedikation			
hl7:doseQuantity		0 ... 1			(CH-EMED-MedicationTreatmentPla

Item	DT	Kard	Konf	Beschreibung	Label
hl7:rateQuantity		0 ... 1			(CH-EMED-MedicationTreatmentPla
hl7:consumable		1 ... 1			(CH-EMED-MedicationTreatmentPla
hl7:manufacturedProduct		1 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.2 <i>Manufactured Material Entry Content Module</i> (DYNAMIC)	(CH-EMED-MedicationTreatmentPla
wo [hl7:templateId/@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.2' and hl7:templateId/@root='2.16.840.1.113883.10.20.1.53']					
hl7:templateId	II	1 ... 1	M		(CH-EMED-MedicationTreatmentPla
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.2	
hl7:templateId	II	1 ... 1	M		(CH-EMED-MedicationTreatmentPla
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.53	
Eingefügt				von 2.16.756.5.30.1.1.1.3.10.2.10.10.4.12 <i>Dosage Instructions CH P2</i> (DYNAMIC)	
hl7:entryRelationship		0 ... *		 Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-MedicationTreatmentPla
wo [@typeCode='COMP' and hl7:substanceAdministration]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:sequenceNumber	INT	1 ... 1	M		(CH-EMED-MedicationTreatmentPla
hl7:substanceAdministration		0 ... 1	R		(CH-EMED-MedicationTreatmentPla
hl7:effectiveTime	EIVL_TS	0 ... 1		 timing purpose	(CH-EMED-MedicationTreatmentPla
wo [@xsi:type='EIVL_TS']					
@xsi:type	cs	1 ... 1	F	EIVL_TS	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:event	CS	1 ... 1	M		(CH-EMED-MedicationTreatmentPla
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:doseQuantity		0 ... 1			(CH-EMED-MedicationTreatmentPla
hl7:rateQuantity		0 ... 1			(CH-EMED-MedicationTreatmentPla
hl7:consumable		0 ... 1			(CH-EMED-MedicationTreatmentPla
hl7:manufacturedProduct		0 ... 1	R		(CH-EMED-MedicationTreatmentPla
hl7:manufacturedMaterial		0 ... 1			(CH-EMED-MedicationTreatmentPla
@nullFlavor	cs	1 ... 1	F	NA	
hl7:entryRelationship		0 ... 1		 IHE MTP Reason. Referencing to the Treatment Reason Entry Content Module below (required by IHE PHARM) Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.4.1 <i>IHE Internal Reference Entry</i> (DYNAMIC)	IHE PHARM MTP 6.3.4.E1.3.12
wo [hl7:act [hl7:templateId [@root='1.3.6.1.4.1.19376.1.5.3.1.4.4.1']]]					
@typeCode	cs	1 ... 1	F	RSN	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.4 <i>Treatment Reason Entry Content Module</i> (DYNAMIC)	(CH-EMED-MedicationTreatmentPla
wo [hl7:observation]					
@typeCode	cs	1 ... 1	F	RSN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		0 ... 1		Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.3 IHE Patient Medication Instructions (DYNAMIC)	(CH-EMED-MedicationTreatmentPla
wo [hl7:act [hl7:templateId [@root='1.3.6.1.4.1.19376.1.5.3.1.4.3']]]					
@typeCode	cs	1 ... 1	F	SUBJ	
@inversionInd	bl	1 ... 1	F	true	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10 Dosage Instructions Non Structured Entry Content Module (DYNAMIC)	(CH-EMED-MedicationTreatmentPla
wo [hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11 Dosage Intake Mode Entry Content Module (DYNAMIC)	(CH-EMED-MedicationTreatmentPla
wo [hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.10.4.2 CDA-CH Remarks Reference Entry (DYNAMIC)	(CH-EMED-MedicationTreatmentPla
wo [hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]					
@typeCode	cs	1 ... 1	F	COMP	

6.2.29 eCurrentMedication Section Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1 - 2016-05-21

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	Gültigkeit	gültig ab 2016-05-21
Status	 Draft	Versions-Label	
Name	CH-EMED-MedicationTreatmentPlanSectionContentModule	Anzeigename	eCurrentMedication Section Co

Beschreibung	🇺🇸 The eCurrentMedication Section includes the current medication of a patient as complete as possible. See IHE Pharmacy PML Suppl. It includes eCurrentMedication Treatment Plan Items as described in the Medication Treatment Plan Item Entry Content Module. See also IHE Pharmacy MTP Suppl. Other entries like Prescription Pharmaceutical Advise entries which are allowed in a PML section are not allowed in the eCurrentMedication section.		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.3.10.2.10.1.10.3.1		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 1 Template		
	Benutzt von Template-Id	als	Name
	2.16.756.5.30.1.1.1.3.10.1	Containment	🟡 eCurrentMedication V1
	Benutzt Template-Id	als	Name
	2.16.756.5.30.1.1.1.3.10.2.10.1.10.4.1	Containment	🟡 Medication Treatment Plan Item Entry Content Module
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.201 (2005-09-07)		
Beispiel	Beispiel		
	<pre><section> <!-- CDA-CH EMED eCurrentMedication Section --> <templateId root="2.16.756.5.30.1.1.1.3.10.2.10.1.10.3.1"/> <!-- IHE PHARM PML --> <templateId root="1.3.6.1.4.1.19376.1.9.1.2.5"/> <code code="77604-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of medication use"/> <title>eCurrentMedication</title> <text> <!-- ... --> </text> </entry> <!-- ... --> </entry> </section></pre>		
Beispiel	Beispiel		
	<pre><section></pre>		


```

<!-- CDA-CH EMED eCurrentMedication Section-->

<templateId root="2.16.756.5.30.1.1.1.3.10.2.10.1.10.3.1"/>
<!-- IHE PHARM PML -->

<templateId root="1.3.6.1.4.1.19376.1.9.1.2.5"/>
<code code="77604-7" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="History of medication use"/>
<title>eCurrentMedication</title>
<text>

<table>

  <thead>

    <tr>

      <th>Präpartenname</th>
      <th>Wirkstoffname</th>
      <th>Dosis pro Einheit</th>
      <th>Galenische Form</th>
      <th>Verabreichungsweg</th>
      <th>Anwendungsschema (Einnahmemodus)</th>
      <th>Dos.Morgen</th>
      <th>Dos.Mittag</th>
      <th>Dos.Aabend</th>
      <th>Dos.Nacht</th>
      <th>Anwendungsdauer (Behandlungsdauer)</th>
      <th>Behandlungsgrund</th>
      <th>Status</th>
      <th>Hinweis</th>

    </tr>
  </thead>
  <tbody>

    <tr ID="mtp.1">

      <td ID="mtp.1.brandedmedication">Triatec</td>
      <td ID="mtp.1.ingredient">Ramipril</td>
      <td ID="mtp.1.dosequantity">2.5 mg</td>
      <td ID="mtp.1.packageform">Tbl</td>
      <td ID="mtp.1.routecode">oral</td>
      <td ID="mtp.1.dosageintakemode">Morgens 1/2 Tablette nehmen</td>
      <td ID="mtp.1.dosagemorning">0.5</td>
      <td ID="mtp.1.dosagelunch">0</td>
      <td ID="mtp.1.dosageevening">0</td>
      <td ID="mtp.1.dosagenight">0</td>
      <td ID="mtp.1.datefromto"/>
      <td ID="mtp.1.reason">Bluthochdruck</td>
      <td ID="mtp.1.status">abgegeben</td>
      <td ID="mtp.1.note"/>

    </tr>
  </tbody>
</table>

```

```
</tbody>
</table>
</text>
<!-- Initial Planning of Triatec -->

<entry>

  <!-- ... -->

</entry>
</section>
```

Alles ausklappenAlles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CH-EMED-MedicationTreatmentPlan)
hl7:templateId	II	1 .. 1	M		(CH-EMED-MedicationTreatmentPlan)
@root	uid	1 .. 1	F	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1	
				 CDA-CH EMED eCurrentMedication	
hl7:templateId	II	1 .. 1	M		(CH-EMED-MedicationTreatmentPlan)
@root	uid	1 .. 1	F	1.3.6.1.4.1.19376.1.9.1.2.5	
				 IHE PHARM PML	
hl7:id	II	0 .. 1			(CH-EMED-MedicationTreatmentPlan)
hl7:code	CE	0 .. 1			(CH-EMED-MedicationTreatmentPlan)
@code		1 .. 1	F	10160-0	
@codeSystem	CONF	1 .. 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		1 .. 1	F	History of medication use	

Item	DT	Kard	Konf	Beschreibung	Label
@codeSystemName		1 ... 1	F	LOINC	
hl7:title	ST	0 ... 1			(CH-EMED-MedicationTreatmentPlan)
	CONF	Elementinhalt muss "eCurrentMedication" sein			
hl7:text	SD.TEXT	1 ... 1	M		(CH-EMED-MedicationTreatmentPlan)
hl7:entry		0 ... *		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.1.10.4.1 Medication Treatment Plan Item Entry Content Module (DYNAMIC)	(CH-EMED-MedicationTreatmentPlan)

6.2.30 ○ PADV Reference Entry Content Module 2.16.756.5.30.1.1.1.3.10.2.10.4.10.4.3 - 2017-10-11 12:06:00

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.3	Gültigkeit	gültig ab 2017-10-11 12:06:00		
Status	 Draft	Versions-Label			
Name	CH-EMED-PADVReferenceEntryContentModule	Anzeigename	PADV Reference Entry Content Module		
Beschreibung	 Reference to Pharmaceutical Advice				
Klassifikation	CDA Entry Level Template				
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Alles ausklappen Alles einklappen					
Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		1 ... 1	R		(CH-EMED-PADVReferenceEntryContentModule)
wo [hl7:observation/hl7:code/@code='PADVItem']					
@typeCode		1 ... 1	F	REFR	
hl7:observation					(CH-EMED-PADVReferenceEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
@classCode		1 ... 1	F	OBS	
@moodCode		1 ... 1	F	EVN	
hl7:templateId	II	1 ... 1	M		(CH-EMED-PADVReferenceEntryContentModule)
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.13	
hl7:id		1 ... 1	M		(CH-EMED-PADVReferenceEntryContentModule)
hl7:code	CD	1 ... 1	M		(CH-EMED-PADVReferenceEntryContentModule)
@code	CONF	1 ... 1	F	PADVItem	
@codeSystem		1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	

6.2.31 recordTarget 2.16.756.5.30.1.1.1.1.3.10.10.2.5 - 2016-06-08

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.5	Gültigkeit	gültig ab 2016-06-08
Status	 Draft	Versions-Label	
Name	CH-EMED-PAT	Anzeigename	recordTarget
Beschreibung			
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 5 Konzepten		
	Id	Name	Datensatz
	cdachemed-dataelement-3	 Patient	 Parameter eMedikation

	cdachemed-dataelement-25  Geburtsjahr  Parameter eMedikation																				
	cdachemed-dataelement-26  Geburtsdatum  Parameter eMedikation																				
	cdachemed-dataelement-23  Name  Parameter eMedikation																				
	cdachemed-dataelement-24  Vorname  Parameter eMedikation																				
Benutzt von / Benutzt	Benutzt von 4 Templates, Benutzt 0 Templates																				
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.1</td><td></td><td>eCurrentMedication V1</td><td>2016-05-13</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2</td><td></td><td>eRezept V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.3</td><td></td><td>eAbgabe V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td>eMedicationComment V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
	Benutzt von Template-Id	als	Name	Version																	
	2.16.756.5.30.1.1.1.1.3.10.1		eCurrentMedication V1	2016-05-13																	
	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21																	
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21																		
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21																		
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.101 (2005-09-07)																				
	Specialization: Template 2.16.756.5.30.1.1.10.2.1 (2015-12-14)																				
Beispiel	Beispiel <pre><recordTarget> <patientRole> <id nullFlavor="NI"/> <patient> <name> <family>Wegmüller</family> <given>Monika</given> </name> <administrativeGenderCode nullFlavor="UNK"/> <birthTime value="1943"/> </patient> </patientRole></pre>																				

Beispiel

```
</recordTarget>

Beispiel

<recordTarget>

  <patientRole>

    <id extension="807569999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>
    <addr>

      <streetAddressLine>Idastrasse 50</streetAddressLine>
      <city>Zürich</city>
      <postalCode>8003</postalCode>
      <country>CH</country>
    </addr>
    <telecom value="tel:+41.44.300.00.00" use="HP"/>
    <telecom value="tel:+41.44.300.00.00" use="MC"/>
    <telecom value="tel:+41.44.300.00.00" use="WP"/>
    <patient>

      <name>

        <family>Wegmüller</family>
        <given>Monika</given>
      </name>
      <administrativeGenderCode code="F" codeSystem="2.16.840.1.113883.5.1" displayName="Female"/>
      <birthTime value="19430515"/>
    </patient>
  </patientRole>
</recordTarget>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:recordTarget		1 ... *	M		(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-3  Patient  Parameter eMedikation			
hl7:patientRole		1 ... 1	M		(CH-EMED-PAT)
hl7:id	II	1 ... *	R	 Contains the patient identifiers. The OID (root attribute) SHALL be published in the oid registry of switzerland. Identifiers can be from a Master Patient Index (MPI) or internal numbers from institutions.	(CH-EMED-PAT)

Item	DT	Kard	Konf	Beschreibung	Label
	Beispiel	<id extension="807569999999999930200" root="2.16.756.5.30.4.9.1.1.1000.200.3"/>			
hl7:addr	AD	0 ... *			(CH-EMED-PAT)
hl7:streetAddressLine	ADXP	0 ... *			(CH-EMED-PAT)
hl7:postalCode	ADXP	0 ... *			(CH-EMED-PAT)
hl7:city	ADXP	0 ... *			(CH-EMED-PAT)
hl7:country	ADXP	0 ... *			(CH-EMED-PAT)
hl7:telecom	TEL	0 ... *			(CH-EMED-PAT)
hl7:patient		1 ... 1	M		(CH-EMED-PAT)
hl7:name	PN	1 ... 1	M		(CH-EMED-PAT)
hl7:given	ENXP	1 ... *	M		(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-24  Vorname  Parameter eMedikation			
hl7:family	ENXP	1 ... 1	M		(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-23  Name  Parameter eMedikation			
hl7:administrativeGenderCode	CE	1 ... 1	R		(CH-EMED-PAT)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.1 AdministrativeGender (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:birthTime	TS	1 ... 1	M	 The birthday SHALL be provided at least to the birth year.	(CH-EMED-PAT)
		Ziel der Konzept Id(s): cdachemed-dataelement-25  Geburtsjahr  Parameter eMedikation cdachemed-dataelement-26  Geburtsdatum  Parameter eMedikation			

6.2.32 ○ PRE Reference Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3 - 2017-01-11 11:10:04

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3			Gültigkeit	gültig ab 2017-01-11 11:10:04		
Status	 Draft			Versions-Label			
Name	CH-EMED-PREReferenceEntryContentModule			Anzeigename	PRE Reference Entry Content Module		
Beschreibung	 Reference to Prescription Item						
Klassifikation	CDA Entry Level Template						
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)						
Assoziiert mit	Assoziiert mit 1 Konzept						
	Id	Name				Datensatz	
	cdachemed-dataelement-72	 Referenz auf eRezept				 Parameter eMedikation	
Benutzt von / Benutzt	Benutzt von 6 Templates, Benutzt 0 Templates						
	Benutzt von Template-Id	als	Name			Version	
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	 Dispense Item Entry Content Module			2016-06-17	
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		 Dispense Section Content Module			2016-06-06	
	2.16.756.5.30.1.1.1.1.3.10.3		 eAbgabe V1			2016-05-21	
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	 Pharmaceutical Advice Item Entry Content Module			2016-06-25	

	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21

Beispiel

```
<substanceAdministration classCode="SBADM" moodCode="INT">

  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.11"/>
  <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>
  <code code="PREItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Prescription Item" codeSystemName="IHE Pharmacy Item Type List"/>
  <consumable>

    <manufacturedProduct>

      <manufacturedMaterial nullFlavor="NA"/>
    </manufacturedProduct>
  </consumable>
</substanceAdministration>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-PREReferenceEntryContentModule)
@classCode	cs	1 .. 1	F	SBADM	
@moodCode	cs	1 .. 1	F	INT	
		Ziel der Konzept Id(s): cdachemed-dataelement-72  Referenz auf eRezept  Parameter eMedikation			
hl7:templateId	II	1 .. 1	M		(CH-EMED-PREReferenceEntryContentModule)
@root	uid	1 .. 1	F	1.3.6.1.4.1.19376.1.9.1.3.11	
hl7:id		1 .. 1	M	 Id of the Medication Treatmen Plan Item referenced	(CH-EMED-PREReferenceEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:code	CD	1 ... 1	M		(CH-EMED-PREReferenceEntryContentModule)
@code	CONF	1 ... 1	F	PREItem	
@codeSystem		1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		1 ... 1	R		(CH-EMED-PREReferenceEntryContentModule)
hl7:manufacturedProduct		1 ... 1	R		(CH-EMED-PREReferenceEntryContentModule)
hl7:manufacturedMaterial		1 ... 1	R		(CH-EMED-PREReferenceEntryContentModule)
@nullFlavor	CS	1 ... 1	F	NA	
hl7:reference		0 ... 1	R		(CH-EMED-PREReferenceEntryContentModule)
@typeCode	CS	1 ... 1	F	XCRPT	
hl7:externalDocument		0 ... 1	R		(CH-EMED-PREReferenceEntryContentModule)
hl7:id		1 ... 1	M		(CH-EMED-PREReferenceEntryContentModule)

6.2.33 Pharmaceutical Advice Item Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1 - 2016-06-25

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Gültigkeit	gültig ab 2016-06-25
Status	 Draft	Versions-Label	
Name	CH-EMED- PharmaceuticalAdviceItemEntryContentModule	Anzeigename	Pharmaceutical Advice Item Entry Content Module
Beschreibung	 A Pharmaceutical Advice Item belongs to one Pharmaceutical Advice and represents the validation outcome or management command regarding the referenced Medication Treatment Plan-, Prescription- or Dispense Item (e.g., change, cancel, etc.).		

Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1			
Label	IHE PHARM PADV 6.3.4.3			
Klassifikation	CDA Entry Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Assoziiert mit	Assoziiert mit 3 Konzepte			
	Id	Name		Datensatz
	cdachemed-dataelement-67	 Typ des Kommentars		 Parameter eMedikation
	cdachemed-dataelement-21	 Kommentar		 Parameter eMedikation
	cdachemed-dataelement-36	 eMedicationComment: Kommentar zur Medikation		 Parameter eMedikation
Benutzt von / Benutzt	Benutzt von 2 Templates, Benutzt 8 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Containment	 Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21
	Benutzt Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	Containment	 MTP Reference Entry Content Module	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3	Containment	 PRE Reference Entry Content Module	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.2	Containment	 DIS Reference Entry Content Module	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	 Prescription Item Entry Content Module	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	 Dosage Instructions CH P1	DYNAMIC
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12	Inklusion	 Dosage Instructions CH P2	DYNAMIC
	2.16.756.5.30.1.1.10.4.2	Containment	 CDA-CH Remarks Reference Entry	DYNAMIC
	Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.3 (<i>DYNAMIC</i>)		

Beispiel

Beispiel

```

<observation classCode="OBS" moodCode="EVN">

  <!-- IHE PHARM PADV -->

  <templateId root="1.3.6.1.4.1.19376.1.9.1.3.3"/>
  <!-- CH-EMED-PharmaceuticalAdviceItemEntryContentModule -->

  <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1"/>
  <id root="2.16.756.5.30.1.1.1.1" extension="9cdbaef6-2971-11e6-b67b-9e71128cae77"/>
  <!-- medication will be canceled -->

  <code code="CANCEL" codeSystem="1.3.6.1.4.1.19376.1.9.2.1" codeSystemName="IHE Pharmaceutical Advice Status List"/>
  <text>

    <reference value="#padv.1"/>
  </text>
  <statusCode code="completed"/>
  <effectiveTime value="20120204140000+0100"/>
  <value xsi:type="CD" code="VAL" codeSystem="2.16.756.5.30.1.127.77.4.11.3" codeSystemName="eMedicationCommentType"
displayName="Validierungsentscheid"/>
  <entryRelationship typeCode="REFR">

    <substanceAdministration classCode="SBADM" moodCode="INT">

      <!-- reference to eCurrent Medication MTP Item Step 1 (not step 2) -->

      <id root="2.16.756.5.30.1.1.1.1" extension="17931678-20b4-11e6-b67b-9e71128cae77"/>
      <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item"
codeSystemName="IHE Pharmacy Item Type List"/>
      <consumable>

        <manufacturedProduct>

          <manufacturedMaterial nullFlavor="NA"/>
        </manufacturedProduct>
      </consumable>
    </substanceAdministration>
  </entryRelationship>
  <!-- One or more Pharmaceutical Advice Concern entries -->

  <entryRelationship typeCode="REFR" inversionInd="false">

    <act classCode="ACT" moodCode="EVN">

      <templateId root="2.16.840.1.113883.10.20.1.27"/>
      <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5.1"/>
      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.5"/>
      <id root="2.16.756.5.30.1.1.1.1" extension="9cdbaef6-2971-11e6-b67b-9e71128cae77"/>
      <code nullFlavor="NA"/>
    </act>
  </entryRelationship>

```

```

<text>

  <reference value="#padv1.comment"/>
</text>
<statusCode code="completed"/>
<effectiveTime>

  <low value="20120204140000+0100"/>
</effectiveTime>
<entryRelationship typeCode="SUBJ" inversionInd="false">

  <observation classCode="OBS" moodCode="EVN" negationInd=" false">

    <templateId root="2.16.840.1.113883.10.20.1.28"/>
    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.5"/>
    <code code="282291009" displayName="Diagnosis" codeSystem="2.16.840.1.113883.6.96" codeSystemName="SNOMED CT"/>
    <text>

      <reference value="#padv.1.typ"/>
    </text>
    <statusCode code="completed"/>
    <effectiveTime>

      <low value="20120204140000+0100"/>
    </effectiveTime>
    <value xsi:type="CD">

      <originalText>

        <reference value="#padv.1.typ"/>
      </originalText>
    </value>
    </observation>
  </entryRelationship>
<entryRelationship typeCode="SUBJ" inversionInd="true">

  <observation classCode="OBS" moodCode="EVN">

    <templateId root="2.16.840.1.113883.10.20.1.55"/>
    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.1"/>
    <code code="SEV" displayName="Severity" codeSystem="2.16.840.1.113883.5.4" codeSystemName="ActCode"/>
    <text>

      <reference value="#padv.1.classificaton"/>
    </text>
    <statusCode code="completed"/>
    <!-- Schweregrad H: kritisch, rot M: gelb, relevant L: grün -->

    <value xsi:type="CD" code="H" codeSystem="2.16.840.1.113883.5.1063" codeSystemName="ObservationValue"/>
    </observation>
  </entryRelationship>

```

```
</act>
</entryRelationship>
<!-- reference to eCurrent Medication Step 1 (not step 2) -->

<reference typeCode="XCRPT">

  <externalDocument>

    <id root="2.16.756.5.30.1.1.1.1" extension="658ab5ea-1f63-11e6-b6ba-3e1d05defe78"/>
  </externalDocument>
</reference>
</observation>
```

Alles ausklappen		Alles einklappen				
Item	DT	Kard	Konf	Beschreibung	Label	
hl7:observation					IHE PHARM PADV 6.3.4.3	
@moodCode	cs	1 ... 1	F	EVN		
		Ziel der Konzept Id(s): cdachemed-dataelement-36  eMedicationComment: Kommentar zur Medikation  Parameter eMedikation				
hl7:templateId	II	1 ... 1	M	 IHE PHARM PADV	IHE PHARM PADV 6.3.4.3	
wo [@root='1.3.6.1.4.1.19376.1.9.1.3.3']						
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.3		
hl7:templateId	II	1 ... 1	M	 CH-EMED-PharmaceuticalAdviceItemEntryContentModule	IHE PHARM PADV 6.3.4.3	
wo [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1']						

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.3.10.2.10.4.10.4.1	
hl7:id	II	1 ... *	M		IHE PHARM PADV 6.3.4.3.3.3
hl7:code	CD	1 ... 1	M		IHE PHARM PADV 6.3.3.2
	CONF			@code muss "OK" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "CHANGE" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "CANCEL" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "SUSPEND" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein oder @code muss "REFUSE" sein @codeSystem muss "1.3.6.1.4.1.19376.1.9.2.1" sein	
hl7:text		1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.5
hl7:reference		1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.5

Item	DT	Kard	Konf	Beschreibung	Label
		Ziel der Konzept Id(s): cdachemed-dataelement-21  Kommentar  Parameter eMedikation			
hl7:statusCode	CS	1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.6
	CONF	@code muss "active" sein oder @code muss "completed" sein			
hl7:effectiveTime		0 ... 1			IHE PHARM PADV 6.3.4.3
@value		1 ... 1	R		
hl7:value		0 ... 1			IHE PHARM PADV 6.3.4.3
	CONF	@code muss "VAL" sein @codeSystem muss "1.3.6.1.4.1.12559.11.22.1.9.56" sein oder @code muss "INT" sein @codeSystem muss "1.3.6.1.4.1.12559.11.22.1.9.56" sein oder @code muss "BEO" sein @codeSystem muss "1.3.6.1.4.1.12559.11.22.1.9.56" sein oder @code muss "MED" sein @codeSystem muss "1.3.6.1.4.1.12559.11.22.1.9.56" sein			

Item	DT	Kard	Konf	Beschreibung	Label
				Ziel der Konzept Id(s): cdachemed-dataelement-67  Typ des Kommentars  Parameter eMedikation	
Auswahl		0 ... 1		 referenced Medication Treatment Plan-, Prescription- or Dispense Item to which this Pharmaceutical Advice is related to Elemente in der Auswahl: - hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.3.10.2.10.10.4.6 <i>MTP Reference Entry Content Module</i> (DYNAMIC) - hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3 <i>PRE Reference Entry Content Module</i> (DYNAMIC) - hl7:entryRelationship[@typeCode='REFR'] welches enthält Template 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.2 <i>DIS Reference Entry Content Module</i> (DYNAMIC)	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6 <i>MTP Reference Entry Content Module</i> (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.9, 10, 11
wo [@typeCode='REFR']					
@typeCode	cs	1 ... 1	F	REFR	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.3 <i>PRE Reference Entry Content Module</i> (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.9, 10, 11
wo [@typeCode='REFR']					
@typeCode	cs	1 ... 1	F	REFR	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.2 <i>DIS Reference Entry Content Module</i> (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.9, 10, 11

Item	DT	Kard	Konf	Beschreibung	Label
wo [<i>@typeCode='REFR'</i>]					
@typeCode	cs	1 ... 1	F	REFR	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.1.10.4.1 <i>Medication Treatment Plan Item Entry Content Module</i> (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.13
wo [<i>hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.7'</i>]					
@typeCode	cs	1 ... 1	F	REFR	
@inversionInd	bl	0 ... 1	F	false	
hl7:entryRelationship		0 ... 1			IHE PHARM PADV 6.3.4.3.3.14
wo [<i>hl7:organizer/hl7:component/hl7:substanceAdministration/hl7:templateId/@root='1.3.6.1.4.1.19376.1.9.1.3.2'</i>]					
@typeCode	cs	1 ... 1	F	REFR	
@inversionInd	bl	0 ... 1	F	false	
hl7:organizer					IHE PHARM PADV 6.3.4.3.3.14
@classCode	cs	1 ... 1	F	CLUSTER	
@moodCode	cs	1 ... 1	F	EVN	
hl7:statusCode		1 ... 1	M		IHE PHARM

Item	DT	Kard	Konf	Beschreibung	Label
					PADV 6.3.4.3.3.14
@code		1 ... 1	F	completed	
hl7:component		1 ...	R	Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1 <i>Prescription Item Entry Content Module</i> (DYNAMIC)	IHE PHARM PADV 6.3.4.3.3.14
hl7:seperatableInd		1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.14
@value		1 ... 1	F	false	
hl7:entryRelationship		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
@typeCode	cs	1 ... 1	F	REFR	
@inversionInd	bl	0 ... 1	F	false	
hl7:substanceAdministration					IHE PHARM PADV 6.3.4.3.3.15
@classCode	cs	1 ... 1	F	SBADM	
@moodCode	cs	1 ... 1	F	INT	
hl7:templateId	II	1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.15

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.6	
Eingefügt		von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 Dosage Instructions CH P1 (DYNAMIC)			
hl7:effectiveTime	IVL_TS	0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
wo [@xsi:type='IVL_TS']					
		Ziel der Konzept Id(s): cdachemed-dataelement-55  Anwendungsdauer  Parameter eMedikation			
hl7:low	TS	0 ... 1		 Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	IHE PHARM PADV 6.3.4.3.3.15
hl7:high	TS	0 ... 1		 End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	IHE PHARM PADV 6.3.4.3.3.15
hl7:effectiveTime	EIVL_TS	0 ... 1		 Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	IHE PHARM PADV 6.3.4.3.3.15
wo [@operator='A' and @xsi:type='EIVL_TS']					
@operator	cs	1 ... 1	F	A	
hl7:event	CS	1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.15
@code	cs	1 ... 1	R		
CONF		Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 TimingEvent (DYNAMIC)			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:effectiveTime	SXPR_TS	0 ... 1		 Dosage Option 2. Multiple events within a day with the same dosage	IHE PHARM PADV 6.3.4.3.3.15
wo [@operator='A' and @xsi:type='SXPR_TS']					
@operator	cs	1 ... 1	F	A	
@xsi:type	cs	1 ... 1	F	SXPR_TS	
hl7:comp		1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.15
wo [@xsi:type='EIVL_TS']					
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.15
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:comp		1 ... *	M		IHE PHARM PADV 6.3.4.3.3.15
wo [@operator='I' and @xsi:type='EIVL_TS']					
@operator	cs	1 ... 1	F	I	

Item	DT	Kard	Konf	Beschreibung	Label
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.15
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:repeatNumber	IVL_INT	0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-44  Wiederholter Bezug pro Arzneimittel  Parameter eMedikation			
hl7:routeCode		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 <i>RouteOfAdministration</i> (DYNAMIC)			
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-52  Verabreichungsweg  Parameter eMedikation			
hl7:doseQuantity		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
hl7:rateQuantity		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15

Item	DT	Kard	Konf	Beschreibung	Label
hl7:consumable		1 ... 1	R		IHE PHARM PADV 6.3.4.3.3.15
hl7:manufacturedProduct		1 ... 1	R		IHE PHARM PADV 6.3.4.3.3.15
hl7:manufacturedMaterial		1 ... 1	R		IHE PHARM PADV 6.3.4.3.3.15
@nullFlavor	CS	1 ... 1	F	NA	
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12 Dosage Instructions CH P2 (DYNAMIC)	
hl7:entryRelationship		0 ... *		 Dosage Option 3. Multiple events within a day with different dosage	IHE PHARM PADV 6.3.4.3.3.15
wo [@typeCode='COMP' and hl7:substanceAdministration]					
@typeCode	CS	1 ... 1	F	COMP	
hl7:sequenceNumber	INT	1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.15
hl7:substanceAdministration		0 ... 1	R		IHE PHARM PADV 6.3.4.3.3.15
hl7:effectiveTime	EIVL_TS	0 ... 1		 timing purpose	IHE PHARM PADV 6.3.4.3.3.15

Item	DT	Kard	Konf	Beschreibung	Label
wo [@xsi:type='EIVL_TS']					
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		IHE PHARM PADV 6.3.4.3.3.15
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:doseQuantity		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
hl7:rateQuantity		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
hl7:consumable		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
hl7:manufacturedProduct		0 ... 1	R		IHE PHARM PADV 6.3.4.3.3.15
hl7:manufacturedMaterial		0 ... 1			IHE PHARM PADV 6.3.4.3.3.15
@nullFlavor	cs	1 ... 1	F	NA	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.10.4.2 <i>CDA-CH Remarks Reference Entry</i> (DYNAMIC)	IHE PHARM

Item	DT	Kard	Konf	Beschreibung	Label
					PADV 6.3.4.3
wo [hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:reference		0 ... *			IHE PHARM PADV 6.3.4.3.3.16
@typeCode	cs	1 ... 1	F	XCRPT	
hl7:externalDocument		1 ... 1	R		IHE PHARM PADV 6.3.4.3.3.16
hl7:id		1 ... *	M		IHE PHARM PADV 6.3.4.3.3.16

6.2.34 ○ Pharmaceutical Advice Section Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1 - 2016-06-06

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	Gültigkeit	gültig ab 2016-06-06
Status	 Draft	Versions-Label	
Name	CH-EMED-PharmaceuticalAdviceSectionContentModule	Anzeigename	Pharmaceutical Advice Section Content
Beschreibung	 The Pharmaceutical Advice section contains a pharmaceutical advice to a medication prescribed or dispensed for the patient. It shall include exactly one Pharmaceutical Advice entry as described in the Pharmaceutical Advice Item Entry Content Module. See also IHE Pharmacy PADV Suppl		
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		
Klassifikation	CDA Section Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 1 Template		

	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.4	Containment	 eMedicationComment V1	2016-05-2
	Benutzt Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	 Pharmaceutical Advice Item Entry Content Module	DYNAMIC
Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.2.2 (2016-01-08 11:13:04)			
Beispiel	Beispiel			
	<pre><section> <!-- IHE PHARM PADV --> <templateId root="1.3.6.1.4.1.19376.1.9.1.2.2"/> <templateId root="2.16.756.5.30.1.127.77.4.10.9"/> <!-- CH-EMED-PharmaceuticalAdviceSectionContentModule --> <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1"/> <!-- id of this eMedicationComment --> <id root="2.16.756.5.30.1.1.1.1" extension="8ed02d0a-2971-11e6-b67b-9e71128cae77"/> <code code="61357-0" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="MEDICATION PHARMACEUTICAL ADVICE.BRIEF"/> <title>eMedication Com ment</title> <text> <table> <thead> <tr> <th>Klassifizierung</th> <th>Typ</th> <th>Art der Intervention</th> <th>Referenz-eDokument</th> <th>Alter Präparatename</th> <th>Neuer Präparatename</th> <th>Wirkstoffname</th> <th>Dosis pro Einheit </th> <th>Galenische Form</th> <th>Begründung</th> <th>Status</th> </tr> </thead> <tbody></pre>			

```
<tr ID="padv.1">

  <td ID="padv.1.classificaton">Relevant</td>
  <td ID="padv.1.typ">Intervention</td>
  <td ID="padv.1.subytpe">Therapeutische Substitution</td>
  <td ID="padv.1.referencedoc">eCurrent Medication vom 29.11.11</td>
  <td ID="padv.1.oldbrandedmedication">Triatec</td>
  <td ID="padv.1.newbrandedmedication"/>
  <td ID="padv.1.ingredient"/>
  <td ID="padv.1.dosequantity"/>
  <td ID="padv.1.packageform"/>
  <td ID="padv.1.reason">UAW Trockener Husten</td>
  <td ID="padv.1.status">definitiv abgesetzt</td>

</tr>
</tbody>
</table>
</text>
<entry>

  <!-- .... -->

</entry>
</section>
```

Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CH-EMED-PharmaceuticalAdviceSection
hl7:templateId	II	1 .. 1	M		(CH-EMED-PharmaceuticalAdviceSection
@root	uid	1 .. 1	F	2.16.756.5.30.1.127.77.4.10.9	
hl7:templateId	II	1 .. 1	M		IHE PHARM PADV 6.3.3.1
@root	uid	1 .. 1	F	1.3.6.1.4.1.19376.1.9.1.2.2	
hl7:templateId	II	1 .. 1	M		CH-EMED
@root	uid	1 .. 1	F	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... 1	R		IHE PHARM PADV 6.3.3.2.2
hl7:code	CE	1 ... 1	M		IHE PHARM PADV 6.3.3.2
	CONF			@code muss "61357-0" sein @codeSystem muss "2.16.840.1.113883.6.1" sein oder @code muss "61357-0" sein @codeSystem muss "2.16.840.1.113883.6.1" sein @displayName muss "MEDICATION PHARMACEUTICAL ADVICE.BRIEF" sein @codeSystemName muss "LOINC" sein	
hl7:title	ST	1 ... 1	M		CH-EMED
	CONF			Elementinhalt muss "eMedicationComment" sein	
hl7:text	SD.TEXT	1 ... 1	M		(CH-EMED-PharmaceuticalAdviceSection
hl7:entry		1 ... 1	R	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1 <i>Pharmaceutical Advice Item Entry Content Module</i> (DYNAMIC)	(CH-EMED-PharmaceuticalAdviceSection
wo [hl7:observation [hl7:code [(@code='OK' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='CHANGE' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='CANCEL' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='SUSPEND' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1') or (@code='REFUSE' and @codeSystem='1.3.6.1.4.1.19376.1.9.2.1')]] [not(@nullFlavor)]]]					

6.2.35 ○ Prescribed Quantity Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3	Gültigkeit	gültig ab 2016-06-13
Status	 Draft	Versions-Label	
Name	CH-EMED- PrescribedQuantityEntryContentModule	Anzeigename	Prescribed Quantity Entry Content Module
Beschreibung	 Amount of units of the consumable to dispense		

Klassifikation	CDA Entry Level Template																													
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																													
Assoziiert mit	Assoziiert mit 1 Konzept																													
	<table><tr><th colspan="2">Id</th><th>Name</th><th colspan="2">Datensatz</th></tr><tr><td colspan="2">cdachemed-dataelement-42</td><td> Anzahl Packungen</td><td colspan="2"> Parameter eMedikation</td></tr></table>	Id		Name	Datensatz		cdachemed-dataelement-42		Anzahl Packungen	Parameter eMedikation																				
Id		Name	Datensatz																											
cdachemed-dataelement-42		Anzahl Packungen	Parameter eMedikation																											
Benutzt von / Benutzt	Benutzt von 6 Templates, Benutzt 0 Templates																													
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Version</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1</td><td>Containment</td><td> Prescription Item Entry Content Module</td><td>2016-06-25</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1</td><td></td><td> Prescription Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2</td><td></td><td> eRezept V1</td><td>2016-05-21</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1</td><td></td><td> Pharmaceutical Advice Item Entry Content Module</td><td>2016-06-25</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1</td><td></td><td> Pharmaceutical Advice Section Content Module</td><td>2016-06-06</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td> eMedicationComment V1</td><td>2016-05-21</td></tr></table>	Benutzt von Template-Id	als	Name	Version	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06	2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21	
	Benutzt von Template-Id	als	Name	Version																										
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	Prescription Item Entry Content Module	2016-06-25																										
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		Prescription Section Content Module	2016-06-06																										
	2.16.756.5.30.1.1.1.1.3.10.2		eRezept V1	2016-05-21																										
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25																										
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06																											
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21																											
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.309 (2005-09-07)																													
Beispiel	Beispiel <pre><supply moodCode="RQO" classCode="SPLY"> <templateId root="1.3.6.1.4.1.19376.1.9.1.3.8"/> <independentInd value="false"/> <quantity unit="1" value="1"/> </supply></pre>																													
Alles ausklappen Alles einklappen																														
Item	DT	Kard	Konf	Beschreibung	Label																									
h17:supply					(CH-EMED-PrescribedQuantityEntryContentModule)																									

Item	DT	Kard	Konf	Beschreibung	Label
@classCode	cs	1 ... 1	F	SPLY	
@moodCode	cs	1 ... 1	F	RQO	
hl7:templateId	II	1 ... 1	M		(CH-EMED-PrescribedQuantityEntryContentModule)
wo [@root='1.3.6.1.4.1.19376.1.9.1.3.8']					
@root	uid	0 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.8	
hl7:independentInd		1 ... 1	M		(CH-EMED-PrescribedQuantityEntryContentModule)
@value		1 ... 1	F	false	
hl7:quantity		1 ... 1	R		(CH-EMED-PrescribedQuantityEntryContentModule)
@value		1 ... 1	R	 If the <consumable> - element also contains package information, the <quantity> element SHALL contain the amount of primary packaged items of the medication	IHE PHARM PRE 6.3.4.2.3.17
 Ziel der Konzept Id(s): cdachemed-dataelement-42  Anzahl Packungen  Parameter eMedikation					
@unit	cs	0 ... 1	F	1	

6.2.36 Prescription Item Entry Content Module 2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1 - 2016-06-25

Id	2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1	Gültigkeit	gültig ab 2016-06-25
Status	 Draft	Versions-Label	
Name	CH-EMED-PrescriptionItemEntryContentModule	Anzeigename	Prescription Item Entry Content M

Beschreibung	 A Prescription Item belongs to one prescription and represents one prescribed medication. It may be associated with one or more observations. Prescription Item is the central entity for logistics, distribution and billing. It contains the prescribed medicine and dosage information as well as other information to the prescribed item such as fulfillment instructions and substitution handling.																																																										
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1																																																										
Klassifikation	CDA Entry Level Template																																																										
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)																																																										
Assoziiert mit	Assoziiert mit 1 Konzept																																																										
	<table><tr><th>Id</th><th>Name</th><th>Datensatz</th></tr><tr><td>cdachemed-dataelement-4</td><td> Arzneimittel/Herstellung</td><td> Paramet...</td></tr></table>	Id	Name	Datensatz	cdachemed-dataelement-4	 Arzneimittel/Herstellung	 Paramet...																																																				
Id	Name	Datensatz																																																									
cdachemed-dataelement-4	 Arzneimittel/Herstellung	 Paramet...																																																									
Benutzt von / Benutzt	Benutzt von 5 Templates, Benutzt 12 Templates																																																										
	<table><tr><th>Benutzt von Template-Id</th><th>als</th><th>Name</th><th>Versio...</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1</td><td>Containment</td><td> Prescription Section Content Module</td><td>2016-</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2</td><td></td><td> eRezept V1</td><td>2016-</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1</td><td>Containment</td><td> Pharmaceutical Advice Item Entry Content Module</td><td>2016-</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1</td><td></td><td> Pharmaceutical Advice Section Content Module</td><td>2016-</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.4</td><td></td><td> eMedicationComment V1</td><td>2016-</td></tr><tr><th>Benutzt Template-Id</th><th>als</th><th>Name</th><th>Versio...</th></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1</td><td>Inklusion</td><td> Dosage Instructions CH P1</td><td>DYNA</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2</td><td>Containment</td><td> Manufactured Material Entry Content Module</td><td>DYNA</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.10.2.7</td><td>Inklusion</td><td> name</td><td>DYNA</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.10.2.3</td><td>Inklusion</td><td> representedOrganisationPart</td><td>DYNA</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12</td><td>Inklusion</td><td> Dosage Instructions CH P2</td><td>DYNA</td></tr><tr><td>2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6</td><td>Containment</td><td> MTP Reference Entry Content Module</td><td>DYNA</td></tr><tr><td>1.3.6.1.4.1.19376.1.5.3.1.4.3</td><td>Containment</td><td> IHE Patient Medication Instructions (2014)</td><td>DYNA</td></tr></table>	Benutzt von Template-Id	als	Name	Versio...	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Containment	 Prescription Section Content Module	2016-	2.16.756.5.30.1.1.1.1.3.10.2		 eRezept V1	2016-	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	 Pharmaceutical Advice Item Entry Content Module	2016-	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-	Benutzt Template-Id	als	Name	Versio...	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	 Dosage Instructions CH P1	DYNA	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Containment	 Manufactured Material Entry Content Module	DYNA	2.16.756.5.30.1.1.1.1.3.10.10.2.7	Inklusion	 name	DYNA	2.16.756.5.30.1.1.1.1.3.10.10.2.3	Inklusion	 representedOrganisationPart	DYNA	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12	Inklusion	 Dosage Instructions CH P2	DYNA	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	Containment	 MTP Reference Entry Content Module	DYNA	1.3.6.1.4.1.19376.1.5.3.1.4.3	Containment	 IHE Patient Medication Instructions (2014)	DYNA		
	Benutzt von Template-Id	als	Name	Versio...																																																							
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	Containment	 Prescription Section Content Module	2016-																																																							
	2.16.756.5.30.1.1.1.1.3.10.2		 eRezept V1	2016-																																																							
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1	Containment	 Pharmaceutical Advice Item Entry Content Module	2016-																																																							
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-																																																							
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-																																																							
	Benutzt Template-Id	als	Name	Versio...																																																							
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1	Inklusion	 Dosage Instructions CH P1	DYNA																																																							
	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2	Containment	 Manufactured Material Entry Content Module	DYNA																																																							
	2.16.756.5.30.1.1.1.1.3.10.10.2.7	Inklusion	 name	DYNA																																																							
	2.16.756.5.30.1.1.1.1.3.10.10.2.3	Inklusion	 representedOrganisationPart	DYNA																																																							
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.12	Inklusion	 Dosage Instructions CH P2	DYNA																																																								
2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.6	Containment	 MTP Reference Entry Content Module	DYNA																																																								
1.3.6.1.4.1.19376.1.5.3.1.4.3	Containment	 IHE Patient Medication Instructions (2014)	DYNA																																																								

	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.3 Containment  Prescribed Quantity Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.10 Containment  Dosage Instructions Non Structured Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11 Containment  Dosage Intake Mode Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2 Containment  Substitution Permission Entry Content Module 2.16.756.5.30.1.1.10.4.2 Containment  CDA-CH Remarks Reference Entry	DYNA DYNA DYNA DYNA DYNA
Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.4.7 (2005-09-07)	
	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.3.2 (2016-01-08 13:04:49)	
Beispiel	Beispiel <pre><substanceAdministration classCode="SBADM" moodCode="INT"> <!-- IHE PHARM PRE --> <templateId root="1.3.6.1.4.1.19376.1.9.1.3.2" assigningAuthorityName="IHE PHARM"/> <!-- CCD --> <templateId root="2.16.840.1.113883.10.20.1.24" assigningAuthorityName="HL7 CCD"/> <!-- PCC Medication Entry Content Module --> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7" assigningAuthorityName="IHE PCC"/> <!-- CH-EMED Prescription Item Entry Content Module- --> <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1"/> <!-- A normal substanceAdministration act that may not contain any subordinate substanceAdministration acts. --> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.1"/> <!-- ID of pre item, PCC TF2 6.3.4.16.6 --> <id root="2.16.756.5.30.1.1.1.1" extension="6c968b1a-21ee-11e6-b67b-9e71128cae77"/> <text> <reference value="#pre.1"/> </text> <statusCode code="completed"/> <effectiveTime xsi:type="IVL_TS"> <low value="20120204"/> </effectiveTime></pre>	


```

<effectiveTime xsi:type="SXPR_TS" operator="A">

  <comp xsi:type="EIVL_TS">

    <event code="ACM"/>
  </comp>
  <comp xsi:type="EIVL_TS" operator="I">

    <event code="ACV"/>
  </comp>
</effectiveTime>
<!-- 3 Monate -> 90 Tage * 1 Tablette / 30 Tablette -> 3 Packungen,

repeatNumber=2 -->

<repeatNumber value="2"/>
<routeCode code="PO" displayName="Oral" codeSystem="2.16.840.1.113883.5.112" codeSystemName="RouteOfAdministration"/>
<doseQuantity>

  <center value="0.5"/>
</doseQuantity>
<consumable>

  <manufacturedProduct classCode="MANU">

    <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.7.2"/>
    <templateId root="2.16.840.1.113883.10.20.1.53"/>
    <manufacturedMaterial classCode="MMAT" determinerCode="KIND">

      <!-- CDACH-EMED Manufactured Material Content Module -->

      <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.2"/>
      <!-- Medicine Entry Module -->

      <templateId root="1.3.6.1.4.1.19376.1.9.1.3.1"/>
      <code code="C08CA01" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="amlodipine">

        <originalText>

          <reference value="#pre.1.ingredient"/>
        </originalText>
      </code>
      <name>NORVASC Tabl 10 mg</name>
      <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>
      <pharm:asContent classCode="CONT">

        <pharm:containerPackagedMedicine classCode="CONT" determinerCode="INSTANCE">

          <!-- National medicinal product code (package-level) -->

          <pharm:code code="7680500440334" codeSystem="2.51.1.1" codeSystemName="GTIN" displayName="NORVASC Tabl 10 mg"/>

```

```

        <!-- Brand name (package) -->

        <pharm:name>NORVASC Tabl 10 mg</pharm:name>
        <pharm:formCode code="TAB" codeSystem="2.16.840.1.113883.5.85" displayName="Tablet"/>
        <pharm:capacityQuantity value="30"/>
        </pharm:containerPackagedMedicine>
    </pharm:asContent>
    <pharm:ingredient classCode="ACTI">

        <pharm:quantity>

            <pharm:numerator unit="mg" value="10" xsi:type="pharm:PQ"/>
            <pharm:denominator value="1" xsi:type="pharm:PQ"/>
        </pharm:quantity>
        <pharm:ingredient classCode="MMAT" determinerCode="KIND">

            <pharm:code code="C08CA01" codeSystem="2.16.840.1.113883.6.73" codeSystemName="ATC WHO" displayName="amlodipine"/>
            <pharm:name>amlodipine</pharm:name>
        </pharm:ingredient>
    </pharm:ingredient>
</manufacturedMaterial>
</manufacturedProduct>
</consumable>
<entryRelationship typeCode="COMP">

    <supply moodCode="RQO" classCode="SPLY">

        <independentInd value="false"/>
        <quantity unit="1" value="1"/>
    </supply>
</entryRelationship>
<entryRelationship typeCode="COMP">

    <substanceAdministration moodCode="INT" classCode="SBADM">

        <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.11"/>
        <text>

            <reference value="#mtp.1.dosageintakemode"/>
        </text>
    </substanceAdministration>
</entryRelationship>
<entryRelationship typeCode="REFR">

```

```
<substanceAdministration classCode="SBADM" moodCode="INT">

  <id root="2.16.756.5.30.1.1.1.1" extension="068e887c-2270-11e6-b67b-9e71128cae77"/>
  <code code="MTPItem" codeSystem="1.3.6.1.4.1.19376.1.9.2.2" displayName="Medication Treatment Plan Item" codeSystemName="IHE P
List"/>
  <consumable>

    <manufacturedProduct>

      <manufacturedMaterial nullFlavor="NA"/>
    </manufacturedProduct>
  </consumable>
  <reference typeCode="XCRPT">

    <externalDocument>

      <id root="2.16.756.5.30.1.1.1.1" extension="074da900-2103-11e6-b67b-9e71128cae77"/>
    </externalDocument>
  </reference>
</substanceAdministration>
</entryRelationship>
</substanceAdministration>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:substanceAdministration					(CH-EMED-PrescriptionItem
@classCode	cs	1 ... 1	F	SBADM	
@moodCode	cs	1 ... 1	F	INT	
		Ziel der Konzept Id(s): cdachemed-dataelement-4  Arzneimittel/Herstellung  Parameter eMedikation			
hl7:templateId	II	1 ... 1	M	 IHE PHARM PRE	(CH-EMED-PrescriptionItem
wo [@root='1.3.6.1.4.1.19376.1.9.1.3.2']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.2	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:templateId	II	1 ... 1	M	 CCD	(CH-EMED-PrescriptionItemEntryContentModule)
wo [@root='2.16.840.1.113883.10.20.1.24']					
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.24	
hl7:templateId	II	1 ... 1	M	 PCC Medication Entry Content Module	(CH-EMED-PrescriptionItemEntryContentModule)
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.4.7']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7	
hl7:templateId	II	1 ... 1	M	 CH-EMED Prescription Item Entry Content Module	(CH-EMED-PrescriptionItemEntryContentModule)
wo [@root='2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1']					
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1	
Auswahl		1 ...		Elemente in der Auswahl: - hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1'] - hl7:templateId[@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']	
hl7:templateId	II	0 ... 1		 A normal substanceAdministration act that may not contain any subordinate substanceAdministration acts.	(CH-EMED-PrescriptionItemEntryContentModule)
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.1']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.1	
hl7:templateId	II	0 ... 1		 A substanceAdministration act that records split dose information in subordinate substanceAdministration acts.	(CH-EMED-PrescriptionItemEntryContentModule)
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.4.9']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.9	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id		1 ... *	M	This ID represents the Prescription Item ID and SHALL be present. ID created by the software which created it or @root='2.16.756.5.30.1.1.3.5.1' with a GUID as @extension	(CH-EMED-PrescriptionItem)
hl7:text		1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.6
hl7:reference		1 ... 1	M	This element SHALL be present. The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the medication dispensed.	IHE PHARM PRE 6.3.4.2.3.6
hl7:statusCode		1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.7
@code		1 ... 1	F	completed	
Eingefügt				von 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.1 Dosage Instructions CH P1 (DYNAMIC)	
hl7:effectiveTime	IVL_TS	0 ... 1			(CH-EMED-PrescriptionItem)
wo [@xsi:type='IVL_TS']					
			Ziel der Konzept Id(s): cdachemed-dataelement-55 Anwendungsdauer Parameter eMedikation		
hl7:low	TS	0 ... 1		Start of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-PrescriptionItem)
hl7:high	TS	0 ... 1		End of Treatment. If Start of Treatment is unknown this element SHALL be set to null flavor "UNK".	(CH-EMED-PrescriptionItem)
hl7:effectiveTime	EIVL_TS	0 ... 1		Dosage Option 1. Event based time interval, where the event is not a precise time, but is used for timing purposes (e.g., with meals, between meals, before breakfast, before sleep).	(CH-EMED-PrescriptionItem)
wo [@operator='A' and @xsi:type='EIVL_TS']					
@operator	cs	1 ... 1	F	A	
hl7:event	CS	1 ... 1	M		(CH-EMED-PrescriptionItem)

Item	DT	Kard	Konf	Beschreibung	Label
@code	CS	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:effectiveTime	SXPR_TS	0 ... 1		 Dosage Option 2. Multiple events within a day with the same dosage	(CH-EMED-PrescriptionIter
wo [@operator='A' and @xsi:type='SXPR_TS']					
@operator	CS	1 ... 1	F	A	
@xsi:type	CS	1 ... 1	F	SXPR_TS	
hl7:comp		1 ... 1	M		(CH-EMED-PrescriptionIter
wo [@xsi:type='EIVL_TS']					
@xsi:type	CS	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-PrescriptionIter
@code	CS	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:comp		1 ... *	M		(CH-EMED-PrescriptionIter
wo [@operator='I' and @xsi:type='EIVL_TS']					
@operator	CS	1 ... 1	F	I	
@xsi:type	CS	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-PrescriptionIter

Item	DT	Kard	Konf	Beschreibung	Label
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:repeatNumber	IVL_INT	0 ... 1			(CH-EMED-PrescriptionIter
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-44 Wiederholter Bezug pro Arzneimittel Parameter eMedikation			
hl7:routeCode		0 ... 1			(CH-EMED-PrescriptionIter
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.14581 <i>RouteOfAdministration</i> (DYNAL			
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-52 Verabreichungsweg Parameter eMedikation			
hl7:doseQuantity		0 ... 1			(CH-EMED-PrescriptionIter
hl7:rateQuantity		0 ... 1			(CH-EMED-PrescriptionIter
hl7:consumable		1 ... 1			IHE PHARM PRE 6.3.4.2.3.1
hl7:manufacturedProduct		1 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.2 <i>Manufactured Material Entry Content Module</i> (DYNAMIC)	IHE PHARM PRE 6.3.4.2.3.1
hl7:templateId	II	1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.4.7.2']					
@root	uid	0 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.7.2	
hl7:templateId	II	1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
wo [@root='2.16.840.1.113883.10.20.1.53']					

Item	DT	Kard	Konf	Beschreibung	Label
@root	uid	0 ... 1	F	2.16.840.1.113883.10.20.1.53	
hl7:author		0 ... 1		In the case that the Prescription Item is used within a Prescription document according to the Pharmacy Prescription (PRE) Profile this element SHALL NOT be present.	IHE PHARM PRE 6.3.4.2.3.1
hl7:functionCode	CE	0 ... 1			IHE PHARM PRE 6.3.4.2.3.1
hl7:time	TS	1 ... 1	R		IHE PHARM PRE 6.3.4.2.3.1
hl7:assignedAuthor		1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
@classCode	cs	0 ... 1	F	ASSIGNED	
hl7:id	II	1 ... *	R	The GLN identifier for the health care professional SHOULD be provided.	IHE PHARM PRE 6.3.4.2.3.1
	Beispiel	<id root="2.51.1.3" extension="7601000000000"/>			
hl7:code	CE	0 ... 1			IHE PHARM PRE 6.3.4.2.3.1
hl7:addr	AD	0 ... *			IHE PHARM PRE 6.3.4.2.3.1
hl7:telecom	TEL	0 ... *			IHE PHARM PRE 6.3.4.2.3.1
hl7:assignedPerson		1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
Eingefügt			M	von 2.16.756.5.30.1.1.1.1.3.10.10.2.7 name (DYNAMIC)	
hl7:name	PN	1 ... *	M		IHE PHARM PRE 6.3.4.2.3.1
hl7:given	ENXP	1 ... *	M		IHE PHARM PRE 6.3.4.2.3.1
		Ziel der Konzept Id(s): cdachemed-dataelement-8 Vorname Parameter eMedikation			

Item	DT	Kard	Konf	Beschreibung	Label
hl7:family	ENXP	1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-7  Name  Parameter eMedikation			
hl7:representedOrganization		1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
Eingefügt von 2.16.756.5.30.1.1.1.3.10.10.2.3 representedOrganisationPart (DYNAMIC)					
hl7:id	II	1 ... *	R		IHE PHARM PRE 6.3.4.2.3.1
hl7:name	ON	1 ... *	R		IHE PHARM PRE 6.3.4.2.3.1
hl7:addr	AD	1 ... 1	R		IHE PHARM PRE 6.3.4.2.3.1
hl7:streetAddressLine	ADXP	1 ... *	M		IHE PHARM PRE 6.3.4.2.3.1
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			
hl7:postalCode	ADXP	1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			
hl7:city	ADXP	1 ... 1	M		IHE PHARM PRE 6.3.4.2.3.1
	🎯	Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		IHE PHARM PRE 6.3.4.2.3.1
Eingefügt von 2.16.756.5.30.1.1.1.3.10.2.10.10.4.12 Dosage Instructions CH P2 (DYNAMIC)					

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		0 ... *		 Dosage Option 3. Multiple events within a day with different dosage	(CH-EMED-PrescriptionIter
wo [@typeCode='COMP' and hl7:substanceAdministration]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:sequenceNumber	INT	1 ... 1	M		(CH-EMED-PrescriptionIter
hl7:substanceAdministration		0 ... 1	R		(CH-EMED-PrescriptionIter
hl7:effectiveTime	EIVL_TS	0 ... 1		 timing purpose	(CH-EMED-PrescriptionIter
wo [@xsi:type='EIVL_TS']					
@xsi:type	cs	1 ... 1	F	EIVL_TS	
hl7:event	CS	1 ... 1	M		(CH-EMED-PrescriptionIter
@code	cs	1 ... 1	R		
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.756.5.30.1.127.77.4.11.2 <i>TimingEvent</i> (DYNAMIC)			
hl7:doseQuantity		0 ... 1			(CH-EMED-PrescriptionIter
hl7:rateQuantity		0 ... 1			(CH-EMED-PrescriptionIter
hl7:consumable		0 ... 1			(CH-EMED-PrescriptionIter
hl7:manufacturedProduct		0 ... 1	R		(CH-EMED-PrescriptionIter
hl7:manufacturedMaterial		0 ... 1			(CH-EMED-PrescriptionIter

Item	DT	Kard	Konf	Beschreibung	Label
@nullFlavor	cs	1 ... 1	F	NA	
hl7:entryRelationship		0 ... 1		🇨🇭 If the Prescription Item is related to a Medication Treatment Plan Item, the reference to it SHALL be present. Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.6 <i>MTP Reference Entry Content Module</i> (DYNAMIC)	(CH-EMED-PrescriptionItem)
wo [@typeCode='REFR']					
@typeCode	cs	1 ... 1	F	REFR	
hl7:entryRelationship		0 ... 1		Beinhaltet 1.3.6.1.4.1.19376.1.5.3.1.4.3 <i>IHE Patient Medication Instructions</i> (DYNAMIC)	IHE PHARM PRE 6.3.4.2.3.1
wo [hl7:act [hl7:templateId [@root='1.3.6.1.4.1.19376.1.5.3.1.4.3']]]					
@typeCode	cs	1 ... 1	F	SUBJ	
@inversionInd	bl	1 ... 1	F	true	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.3 <i>Prescribed Quantity Entry Content Module</i> (DYNAMIC)	IHE PHARM PRE 6.3.4.2.3.1
wo [hl7:supply]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.10 <i>Dosage Instructions Non Structured Entry Content Module</i> (DYNAMIC)	(CH-EMED-PrescriptionItem)
wo [hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.3.10.2.10.10.4.10']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.10.4.11 <i>Dosage Intake Mode Entry Content Module</i> (DYNAMIC)	(CH-EMED-PrescriptionItem)

Item	DT	Kard	Konf	Beschreibung	Label
wo [hl7:substanceAdministration [hl7:templateId [@root='2.16.756.5.30.1.1.1.3.10.2.10.10.4.11']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.2 Substitution Permission Entry Content Module (DYNAMIC)	(CH-EMED-PrescriptionItemEntryContentModule)
wo [hl7:supply]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:entryRelationship		0 ... 1		Beinhaltet 2.16.756.5.30.1.1.10.4.2 CDA-CH Remarks Reference Entry (DYNAMIC)	(CH-EMED-PrescriptionItemEntryContentModule)
wo [hl7:act [hl7:templateId [@root='2.16.756.5.30.1.1.10.4.2']]]					
@typeCode	cs	1 ... 1	F	COMP	
hl7:reference		0 ... *			6.3.4.2.3.18
@typeCode		1 ... 1	F	XCRPT	
hl7:externalDocument		1 ... 1			6.3.4.2.3.18
hl7:id		1 ... *			6.3.4.2.3.18

6.2.37 ○ Prescription Section Content Module 2.16.756.5.30.1.1.1.3.10.2.10.2.10.3.1 - 2016-06-06

Id	2.16.756.5.30.1.1.1.3.10.2.10.2.10.3.1	Gültigkeit	gültig ab 2016-06-06
Status	 Draft	Versions-Label	
Name	CH-EMED-PrescriptionSectionContentModule	Anzeigename	Prescription Section Content Module
Beschreibung	 The Prescription Section contains a description of the medications in a given prescription for the patient. It includes entries for Prescription Items as described in the Prescription Item Entry Content Module. See also chapter 6.3.3.1 in IHE Pharmacy PRE Suppl		

Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1			
Klassifikation	CDA Section Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 1 Template			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2	Containment	 eRezept V1	2016-05-21
	Benutzt Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	 Prescription Item Entry Content Module	DYNAMIC
Beziehung	Specialization: Template 1.3.6.1.4.1.19376.1.5.3.1.3.19 (2005-09-07)			
	Specialization: Template 1.3.6.1.4.1.19376.1.9.1.2.1 (2016-01-08 11:13:04)			
Beispiel	Beispiel			
	<pre><section> <!-- PRE --> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.3.19"/> <templateId root="2.16.840.1.113883.10.20.1.8"/> <templateId root="1.3.6.1.4.1.19376.1.9.1.2.1"/> <!-- CDA-CH EMED RPE --> <templateId root="2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1"/> <!-- id of this eRezept --> <id root="2.16.756.5.30.1.1.1.1" extension="d41d72ba-2100-11e6-b67b-9e71128cae77"/> <code code="57828-6" codeSystem="2.16.840.1.113883.6.1" codeSystemName="LOINC" displayName="PRESCRIPTIONS"/> <title>Arzneimittelverordnung</title> <text> <table> <thead> <tr> <th>Präpartenname</th> <th>Wirkstoffname</th> <th>Dosis pro Einheit</th> <th>Galenische Form</th> <th>Anzahl Packungen</th> </tr> </thead> </table> </text> </section></pre>			

```
<th>Packungsgrösse</th>
<th>Verabreichungsweg</th>
<th>Anwendungsschema (Einnahmemodus)</th>
<th>Anwendungsdauer (Behandlungsdauer)</th>
<th>Dos.Morgen</th>
<th>Dos.Mittag</th>
<th>Dos.Aabend</th>
<th>Dos.Nacht</th>
<th>Status</th>
</tr>
</thead>
<tbody>

<tr ID="pre.1">

<td ID="pre.1.brandedmedication">Norvasc</td>
<td ID="pre.1.ingredient">Amlodipin</td>
<td ID="pre.1.dosequantity">10 mg</td>
<td ID="pre.1.packageform">Tabl</td>
<td ID="pre.1.nopackages">1</td>
<td ID="pre.1.routecode">oral</td>
<td ID="pre.1.packagesize">30</td>
<td ID="pre.1.dosageintakemode"/>
<td ID="pre.1.datefromto">Dauerrezept 3 Monate</td>
<td ID="pre.1.dosagemorning">1</td>
<td ID="pre.1.dosagelunch">0</td>
<td ID="pre.1.dosageevening">1</td>
<td ID="pre.1.dosagenight">0</td>
<td ID="pre.1.status">verschrieben</td>
</tr>
</tbody>
</table>
</text>
<entry>

<!-- ... -->

</entry>
</section>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:section					(CH-EMED-PrescriptionSectionContentMod
hl7:templateId	II	1 ... 1	M		IHE PHARM PRE 6.3.3.1

Item	DT	Kard	Konf	Beschreibung	Label
wo [@root='1.3.6.1.4.1.19376.1.9.1.2.1']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.2.1	
hl7:templateId	II	1 ... 1	M		IHE PHARM PRE 6.3.3.1.1
wo [@root='1.3.6.1.4.1.19376.1.5.3.1.3.19']					
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.3.19	
hl7:templateId	II	1 ... 1	M		IHE PHARM PRE 6.3.3.1.1
wo [@root='2.16.840.1.113883.10.20.1.8']					
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.8	
hl7:templateId	II	1 ... 1	M		CH-EMED PRE
wo [@root='2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1']					
@root	uid	1 ... 1	F	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1	
hl7:id	II	1 ... 1	R		IHE PHARM PRE 6.3.3.1.2
hl7:code	CE	1 ... 1	M		IHE PHARM PRE 6.3.3.1
	CONF	@code muss "57828-6" sein @codeSystem muss "2.16.840.1.113883.6.1" sein oder @code muss "57828-6" sein @codeSystem muss "2.16.840.1.113883.6.1" sein @displayName muss "PRESCRIPTIONS" sein			

Item	DT	Kard	Konf	Beschreibung	Label
				@codeSystemName muss "LOINC" sein	
hl7:title	ST	1 ... 1	M		CH-EMED PRE
	CONF			Elementinhalt muss "Arzneimittelverordnung" sein -oder- Elementinhalt muss "Prescription médicamenteuse" sein -oder- Elementinhalt muss "Prescrizione di droga" sein -oder- Elementinhalt muss "Prescription for medication" sein	
hl7:text	SD.TEXT	1 ... 1	M		(CH-EMED-PrescriptionSectionContentMod
hl7:entry		1 ... *	R	Beinhaltet 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1 <i>Prescription Item Entry Content Module</i> (DYNAMIC)	(CH-EMED-PrescriptionSectionContentMod

6.2.38 receiver 2.16.756.5.30.1.1.1.1.3.10.10.2.6 - 2016-09-15 12:43:44

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.6	Gültigkeit	gültig ab 2016-09-15 12:43:44
Status	 Draft	Versions-Label	
Name	CH-EMED-REC3	Anzeigename	receiver
Beschreibung			
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 1 Konzept		
	Id	Name	Datensatz
	cdachemed-dataelement-69	 Identifikation des Empfängers	 Parameter eMedikation

Benutzt von 1 Template, Benutzt 0 Templates

Benutzt von / Benutzt	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.3.10.3		eAbgabe V1	2016-05-21

Beziehung

Specialization: Template 2.16.840.1.113883.10.12.108 (2005-09-07)

Beispiel

Beispiel

```
<participant typeCode="RCV">
  <associatedEntity classCode="CON">
    <associatedPerson>
      <name>name3rdpartyreceiver</name>
    </associatedPerson>
  </associatedEntity>
</participant>
```

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:participant		0 ... 1			(CH-EMED-REC3)
@typeCode	cs	1 ... 1	F	RCV	
hl7:associatedEntity		1 ... 1	R		(CH-EMED-REC3)
@classCode	cs	1 ... 1	F	CON	
hl7:associatedPerson		1 ... 1	R		(CH-EMED-REC3)
hl7:name	PN	1 ... 1	M		(CH-EMED-REC3)

Ziel der Konzept Id(s):
cdachemed-dataelement-69 Identifikation des Empfängers Parameter eMedikation

6.2.39 representedOrganisationPart 2.16.756.5.30.1.1.1.3.10.10.2.3 - 2016-06-09

Id	2.16.756.5.30.1.1.1.3.10.10.2.3	Gültigkeit	gültig ab 2016-06-09
Status	 Draft	Versions-Label	
Name	CH-EMED-RORG	Anzeigename	representedOrganisationPart
Beschreibung			
Klassifikation	CDA Header Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Assoziiert mit	Assoziiert mit 3 Konzepten		
	Id	Name	Datensatz
	cdachemed-dataelement-16	 Adresse	 Parameter eMedikation
	cdachemed-dataelement-17	 PLZ	 Parameter eMedikation
	cdachemed-dataelement-18	 Ort	 Parameter eMedikation
Benutzt von / Benutzt	Benutzt von 10 Templates, Benutzt 0 Templates		
	Benutzt von Template-Id	als	Name
	2.16.756.5.30.1.1.1.3.10.10.2.1		author
	2.16.756.5.30.1.1.1.3.10.1	 	eCurrentMedication V1
	2.16.756.5.30.1.1.1.3.10.2	 	eRezept V1
	2.16.756.5.30.1.1.1.3.10.3	 	eAbgabe V1
	2.16.756.5.30.1.1.1.3.10.4	 	eMedicationComment V1
	2.16.756.5.30.1.1.1.3.10.2.10.2.10.4.1		Prescription Item Entry Content Module
	2.16.756.5.30.1.1.1.3.10.2.10.2.10.3.1	 	Prescription Section Content Module

	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1			Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1			Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1			Dispense Section Content Module	2016-06-06
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.151 (2005-09-07)				
	Specialization: Template 2.16.756.5.30.1.1.10.9.11 (2015-12-18)				

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id	II	1 ... *	R		(CH-EMED-RORG)
hl7:name	ON	1 ... *	R		(CH-EMED-RORG)
hl7:addr	AD	1 ... 1	M		(CH-EMED-RORG)
hl7:streetAddressLine	ADXP	1 ... *	M		(CH-EMED-RORG)
		Ziel der Konzept Id(s): cdachemed-dataelement-16  Adresse  Parameter eMedikation			
hl7:postalCode	ADXP	1 ... 1	M		(CH-EMED-RORG)
		Ziel der Konzept Id(s): cdachemed-dataelement-17  PLZ  Parameter eMedikation			
hl7:city	ADXP	1 ... 1	M		(CH-EMED-RORG)
		Ziel der Konzept Id(s): cdachemed-dataelement-18  Ort  Parameter eMedikation			
hl7:telecom	TEL	1 ... *	R		(CH-EMED-RORG)

6.2.40 Substitution Permission Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2 - 2016-09-13 17:06:35

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.2		Gültigkeit	gültig ab 2016-09-13 17:06:35	
Status	 Draft		Versions-Label		
Name	CH-EMED-SubstitutionPermissionEntryContentModule		Anzeigename	Substitution Permission Entry Content Module	
Beschreibung	 Substitution handling for prescriptions				
Klassifikation	CDA Entry Level Template				
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Assoziiert mit	Assoziiert mit 1 Konzept				
	Id	Name			Datensatz
	cdachemed-dataelement-1	 Substituierbarkeit			 Parameter eMedikation
Benutzt von / Benutzt	Benutzt von 6 Templates, Benutzt 0 Templates				
	Benutzt von Template-Id	als	Name		Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	 Prescription Item Entry Content Module		2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		 Prescription Section Content Module		2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2		 eRezept V1		2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module		2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module		2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1		2016-05-21
Beispiel	Beispiel				
	<pre><cda:supply classCode="SPLY" moodCode="RQO"> <templateId root="1.3.6.1.4.1.19376.1.9.1.3.9"/> <cda:independentInd value="false"/> <pharm:subjectOf4> <pharm:substitutionPermission classCode="SUBST" moodCode="PERM"></pre>				

<pre><pharm:code code="N" displayName="none" codeSystem="2.16.840.1.113883.5.1070" codeSystemName="HL7 Substance Admin Substitution"/> </pharm:substitutionPermission> </pharm:subjectOf4> </cda:supply></pre>					
Alles ausklappen Alles einklappen					
Item	DT	Kard	Konf	Beschreibung	Label
hl7:supply					(CH-EMED-SubstitutionPermissionEntryContentModu
@classCode	cs	1 ... 1	F	SPLY	
@moodCode	cs	1 ... 1	F	RQO	
hl7:templateId	II	1 ... 1	M		IHE PARM PRE 6.3.4.8.3.1
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.9.1.3.9	
hl7:independentInd		1 ... 1	M		(CH-EMED-SubstitutionPermissionEntryContentModu
@value		1 ... 1	F	false	
pharm:subjectOf4		1 ... 1	R		IHE PHARM PRE 6.3.4.2.3.17
pharm:substitutionPermission		1 ... 1	R		IHE PHARM PRE 6.3.4.2.3.17
@classCode	cs	1 ... 1	F	SUBST	
@moodCode	cs	1 ... 1	F	PERM	
pharm:code		1 ... 1	R		IHE PHARM PRE 6.3.4.2.3.17
@code	cs	1 ... 1	R		

Item	DT	Kard	Konf	Beschreibung	Label
	CONF			Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16621 <i>ActSubstanceAdminSubstitutionCode</i> (DYNAMIC)	
				Ziel der Konzept Id(s): cdachemed-dataelement-1	 Substituierbarkeit  Parameter eMedikation

6.2.41 Treatment Reason Entry Content Module 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4 - 2016-06-13

Id	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	Gültigkeit	gültig ab 2016-06-13	
Status	 Draft	Versions-Label		
Name	CH-EMED-TreatmentReasonEntryContentModule	Anzeigename	Treatment Reason Entry Content Module	
Beschreibung	 Treatment reason			
Kontext	Elternknoten des Template-Element mit Id 2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4			
Klassifikation	CDA Entry Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Assoziiert mit	Assoziiert mit 1 Konzept			
	Id	Name	Datensatz	
	cdachemed-dataelement-56	 Behandlungsgrund	 Parameter eMedikation	
Benutzt von / Benutzt	Benutzt von 9 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25

	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	 Dispense Item Entry Content Module	2016-06-17
	2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		 Dispense Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.3		 eAbgabe V1	2016-05-21

Beispiel

Beispiel

```
<observation classCode="OBS" moodCode="EVN">

  <templateId root="2.16.756.5.30.1.127.77.4.10.20"/>
  <code code="75326-9" codeSystem="2.16.840.1.113883.6.1" displayName="Problem"/>
  <statusCode code="completed"/>
  <value xsi:type="CD" nullFlavor="OTH">

    <originalText>

      <reference value="#mtp.1.reason"/>
    </originalText>
  </value>
</observation>
```

Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(CH-EMED-TreatmentReasonEntryContentModule)
@classCode	cs	0 .. 1	F	OBS	
@moodCode	cs	0 .. 1	F	EVN	
hl7:templateId	II	1 .. 1	M		(CH-EMED-TreatmentReasonEntryContentModule)
@root	uid	1 .. 1	F	2.16.756.5.30.1.127.77.4.10.20	
hl7:templateId	II	1 .. 1	M		(CH-EMED-TreatmentReasonEntryContentModule)

Item	DT	Kard	Konf	Beschreibung	Label
@root		1 ... 1	F	2.16.756.5.30.1.1.1.1.3.10.2.10.10.4.4	
hl7:code	CD	1 ... 1	R		(CH-EMED-TreatmentReasonEntryContentModule)
@code	CONF	1 ... 1	F	75326-9	
@codeSystem		1 ... 1	F	2.16.840.1.113883.6.1 (Logical Observation Identifier Names and Codes)	
@displayName		1 ... 1	F	Problem	
@codeSystemName		1 ... 1	F	LOINC	
hl7:text	ED	1 ... 1	M	 The URI given in the value attribute of the <reference> element points to an element in the narrative content that contains the complete text describing the treatment reason.	(CH-EMED-TreatmentReasonEntryContentModule)
hl7:reference	TEL	1 ... 1	M		(CH-EMED-TreatmentReasonEntryContentModule)
@value		1 ... 1	R	 Ziel der Konzept Id(s): cdachemed-dataelement-56  Behandlungsgrund  Parameter eMedikation	
hl7:statusCode	CS	1 ... 1	M		(CH-EMED-TreatmentReasonEntryContentModule)
@code	CONF	1 ... 1	F	completed	

6.2.42 todelte 2.16.756.5.30.1.1.1.1.3.10.10.2.7.2 - 2016-09-13

Id	2.16.756.5.30.1.1.1.1.3.10.10.2.7.2	Gültigkeit	gültig ab 2016-09-13
Status	 Draft	Versions-Label	

Name	CH-EMED-todelete	Anzeigename	todelte
Beschreibung	todelete		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Keine Elemente, Attribute, Includes oder Choices in dieser Template-Definition.			

6.2.43 Dispense Item 1.3.6.1.4.1.12559.11.22.1.52 - 2016-01-08 11:13:04 (PADV2016) (aus Repository: iheptv-)

Id	1.3.6.1.4.1.12559.11.22.1.52  (aus Repository: iheptv-)		Gültigkeit	gültig ab 2016-01-08 11:13:04	
Status	 Draft		Versions-Label	PADV2016	
Name	DispenseItem		Anzeigename	Dispense Item	
Beschreibung					
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 0 Templates				
	Benutzt von Template-Id	als	Name		Version
	2.16.756.5.30.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module		2016-07-12

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		0 .. 1			(DispenseItem)
wo [hl7:supply/hl7:code/@code='DISItem']					
@typeCode		1 .. 1	F	REFR	
hl7:supply					(DispenseItem)
@classCode		1 .. 1	F	SPLY	
@moodCode		1 .. 1	F	EVN	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id		1 ... 1	M		(DispenseItem)
hl7:code	CD	1 ... 1	M		(DispenseItem)
@code	CONF	1 ... 1	F	DISItem	
@codeSystem		1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	

6.2.44 IHE Internal Reference Entry 1.3.6.1.4.1.19376.1.5.3.1.4.4.1 - 2013-12-20 (2014) (aus Repository: IHE-PCC-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.4.1  (aus Repository: IHE-PCC-)	Gültigkeit	gültig ab 2013-12-20
Status	 Active	Versions-Label	2014
Name	IHEInternalReferenceEntry	Anzeigename	IHE Internal Reference Entry
Beschreibung	 CDA and HL7 Version 3 Entries may reference (point to) information contained in other entries within the same document		
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.4.1		
Label	6.3.4.10		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 9 Templates, Benutzt 0 Templates		
	Benutzt von Template-Id	als	Name
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1
Version			
2016-06-13			
2016-05-21			
2016-05-13			

2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		Pharmaceutical Advice Item Entry Content Module	2016-06-25
2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		Pharmaceutical Advice Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.4		eMedicationComment V1	2016-05-21
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1	Containment	Dispense Item Entry Content Module	2016-06-17
2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1		Dispense Section Content Module	2016-06-06
2.16.756.5.30.1.1.1.1.3.10.3		eAbgabe V1	2016-05-21

Alles ausklappen Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:act					6.3.4.10
@classCode	cs	1 ... 1	R		
@moodCode	cs	1 ... 1	R		
hl7:templateId	II	1 ... 1	M		6.3.4.10.4
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.4.1	
hl7:id	II	1 ... 1	M		6.3.4.10.5
hl7:code	CD	1 ... 1	R		6.3.4.10.6
@nullFlavor	cs	0 ... 1	F	NA	

6.2.45 IHE Patient Medication Instructions 1.3.6.1.4.1.19376.1.5.3.1.4.3 - 2013-12-20 (2014) (aus Repository: IHE-PCC-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.3 (aus Repository: IHE-PCC-)	Gültigkeit	gültig ab 2013-12-20
----	---	------------	----------------------

Status	 Active		Versions-Label	2014
Name	IHEPatientMedicationInstructions		Anzeigename	IHE Patient Medication Instructions
Beschreibung	 Any medication may be the subject of further instructions to the patient, for example to indicate that it should be taken with food, et cetera.			
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.3			
Label	6.3.4.7			
Klassifikation	CDA Entry Level Template			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)			
Assoziiert mit	Assoziiert mit 1 Konzept			
	Id	Name	Datensatz	
	cdachemed-dataelement-54	 Kommentar	 Parameter eMedikation	
Benutzt von / Benutzt	Benutzt von 12 Templates, Benutzt 0 Templates			
	Benutzt von Template-Id	als	Name	Version
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.4.1	Containment	 Medication Treatment Plan Item Entry Content Module	2016-06-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.1.10.3.1		 eCurrentMedication Section Content Module	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.1		 eCurrentMedication V1	2016-05-13
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.4.1		 Pharmaceutical Advice Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.4.10.3.1		 Pharmaceutical Advice Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.4		 eMedicationComment V1	2016-05-21
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.4.1	Containment	 Prescription Item Entry Content Module	2016-06-25
	2.16.756.5.30.1.1.1.1.3.10.2.10.2.10.3.1		 Prescription Section Content Module	2016-06-06
	2.16.756.5.30.1.1.1.1.3.10.2		 eRezept V1	2016-05-21

2.16.756.5.30.1.1.1.1.3.10.2.10.3.10.4.1 Containment  Dispense Item Entry Content Module 2016-06-172.16.756.5.30.1.1.1.1.3.10.2.10.3.10.3.1   Dispense Section Content Module 2016-06-062.16.756.5.30.1.1.1.1.3.10.3   eAbgabe V1 2016-05-21

Beziehung

Derived: Modell 2.16.840.1.113883.10.20.1.49 (DYNAMIC)

Item	DT	Kard	Konf	Beschreibung	Label
hl7:act					6.3.4.7
@classCode	cs	1 .. 1	F	ACT	
@moodCode	cs	1 .. 1	F	INT	6.3.4.7.4
hl7:templateId	II	1 .. 1	M		6.3.4.7.5
@root	uid	1 .. 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.3	
hl7:templateId	II	1 .. 1	M		6.3.4.7.5
wo [@root='2.16.840.1.113883.10.20.1.49']					
@root	uid	1 .. 1	F	2.16.840.1.113883.10.20.1.49	
hl7:code	CD	1 .. 1	M		6.3.4.7.6
@code		1 .. 1	F	PINSTRUCT	
@codeSystem	CONF	1 .. 1	F	1.3.6.1.4.1.19376.1.5.3.2	
@codeSystemName		1 .. 1	F	IHEActCode	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:text	ED	1 ... 1	M		6.3.4.7.7
hl7:reference		1 ... 1	R		6.3.4.7.7
hl7:statusCode	CS	1 ... 1	M		6.3.4.7.8
@code	CONF	1 ... 1	F	completed	

6.2.46 IHE Severity Entry 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2013-12-20 (2014) (aus Repository: IHE-PCC-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.1  (aus Repository: IHE-PCC-)	Gültigkeit	gültig ab 2013-12-20 Es gibt Versionen von Templates mit dieser Id: - IHESeverityEntry vom 2013-12-20 - Severity vom 2009-12-04
Status	 Active	Versions-Label	2014
Name	IHESeverityEntry	Anzeigename	IHE Severity Entry
Beschreibung	 Any condition or allergy may be the subject of a severity observation. This structure is included in the target act using the <entryRelationship> element defined in the CDA Schema.		
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.1		
Label	6.3.4.3		
Klassifikation	CDA Entry Level Template		
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 0 Templates		

	Benutzt von Template-Id	als	Name		Version
	2.16.756.5.30.1.1.1.3.10.2.10.4.10.4.2	Containment	 Pharmaceutical Advice Concern Item Entry Content Module		2016-07-12
Beziehung		Specialization: Template 2.16.840.1.113883.10.20.1.55 (DYNAMIC)			
Alles ausklappen		Alles einklappen			
Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation			M		6.3.4.3
@classCode	cs	1 ... 1	F	OBS	
@moodCode	cs	1 ... 1	F	EVN	
hl7:templateId	II	1 ... 1	M		6.3.4.3
@root	uid	1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.1	
hl7:templateId	II	1 ... 1	M		6.3.4.3
@root	uid	1 ... 1	F	2.16.840.1.113883.10.20.1.55	
hl7:code	CD	1 ... 1	M	 This observation is of severity, as indicated by the <code> element listed above. This element is required.	6.3.4.3
@code	CONF	1 ... 1	F	SEV	
@codeSystem		1 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	1 ... 1	M	 The <observation> element shall contain a <text> element. The <text> element shall contain a <reference> element pointing to the narrative where the severity is recorded,	6.3.4.3

Item	DT	Kard	Konf	Beschreibung	Label
hl7:reference	TEL	1 ... 1	M		6.3.4.3
hl7:statusCode	CS	1 ... 1	R	 The code attribute of <statusCode> for all severity observations shall be completed. While the <statusCode> element is required in all acts to record the status of the act, the only sensible value of this element in this context is completed.	6.3.4.3
@code	CONF	1 ... 1	F	completed	
@codeSystem		1 ... 1	F	2.16.840.1.113883.5.14	
hl7:value	CD	0 ... *	R		6.3.4.3
	CONF			@code muss "L" sein @codeSystem muss "2.16.840.1.113883.5.1063" sein oder @code muss "H" sein @codeSystem muss "2.16.840.1.113883.5.1063" sein oder @code muss "M" sein @codeSystem muss "2.16.840.1.113883.5.1063" sein	

6.2.47 Medication Treatment Plan Item 1.3.6.1.4.1.12559.11.22.1.50 - 2016-01-08 11:13:04 (PADV2016) (aus Repository: iheptv-)

Id	1.3.6.1.4.1.12559.11.22.1.50  (aus Repository: iheptv-)	Gültigkeit	gültig ab 2016-01-08 11:13:04
Status	 Draft	Versions-Label	PADV2016
Name	MedicationTreatmentPlanItem	Anzeigename	Medication Treatment Plan Item
Beschreibung			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		

Benutzt von / Benutzt		Benutzt von 1 Template, Benutzt 0 Templates			
		Benutzt von Template-Id	als	Name	Version
		2.16.756.5.30.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module	2016-07-12
Alles ausklappen Alles einklappen					
Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		1 ... 1	R		(MedicationTreatmentPlanItem)
wo [hl7:substanceAdministration/hl7:code/@code='MTPItem']					
@typeCode		1 ... 1	F	REFR	
hl7:substanceAdministration					(MedicationTreatmentPlanItem)
@classCode		1 ... 1	F	SBADM	
@moodCode		1 ... 1	F	INT	
hl7:id		1 ... 1	M		(MedicationTreatmentPlanItem)
hl7:code	CD	1 ... 1	M		(MedicationTreatmentPlanItem)
@code	CONF	1 ... 1	F	MTPItem	
@codeSystem		1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		1 ... 1	R		(MedicationTreatmentPlanItem)
hl7:manufacturedProduct		1 ... 1	R		(MedicationTreatmentPlanItem)
hl7:manufacturedMaterial		1 ... 1	R		(MedicationTreatmentPlanItem)

Item	DT	Kard	Konf	Beschreibung	Label
@nullFlavor		1 ... 1	F	NA	

6.2.48 Prescription Item 1.3.6.1.4.1.12559.11.22.1.51 - 2016-01-08 11:13:04 (PADV2016) (aus Repository: iheptv-)

Id	1.3.6.1.4.1.12559.11.22.1.51  (aus Repository: iheptv-)	Gültigkeit	gültig ab 2016-01-08 11:13:04
Status	 Draft	Versions-Label	PADV2016
Name	PrescriptionItem	Anzeigename	Prescription Item
Beschreibung			
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)		
Benutzt von / Benutzt	Benutzt von 1 Template, Benutzt 0 Templates		
	Benutzt von Template-Id	als	Name
	2.16.756.5.30.1.1.1.3.10.2.10.4.10.4.2		Pharmaceutical Advice Concern Item Entry Content Module
			2016-07-12

Alles ausklappen

Alles einklappen

Item	DT	Kard	Konf	Beschreibung	Label
hl7:entryRelationship		1 ... 1	R		(PrescriptionItem)
wo [hl7:substanceAdministration/hl7:code/@code='PREItem']					
@typeCode		1 ... 1	F	REFR	
hl7:substanceAdministration					(PrescriptionItem)
@classCode		1 ... 1	F	SBADM	
@moodCode		1 ... 1	F	INT	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:id		1 ... 1	M		(PrescriptionItem)
hl7:code	CD	1 ... 1	M		(PrescriptionItem)
@code	CONF	1 ... 1	F	PREItem	
@codeSystem		1 ... 1	F	1.3.6.1.4.1.19376.1.9.2.2	
hl7:consumable		1 ... 1	R		(PrescriptionItem)
hl7:manufacturedProduct		1 ... 1	R		(PrescriptionItem)
hl7:manufacturedMaterial		1 ... 1	R		(PrescriptionItem)
@nullFlavor		1 ... 1	F	NA	

6.2.49 ○ Severity 1.3.6.1.4.1.19376.1.5.3.1.4.1 - 2009-12-04 ref (aus Repository: iheptv-)

Id	1.3.6.1.4.1.19376.1.5.3.1.4.1 ref (aus Repository: iheptv-)	Gültigkeit	gültig ab 2009-12-04
			Es gibt Versionen von Templates mit dieser Id: - IHESeverityEntry vom 2013-12-20 - Severity vom 2009-12-04
Status	 In Review	Versions-Label	
Name	Severity	Anzeigename	Severity
Beschreibung	 Any condition or allergy may be the subject of a severity observation. This structure is included in the target act using the <entryRelationship> element defined in the CDA Schema. The example below shows the recording the condition or allergy severity, and is used as the context for the following sections.		

	See also IHE PCC Wiki Content				
Kontext	Elternknoten des Template-Element mit Id 1.3.6.1.4.1.19376.1.5.3.1.4.1				
Klassifikation	CDA Entry Level Template				
Offen/Geschlossen	Offen (auch andere als die definierten Elemente sind erlaubt)				
Beziehung	Specialization: Template 2.16.840.1.113883.10.12.303 (2005-09-07)				
Beispiel	Beispiel				
	<pre><observation classCode="OBS" moodCode="EVN"> <templateId root="2.16.840.1.113883.10.20.1.55"/> <templateId root="1.3.6.1.4.1.19376.1.5.3.1.4.1"/> <code code="SEV" codeSystem="2.16.840.1.113883.5.4" displayName="Severity" codeSystemName="ActCode"/> <text> <reference value="#severity-2"/> </text> <statusCode code="completed"/> <value xsi:type="CD" code="H M L" codeSystem="2.16.840.1.113883.5.1063" codeSystemName="ObservationValue"/> </observation></pre>				
Alles ausklappen Alles einklappen					
Item	DT	Kard	Konf	Beschreibung	Label
hl7:observation					(Severity)
@classCode		1 ... 1	F	OBS	
@moodCode		1 ... 1	F	EVN	
hl7:templateId	II	1 ... 1	M		(Severity)
@root		1 ... 1	F	2.16.840.1.113883.10.20.1.55	
hl7:templateId	II	1 ... 1	M		(Severity)
@root		1 ... 1	F	1.3.6.1.4.1.19376.1.5.3.1.4.1	

Item	DT	Kard	Konf	Beschreibung	Label
hl7:code	CE	1 ... 1	M		(Severity)
@code		1 ... 1	F	SEV	
@codeSystem	CONF	1 ... 1	F	2.16.840.1.113883.5.4 (Act Code)	
hl7:text	ED	1 ... 1	R	 The <observation> element shall contain a <text> element that points to the narrative text describing the clinical status. For CDA, the <text> elements shall contain a <reference> element pointing to the narrative section (see Linking Narrative and Coded Entries), rather than duplicate text to avoid ambiguity. For HL7 Version 3 Messages, the <text> element SHALL contain the full narrative text.	(Severity)
hl7:reference	TEL	0 ... 1			(Severity)
@value		1 ... 1	R		
hl7:statusCode	CS	1 ... 1	M		(Severity)
@code	CONF	1 ... 1	F	completed	
hl7:value	CE	1 ... 1	R	 The <value> element contains the clinical status. It is always represented using the CE datatype (xsi:type='CE'). It shall contain a code from the following set of values from SNOMED CT.	(Severity)
	CONF	Der Wert von @code muss gewählt werden aus dem Value Set 2.16.840.1.113883.1.11.16643 <i>SeverityObservation</i> (DYNAMIC)			